



LJUBLJANA, DECEMBER 2003 Vol. 11, No. 2: 183–188

**CHECK-LIST OF THE GENUS *CORTODERA* MULSANT, 1863
(COLEOPTERA: CERAMBYCIDAE) IN TURKEY WITH TWO NEW
RECORDS**

Hüseyin ÖZDİKMEN

Department of Biology, Faculty of Science and Arts, University of Gazi, 06500
Ankara / Turkey, e-mail: ozdikmen@gazi.edu.tr

Abstract - The present list is the first attempt to register all modern *Cortodera* taxa of the whole territory of Turkey. Complete list of Turkish (European Turkey and Anatolia) *Cortodera* is given. It includes 20 species and 25 taxa of the species group (with subspecies); species introduced and established in Turkey are also included. Nominate subspecies are not mentioned, if other subspecies do not occur in Turkey. Main and important (but not all) synonyms, as well as taxonomic and geographical notes are also given.

KEY WORDS: *Cortodera*, Cerambycidae, Coleoptera, Turkey

Izvilleček – SEZNAM VRST RODU *CORTODERA* MULSANT, 1863 (COLEOPTERA: CERAMBYCIDAE) V TURČIJI, Z DVEMA NOVIMA NAJDBAMA

Pričujoči seznam je prvi poskus popisati vse sodobne taksone rodu *Cortodera* celotnega ozemlja Turčije. Podan je popoln seznam rodu *Cortodera* v Turčiji (Evropska Turčija in Anatolija). Vsebuje 20 vrst in 25 taksonov vrstne skupine (s podvrstami); vsebovane so tudi vrste, zanešene in naseljene v Turčijo. Nominatne podvrste niso omenjene, če druge podvrste ne nastopajo v Turčiji. Navedeni so glavni in pomembni (ne pa vsi) sinonimi ter taksonomske in geografske opombe.

KLJUČNE BESEDE: *Cortodera*, Cerambycidae, Coleoptera, Turčija

Introduction

The longhorn beetle fauna of Turkey had been studied intensively in the last century and a number of papers presenting mainly faunistic data have appeared dealing

with the genus *Cortodera* Mulsant, 1863 (Bodemeyer, 1900, 1906; Acatay, 1943; Schimitschek, 1953; Çanakçıoğlu, 1956, 1993; Villiers, 1959, 1967; Tuatay et al., 1961-1971; Demelt, 1963, 1967; Breuning and Villiers, 1967; Fuchs & Breuning, 1971; Gfeller, 1972; Gül-Zümreoğlu, 1975; Özbek, 1978; Holzschuh, 1980; Lobanov et al., 1981; Sama, 1982; Öymen, 1987; Adlbauer, 1988, 1992; Danilevsky, 1992; Bense, 1995; Althoff & Danilevsky, 1997; Lodos, 1998; Çanakçıoğlu and Mol, 1998; Sama & Rapuzzi, 1999; Rejzek and Hoskovec, 1999; Rejzek et al. 2001; Tozlu et al., 2002; Hoskovec & Rejzek, 2002; Danilevsky, 2002).

Materials and methods

The material for this study was collected by the author in the years 1991, 1997 and 2001 from different localities in Turkey and is deposited in the Gazi University. Some data were obtained from the cited literature.

The distribution in Turkey is presented by the list of provinces.

Results and discussion

Data are presented on the occurrence of 20 species and 25 taxa of the species group (with subspecies) of the genus *Cortodera* Mulsant, 1863 in Turkey. The occurrence in Turkey of *Cortodera aestiva* Sama et Rapuzzi, 1999, *Cortodera alpina alpina* (Menetries, 1832), *Cortodera alpina umbripennis* Reitter, 1890, *Cortodera alpina xanthoptera* Ganglbauer, 1898, *Cortodera cirsii* Holzschuh, 1975, *Cortodera colchica colchica* Reitter, 1890, *Cortodera colchica rutilipes* Reitter, 1890, *Cortodera discolor* Fairmaire, 1866, *Cortodera femorata* (Fabricius, 1787), *Cortodera flavimana flavimana* (Waltl, 1838), *Cortodera flavimana limbata* Pic, 1897, *Cortodera holosericea* (Fabricius, 1801), *Cortodera humeralis humeralis* (Schaller, 1783), *Cortodera humeralis orientalis* Adlbauer, 1988, *Cortodera imrasanica* Sama et Rapuzzi, 1999, *Cortodera omophloides* Holzschuh, 1974, *Cortodera pseudomophlus* Reitter, 1889, *Cortodera pumila* Ganglbauer, 1881, *Cortodera ranunculi* Holzschuh, 1975, *Cortodera rubripennis* Pic, 1891, *Cortodera simulatrix* Holzschuh, 1975, *Cortodera syriaca* Pic, 1901, *Cortodera transcaspica* Plavilstshikov, 1936, *Cortodera uniformis* Holzschuh, 1975, and *Cortodera villosa* Heyden, 1876 are determined in this work. Thus, 10 species are added to the species known from Turkey by Lodos (1998). *Cortodera cirsii* Holzschuh, 1975 is endemic in Turkey. *Cortodera femorata* (Fabricius, 1787) and *Cortodera villosa* Heyden, 1876 are reported for the first time in the Turkish fauna.

Recent works on the Turkish fauna of *Cortodera* Mulsant, 1863 are Lobanov et al., 1981; Öymen, 1987; Althoff & Danilevsky, 1997; Lodos, 1998; Hoskovec & Rejzek, 2002 and Danilevsky, 2002. Especially Lodos, 1998 is a main literature source for this subject. Hoskovec & Rejzek, 2002 and Danilevsky, 2002 are unpublished works as computer databases.

According to Lobanov et al., 1981, *Cortodera alpina* (Menetries, 1832), *Cortodera colchica* Reitter, 1890, *Cortodera flavimana* (Waltl, 1838) and *Cortodera pumila* Ganglbauer, 1881 occur in Turkey. *Cortodera syriaca* Pic, 1901 and *Cortodera transcaspica* Plavilstshikov, 1936 were added to the species above in computer database of Danilevsky, 2002.

According to Öymen, 1987, Turkish forest fauna of *Cortodera* is comprised of *Cortodera alpina* (Menetries, 1832) and *Cortodera flavimana* (Waltl, 1838).

The European fauna of *Cortodera* includes 14 species listed in Althoff & Danilevsky, 1997. They included also the fauna of European part of Turkish *Cerambycoidea*. So, *Cortodera flavimana* (Waltl, 1838) and *Cortodera humeralis* (Schaller, 1783) were present among the species in Turkey.

In computer database of Hoskovec & Rejzek, 2002, *Cortodera colchica* Reitter, 1890, *Cortodera flavimana* (Waltl, 1838), *Cortodera humeralis* (Schaller, 1783), *Cortodera omophloides* Holzschuh, 1974 and *Cortodera syriaca* Pic, 1901 are reported to be present in Turkey.

In Lodos, 1998, the fauna of Turkish *Cortodera* Mulsant, 1863 comprise 10 species. These are *Cortodera alpina* (Menetries, 1832), *Cortodera colchica* Reitter, 1890, *Cortodera discolor* Fairmaire, 1866, *Cortodera flavimana* (Waltl, 1838), *Cortodera pumila* Ganglbauer, 1881, *Cortodera ranunculi* Holzschuh, 1975, *Cortodera simulatrix* Holzschuh, 1975, *Cortodera syriaca* Pic, 1901, *Cortodera uniformis* Holzschuh, 1975, and *Cortodera omophloides* Holzschuh, 1974.

According to the literature data mentioned above, the genus *Cortodera* is represented by 12 species in Turkey. But, in the present paper we report that the Turkish fauna of *Cortodera* Mulsant, 1863 is comprised of totally 20 species. These are listed as follows.

Check-list of the genus *Cortodera* Mulsant, 1863 in Turkey

Cortodera Mulsant, 1863

aestiva Sama et Rapuzzi, 1999 (KARS)

alpina (Menetries, 1832)

ssp. *alpina* (Menetries, 1832) (ERZURUM)

ssp. *umbripennis* Reitter, 1890 (ANKARA, İÇEL, MUŞ, ARTVİN, VAN, KARS, ARDAHAN)

= *armeniaca* Pic, 1898

ssp. *xanthoptera* Ganglbauer, 1898 (İÇEL, NİĞDE)

cirsii Holzschuh, 1975 (OSMANİYE, NİĞDE, ADANA)

colchica Reitter, 1890

ssp. *colchica* Reitter, 1890 (ADANA, HAKKARİ, BİNGÖL, ARTVİN, BURDUR, KAYSERİ, ANTALYA, KONYA, KARS, ADIYAMAN, BAYBURT, ERZURUM, SİVAS, ANKARA, AKSARAY)

= *deyrollei* Pic, 1894

- ssp. rutilipes* Reitter, 1890 (ERZURUM)
discolor Fairmaire, 1866 (İZMİR, ANKARA, KONYA, NİĞDE, AKSARAY, İÇEL)
***femorata* (Fabricius, 1787) (AKSARAY) (New record for Turkey)**
flavimana (Waltl, 1838)
ssp. flavimana (Waltl, 1838) (İÇEL, ANTALYA, NİĞDE, AFYON, İSTANBUL, İZMİR, ISPARTA, SAMSUN, ANKARA, ERZURUM, SİNOP, BOLU, KONYA, KASTAMONU, ARTVİN, BAYBURT, KARS, RİZE, SİVAS, AKSARAY, KAYSERİ, EUROPEAN TURKEY)
ssp. limbata Pic, 1897 (İZMİR, ANKARA, BURSA)
holosericea (Fabricius, 1801) (ANKARA)
humeralis (Schaller, 1783)
ssp. humeralis (Schaller, 1783) (ANKARA, EUROPEAN TURKEY)
ssp. orientalis Adlbauer, 1988 (OSMANİYE, ANKARA, BOLU, ANTALYA)
imrasanica Sama et Rapuzzi, 1999 (ANTALYA)
omophloides Holzschuh, 1974 (İÇEL)
pseudomophlus Reitter, 1889 (KAHRAMANMARAŞ, ERZURUM)
pumila Ganglbauer, 1881 (KARS, TOKAT, KASTAMONU)
ranunculi Holzschuh, 1975 (MUŞ)
rubripennis Pic, 1891 (HATAY, ADANA)
simulatrix Holzschuh, 1975 (ARTVİN)
syriaca Pic, 1901 (KAHRAMANMARAŞ, İÇEL, ADIYAMAN, MUŞ, AKSARAY)
transcaspica Plavilstshikov, 1936 (TURKEY)
 = *lobanovi* Kaziuchitz, 1988
 = *persica* Plavilstshikov, 1936
uniformis Holzschuh, 1975 (GÜMÜŞHANE, ARTVİN)
***villosa* Heyden, 1876 (ANKARA) (New record for Turkey)**

References

- Acatay, A.**, 1943: İstanbul çevresi ve bilhassa Belgrad ormanındaki zararlı orman böcekleri, mücadeleleri ve işletme üzerine etkileri. *Zir. Vek. Yük. Zir. Enst. Çal. Sayı* 142, 163 pp.
- Adlbauer, K.**, 1988: Neues zur Taxonomie und Faunistik der Bockkäferfauna der Türkei (Coleoptera, Cerambycidae). *Entomofauna*, 9 (12): 257-297.
- Adlbauer, K.**, 1992: Zur Faunistik und Taxonomie der Bockkäferfauna der Türkei II (Coleoptera, Cerambycidae). *Entomofauna*, 13 (30): 485-509.
- Althoff, J. & Danilevsky, M.L.**, 1997: A Check-List of Longicorn Beetles (Coleoptera, Cerambycoidea) of Europe. Slovensko Entomološko Društvo Štefana Michielija. Ljubljana, 64 pp.
- Bense, U.**, 1995: Illustrated key to the Cerambycidae (excl. Dorcadionini) and Vesperidae of Europe. 850 drawings, 400 distribution maps, 8 col. photographs, 512 pp.

- Bodemeyer, H.E.V.**, 1900: Quer durch Klein Asien, in den Bulghar Dagh; Eine Naturwissenschaftliche Studien-Reise, 196 pp.
- Bodemeyer, H.E.V.**, 1906: Beitrage zur Käferfauna von Klein Asien. *Deutsche Ent. Z.*, 2: 417-437.
- Breuning, S. & Villiers, A.**, 1967: Cérambycides de Turquie (2. note). *L'Entomologiste*, 23 (3): 59-63.
- Çanakçıoğlu, H.** 1956: Bursa Ormanlarında Entomolojik Araştırmalar. İ. Ü. Yay. No: 690, Orman Fak. Yay. No: 41, 41 pp.
- Çanakçıoğlu, H.**, 1993: Orman Entomolojisi (Özel Bölüm). İ. Ü. Orman Fakültesi Yayınları, İ. Ü. Yay. No: 3623, Orman Fak. Yay. No:412, İ. Ü. Basımevi ve Film Merkezi, İstanbul, (ikinci baskı), 458 pp.
- Çanakçıoğlu, H. & Mol, T.**, 1998: Orman Entomolojisi Zararlı ve Yararlı Böcekler. İ. Ü. Orman Fakültesi Yay., Rek. No:4063, Orman Fak. Yay. No: 451, Dilek Ofset Matbaacılık, İstanbul, 541 pp.
- Danilevsky, M.L.**, 1992: Taxonomic and zoogeographical notes on the family Cerambycidae (Coleoptera) of Russia and adjacent regions. *Russian Ent. Journ.*, 1 (1992), 2: 37-39.
- Danilevsky, M.L.**, 2002: Systematic list of Longicorn Beetles (Cerambycoidea) of the territory of the former USSR (on the base of "Systematic list of Longicorn Beetles of the USSR" by A.L. Lobanov, M.L. Danilevsky, S.V. Murzin, 1981, and computer databases by A.L. Lobanov, 1979-1990). Last updated: December 18, 2001.
- Demelt, C.V.**, 1963: Beitrag zur Kenntnis der Cerambycidenfauna Kleinasiens und 13. Beitrag zur Biologie palaearkt. Cerambyciden, sowie Beschreibung einer neuen Oberea-Art - Entomol. Bl., 59 (3): 132-151. [Türkiye'nin Cerambycid faunası üzerine kısa bilgi (Translated by B. Alkan). *Bitki. Kor. Bül.*, 2 (10): 49-56].
- Demelt, C.V.**, 1967: Nachtrag zur Kenntnis der Cerambyciden-Fauna Kleinasiens. *Entomol. Bl.*, 63 (2): 106-109.
- Fuchs, E. & Breuning, S.**, 1971: Die Cerambycidenausbeute der Anatolienexpedition 1966-67 des Naturhistorischen Museums, Wien. *Ann. Naturhist. Mus. Wien*, 75: 435-439.
- Gfeller, W.**, 1972: Cerambycidae (Coleoptera) der Türkei-Persienexpedition 1970 der Herren Dr. H. c. W. Wittmer und U. v. Botmer. *Mitt. Ent. Ges. Basel*, 22 (1): 1-8.
- Gül-Zümreoğlu, S.**, 1975: Ege Bölgesi Teke Böcekleri (Cerambycidae-Coleoptera) Türleri, Taksonimleri, Konukçuları ve Yayılış Alanları Üzerinde Araştırmalar. T. C. Gıda Tar. Hay. Bak. Kar. Gn. Md. Arş. Eser. Ser. T. B. No: 28, 208 pp.
- Holzschuh, C.**, 1980: Revision einer Cerambycidenausbeute des Naturhistorischen Museums Wien (Coleoptera). *Ann. Naturhist. Mus. Wien*, 83: 573-574.
- Hoskovec, M. & Rejzek, M.**, 2002: Longhorn beetles (Cerambycidae) of the West Palaearctic Region, Computer database, Last update: December 3, 2002.

- Lobanov, A.L., Danilevsky, M.L. & Murzin, S.V.**, 1981: [Systematic list of Longicorn beetles (Coleoptera. Cerambycidae) of the USSR. 1]. *Rev. d'Entom.*, 60 (4): 784-803 [in Russian].
- Lodos, N.**, 1998: Türkiye Entomolojisi VI (Genel, Uygulamalı ve Faunistik). Ege Ü. Zir. Fak. Yayınları No: 529, E. Ü. Zir. Fak. Ofset Atelyesi, İzmir, 300 pp.
- Öymen, T.**, 1987: The Forest Cerambycidae of Turkey. İ. Ü. Orman Fakültesi, İstanbul, (unpublished thesis) 146 pp.
- Özbek, H.**, 1978: Erzurum ve yöresinde ev teke böceği [*Hylotrupes bajulus* (L.) Serville] ve diğer bazı teke böcekleri. *Atatürk Ü. Zir. Fak. Derg.*, 9 (1): 31-44.
- Rejzek, M. & Hoskovec, M.**, 1999: Cerambycidae of Nemrut Dağı National Park (Anatolia, South-East Turkey). *Biocosme Mésogéen*, Nice, 15 (4): 257-272.
- Rejzek, M., Sama, G. & Alziar, G.**, 2001: Host Plants of Several Herb-Feeding Cerambycidae Mainly from East Mediterranean Region (Coleoptera: Cerambycidae). *Biocosme Mésogéen*, Nice, 17 (4): 263-294.
- Sama, G.**, 1982: Contributo allo studio dei coleotteri Cerambycidae di Grecia e Asia Minore. *Fragm. Entomol.*, Roma, 16 (2): 205-227.
- Sama, G. & Rapuzzi, P.**, 1999: Cerambycidae nuovi o poco noti di Turchia e medio oriente (Coleoptera, Cerambycidae). *Lambillionea*, XCIX (3): 461-468.
- Schimitschek, E.**, 1953: Türkiye Orman Böcekleri ve Muhiti (Çev. A. Acataş). İ. Ü. Yay. No: 556, Orman Fak. Yay. No: 24, İstanbul, 471 pp.
- Villiers, A.**, 1959: Cérambycides de Turquie. *L'Entomologiste*, 15 (1-2): 7-11.
- Villiers, A.**, 1967: Coléoptères Cérambycides de Turquie (1. Partie). *L'Entomologiste*, 23 (1): 18-22.
- Tozlu, G., Rejzek, M. & Özbek, H.**, 2002: A contribution to the knowledge of Cerambycidae (Coleoptera) fauna of Turkey. Part I: Subfamilies Prioninae to Cerambycinae. *Biocosme Mésogéen*, Nice, 19 (1-2): 55-94.
- Tuatay, N., Kalkandelen, A. & Aysev (Çağatay), N.**, 1961-1971: Nebat Koruma Müzesi Böcek Kataloğu (1961-1971), 53-55.

Received / Prejeto: 18. 2. 2003