

Acrocephalus

Originalni članki / Original articles

14I BIBLIOGRAFIJA ACROCEPHALUSA 2000–2013 (L. Božič)

The Bibliography of Acrocephalus for the 2000–2013 period (L. Božič)

22I SEZNAM RECENZENTOV LETNIKA 34 (2013)

The list of manuscript reviewers of Volume 34 (2013)



Impresum / Impresum

Acrocephalus

glasilo Društva za opazovanje in proučevanje ptic Slovenije
Journal of DOPPS - BirdLife Slovenia

ISSN 0351-2851

Lastnik / Owned by:
Društvo za opazovanje in proučevanje ptic Slovenije (DOPPS - BirdLife Slovenia), p.p. 2990, SI-1001 Ljubljana, Slovenija

Oddaja rokopisov / Manuscript submission:
DOPPS - BirdLife Slovenia, p.p. 2990, SI-1001 Ljubljana, Slovenija
e-mail: luka.bozic@dopps.si

Glavni urednik / Editor-in-Chief:
Luka Božič
e-mail: luka.bozic@dopps.si

Sourednik / Associate Editor:
Dare Šere, e-mail: dare.sere@guest.arnes.si
(Iz ornitološke beležnice / From the ornithological notebook)

Uredniški odbor / Editorial Board:
doc. dr. Damijan Denac (SI)
Janez Gregori (SI)
dr. Bojidar Ivanov (BG)
prof. dr. Franc Janžekovič (SI)
dr. Primož Kmecl (SI)
dr. Jelena Kralj (HR)
prof. dr. Lovrenc Lipej (SI)
dr. Gordan Lukac (HR)
Tomaž Mihelič (SI)
dr. Roger H. Pain (GB)
dr. Nikolai V. Petkov (BG)
prof. dr. Jenő J. Purger (HU)
dr. Peter Sackl (AT)
doc. dr. Peter Skoberne (SI)
dr. Tomi Trilar (SI)
prof. dr. Peter Trontelj (SI)
Marko Tucakov (RS)
doc. dr. Al Vrezec (SI)

Lektor in prevajalec / Language editor and translator:
Henrik Ciglić

Oblikovanje / Design: Jasna Andrič
Prelom / Typesetting: Tadeja Smrtnik, Camera d.o.o.
Tisk / Print: Schwarz d.o.o.
Naklada / Circulation: 1500 izvodov / copies

Izhajanje in naročnina: V letniku izidejo 4 številke. Letna naročnina ustanove je 126,00 EUR, za posameznike 50,00 EUR.

Annual publications and membership subscription (abroad): One volume comprises 4 numbers. Annual subscription is 126,00 EUR for institutions and organisations, and 50,00 EUR for individuals.

Vaš kontakt za naročnino / Your contact for subscription:
DOPPS - Birdlife Slovenia (za Acrocephalus)

p.p. 2990
SI-1001 Ljubljana, Slovenija
tel.: +386 1 4265875, fax: +386 1 4251181
e-mail: dopps@dopps.si

Poslovni račun: SI56 2440 0905 9588 660

International Girobank: Raiffeisen banka
No. SI56 2440 0905 9588 660

Sofinancer / Co-financed by: Javna agencija za knjigo Republike Slovenije / Slovenian Book Agency

Revija je indeksirana / the journal is indexed in:
AGRICOLA, AQUATIC SCIENCES AND FISHERIES ABSTRACTS, BIOSIS PREVIEWS, BOSTAO SPA SERIALS, COBIB, DLIB.SI, ORNITHOLOGICAL WORLDWIDE LITERATURE, ORNITHOLOGISCHE SCHRIFTENSCHAU, RAPTOR INFORMATION SYSTEM, ZOOLOGICAL RECORDS


Published by: VERSITA

© Revija, vsi v njej objavljeni prispevki, tabele, grafikonji in skice so avtorsko zavarovani. Za rabo, ki jo zakon o avtorskih pravicah izrecno ne dopušča, je potrebno soglasje izdajatelja. To velja posebej za razmnoževanje (kopiranje), obdelavo podatkov, prevajanje, shranjevanje na mikrofilme in shranjevanje in obdelavo v elektronskih sistemih. Dovoljeno je kopiranje za osebno rabo v raziskavah in študijah, kritiko in v preglednih delih.

Mnenje avtorjev ni nujno mnenje uredništva.

Partner: BirdLife International
Revijo je omogočil: Grand Hotel Union

Ilustracija na naslovni / Front page:
rakar / Great Reed Warbler *Acrocephalus arundinaceus*
risba / drawing: Jurij Mikuletič

Navodila za avtorje / Instructions for authors

Original work on all fields of ornithology, without any geographical limitation, is published in *Acrocephalus*. However, articles covering the south-eastern European and eastern Mediterranean regions are particularly encouraged. The contributions should not have been submitted for publication elsewhere. Review articles, original articles, points-of-view, specialist and scientific comments (Editorial, Forum), short communications, short notes ('From the ornithological notebook'), diploma abstracts and book reviews (New books) are considered for publication. Contributions can be published in English or Slovene.

Submission procedure:

Articles should be submitted by e-mail to [editor-*acrocephalus*@dopps-drustvo.si]. The editor sends an acknowledgement within a few days and informs the authors of the further editorial procedure. Review articles and original articles are peer-reviewed by two referees, and further reviewed by the editor and editorial board. The editorial procedure can therefore be expected to last at least three months. The authors should modify the paper strictly according to the referees' detailed comments and explain non-accepted comments when returning the manuscript. The editor decides whether the manuscript should be accepted, rejected or additional review is to be made. Points-of-view and short communications are peer-reviewed by one person. Short notes 'From the ornithological notebook' are checked only by the editor, who may consult the members of the editorial board. All papers are edited for correct use of English and Slovene.

General remarks:

In general, Microsoft programmes should be used for preparing manuscripts. They should be formatted in single spacing. Please consult the editor about the use of other software. Files larger than 10 Mbytes should be sent by regular mail on DVD ROM. Send figures as RGB (8 bits per channel) in TIFF or JPG format with at least 300 dpi resolution. For vector graphics, EPS and CDR are the preferred formats. Colour dependent figures (with true colours; e.g. differences in feather colours) should be sent separately by regular mail. Send tables and graphs in XLS format, each table in its worksheet. The associated text should consist of just titles and legends; these should be sent in a separate file. English bird names should follow SVENSSON et al. [SVENSSON, L., MULLARNEY, K., & ZETTERSTROM, D. (2009): Collins Bird Guide. 2nd Edition. – HarperCollins, London.]. Scientific bird names should follow recommendations of British Ornithologists' Union Records Committee [<http://www.bou.org.uk/britisht-list>]. Slovene bird names should follow JANCAR et al. [JANCAR, T., BRAČKO, F., GROŠELJ, P., MIHELIČ, T., TOME, D., TRILAR, T., & VREZEC, A. (1999): Istrški ptic zahodne Palearktike. – *Acrocephalus* 20 (94/96): 97–162].

Rarities should be accepted by the national rarities' committee, if it exists. Exceptionally, if the committee is not operating for more than six months after submitting the rarity, it can be assessed by editorial board and published.

Format of original articles submitted for publication:

The paper should be headed by the title, names of authors, institution or home addresses as appropriate, and e-mail addresses of all authors.

Abstract and key words should not be longer than 250 words, and should include aims, methods, main results, and conclusions. Do not refer to the main text in abstract, and do not use abbreviations. Key words have to represent the text as much as possible.

Text should follow IMRAD structure (Introduction, Methods, Results, Discussion). The scientific name, in italics, should be given in the title (if appropriate), in the first mention of a species in the abstract and in the first mention in the main text.

References should be cited in alphabetical order, and, for the same author, by chronological order. If the author has published more than one work in a year, a small letter is added to the year (e.g. TOME 1990a). In the text, references are cited as SNOW & PERRINS (1998) or (SNOW & PERRINS 1998) as appropriate. More than two authors are cited as (ZEILER et al. 2002). Abbreviations commonly used for journals may be found at [<http://www.ueb.cas.cz/bp/notice-abbrev>].

htm]. Citing unpublished data should be avoided as much as possible. Citing articles in preparation, but not yet accepted for publication, is not accepted. If the language of the reference is other than English and the understanding of the title is important, an English translation can be provided in brackets (see example below). References should be in the following style:

journal paper: SACKL, P. (2000): Form and function of aerial courtship displays in Black Storks *Ciconia nigra*. – *Acrocephalus* 21 (102/103): 223–229. Cited as: SACKL (2000).

journal paper, language other than English (optional format): SPIRIDONOV, Z. (1988): [Contribution to the breeding avifauna of Ludogorie]. – *Orn. Inf. Bull.* 23–24: 89–98. (in Bulgarian) Cited as: SPIRIDONOV (1988).

book: HANDRINOS, G. & AKRIOTIS, T. (1997): The Birds of Greece. – Christopher Helm, A & C Black, London. Cited as: HANDRINOS & AKRIOTIS (1997).

chapter in book: DIEDRICH, J., FLADE, M. & LIPPSBERGS, J. (1997): Penduline Tit *Remiz pendulinus*. pp. 656–657 In: HAGEMAUER, W.J.M. & BLAIR, M.J. (eds.): The EBCC Atlas of European Breeding Birds. – T & AD Poyser, London. Cited as: DIEDRICH et al. (1997).

short note: BORDJAN, D. (2005): Sonbre Tit *Parus lugubris*. – *Acrocephalus* 26 (125/126): 147–157. Cited as: BORDJAN (2005).

theses: KUHAR, B. (2005): [Diet of the Tawny Owl *Strix aluco* in Kozjansko Regional Park]. – BSC thesis, University of Maribor. (in Slovene) Cited as KUHAR (2005).

internet sources: BIRD LIFE INTERNATIONAL (2004): Species factsheet: Pygmy Cormorant *Phalacrocorax pygmaeus*. – [www.birdlife.org], 10/5/2010. Cited as BIRD LIFE INTERNATIONAL (2004).

legislation: URADNI LIST RS (2004): Uredba o ekološko pomembnih območjih (no. 48/04). Cited as URADNI LIST RS (2004).

When quoting congress proceedings quote proceedings title, the organization and town.

Tables: Each Table should be headed by an informative title and a brief explanatory legend which should make the general meaning comprehensible without reference to the text. Tables are drawn without vertical lines. In the text, tables must be referred to as 'Table 1'.

Figures: Only photographs that are essential to illustrate the article theme are accepted. Colour photos may exceptionally be published, and are printed at the back of the journal as a colour appendix. Figures must be referred to in the text as 'Figure 1'.

Format of other sections:

Review papers and points-of-view should follow the same rules as original papers. The section names are not so strict and can be adapted as the contents require.

Short communications should also follow the general rules of original papers but the authors are free to determine the structure.

Forum has special rules for publication: An author of the comment is allowed just one comment, to which the author of the original article has the right to reply in the same issue.

Short notes 'From the ornithological notebook': The title is the name of the species. The text should be in a single paragraph. A very short abstract, with two sentences at most, must contain the location with geographical coordinates (UTM, degree, Gauß-Krüger) and date of observation, and should summarize the essence of the note. In the text, references are cited as SNOW & PERRINS (1998) or (SNOW & PERRINS 1998) as appropriate. Short notes must be submitted in separate files, species by species.

Special abbreviations used in text: English: pers. comm., unpubl., own data, in print, in prep.; Slovene: osebno, neobj., lastni podatki, v tisku, v pripravi.

General advice:

Authors are advised to check the latest issues of *Acrocephalus* for style and format when preparing the text. Please check the journal's home page [www.ptice.si] for further instructions and the Slovene text.

BIBLIOGRAFIJA ACROCEPHALUSA 2000–2013

The Bibliography of Acrocephalus for the 2000–2013 period

LUKA BOŽIČ

DOPPS – Društvo za opazovanje in proučevanje ptic Slovenije, Kamenškova 18, SI–2000 Maribor, Slovenija,
e–mail: luka.bozic@dopps.si

Bibliografija vključuje vse prispevke od letnika 21 (začetek z zvezkom 98/99) do prvega zvezka letnika 34 (156/157). S tem pokriva dosedanje obdobje, ko je revija *Acrocephalus* tudi dejansko postala mednarodna, z uradno navedeno možnostjo objave prispevkov v slovenščini ali angleščini. Prispevke od prve do 100. številke obravnava bibliografija *Acrocephalusa* 1980–2000, objavljena v 101. številki (TOME 2000).

Bibliografijo sestavlja kazalo avtorjev in kazalo vrst. V kazalu avtorjev so prispevki razvrščeni po abecednem redu glede na prvega avtorja. Imenu avtorja ali avtorjev sledi naslov prispevka v originalnem jeziku, v oklepaju pa je prevod naslova v angleški oziroma slovenski jezik (jezik povzetka). Pri prispevkih v rubriki Iz ornitološke beležnice je samo naslov v originalnem jeziku (angleško oziroma slovensko ter latinsko ime vrste), prispevki pa so alinejsko ločeni po državah. Nato sta navedena številka zvezka in strani prispevka (celoten obseg). Letnica izida in letnik posameznega zvezka sta predstavljena v tabeli 1. Prispevki istega avtorja oziroma avtorjev so razvrščeni po časovnem zaporedju, pri več objavah v istem zvezku pa po vrstnem redu v reviji. Pri drugem in vseh nadaljnjih avtorjih nas sklic usmeri na ime prvega avtorja. Izjema je rubrika Nove knjige, kjer so prispevki razvrščeni po imenih avtorjev predstavljenih del, ime avtorja prispevka pa je navedeno v oklepaju na koncu. Kazalo avtorjev je razdeljeno po sklopih: v prvem delu so združeni vsi članki (vključuje originalne in pregledne članke), kratki članki, kratki prispevki, stališča, razprave in prispevki v rubriki Iz ornitološke beležnice, nato pa posebej rubrike Uvodnik, V spomin, Povzetki diplomskih, magistrskih in doktorskih del, Nove knjige, Najave in obvestila, Kazalo letnika/Vsebina letnika ter Seznam recenzentov.

V kazalu ptic so zapisi razvrščeni po abecednem redu latinskih imen. Vključeni so vsi zapisi o vrstah, podvrstah in drugih oblikah, ne glede na mesto navedbe v prispevku, razen literature. Pri prispevkih Iz ornitološke beležnice to pomeni, da so upoštevane vse omenjene vrste, podvrste in oblike, ne samo tiste iz naslova. To pa ne velja za navedbe,

ki ne vsebujejo konkretnega podatka o njihovem pojavljanju (npr. primerjava opazovane vrste z drugimi, splošno omenjanje popisov vrst ipd.). Zapisni o vrstno nedoločenih pticah in skupinah (npr. *Anser* sp., *Rallidae*, *Circus pygargus/C. macrourus* ipd.) niso vključeni. Prav tako niso vključeni zapisi iz rubrik V spomin, Nove knjige ter Najave in obvestila. Vsak zapis je predstavljen s številko zvezka in prvo stranjo prispevka, ne glede na to, kolikokrat in na katerih straneh je takson v njem omenjen. Zapisom, ki niso iz Slovenije, sledi še navedba države območja raziskave. Prispevki v rubriki Iz ornitološke beležnice se od drugih ločijo po poševni pisavi.

Latinska imena ptic so predstavljena po najnovejšem seznamu ugotovljenih ptic Slovenije (HANŽEL & ŠERE 2011), tista ki jih v nacionalnem seznamu ni, pa sledijo seznamu ptic sveta Mednarodne ornitološke zveze (International Ornithologists' Union), verzija

Tabela 1: Letnica izida in letnik posameznega zvezka *Acrocephalus* v obdobju 2000–2013

Table 1: The year and Volume number of each issue of *Acrocephalus* in the 2000–2013 period

Leto/ Year	Letnik/ Volume	Številka/ Number
2000	21	98/99, 100, 101, 102/103
2001	22	104/105, 106/107, 108, 109
2002	23	110/111, 112, 113/114, 115
2003	24	116, 117, 118, 119
2004	25	120, 121, 122, 123
2005	26	124, 125, 126, 127
2006	27	128/129, 130/131
2007	28	132, 133, 134, 135
2008	29	136, 137, 138/139
2009	30	140, 141/142/143
2010	31	144, 145/146, 147
2011	32	148/149, 150/151
2012	33	152/153, 154/155
2013	34	156/157, 158/159

4.4. (GILL & DONSKER 2014). V kazalo so poleg teh vključena tudi vsa druga latinska imena, ki so bila v obdobju 2000–2013 uporabljena v reviji, s sklicem na trenutno veljavno ime vrste. To ne velja za spremembe v zapisovanju nekaterih vrstnih pridrovkov (npr. *Lagopus mutus* v *Lagopus muta*, *Delichon urbica* v *Delichon urbicum* ipd.). Zapis podvrst, ki imajo sedaj status samostojnih vrst (npr. *Passer hispaniolensis italiae*, *Phoenicopterus ruber roseus* ipd.), so v kazalu ptic predstavljeni pod trenutno veljavnimi imeni (torej *Passer italiae*, *Phoenicopterus roseus* ipd.). Zapis o rumenonogem *Larus michahellis* in čnomorskem galebu *L. cachinnans*, ki so se zaradi nejasnega statusa in deloma tudi nedosledne obravnave v preteklosti pojavljali pod različnimi navedbami, so združeni v enotno kategorijo, razen kjer je iz zapisa samega nedvoumno jasno, za katero od obeh vrst gre. Vsi zapisi o gnezdečih galebih (gnezdjenje omenjeno) na Jadranskem morju so ne glede na uporabljeni ime v prispevku avtomatično uvrščeni pod rumenonogega galeba *L. michahellis*.

Države so v bibliografiji navedene z dvočrkovnimi oznakami po standardu ISO 3166 (http://www.iso.org/iso/home/standards/country_codes.htm) (tabela 2).

The Bibliography embraces all contributions from Volume 21 (commencing with Issue No. 98/99) to the first issue of Volume 34 (No. 156/157), thus covering the period in which *Acrocephalus* actually became an international journal, with officially stated possibility of articles being published in Slovenian and English languages. The contributions from No. 1 to No. 100 are dealt with by the Bibliography of the *Acrocephalus* journal from 1980 to 2000, published in No. 101 (TOME 2000).

The Bibliography consists of the Index of Authors and the Index of Birds. In the Index of Authors, the contributions are arranged in alphabetical order with regard to the first named author. The name(s) of author(s) are followed by the article title in original language, with translation of the title into either English or Slovenian (language of the Summary). In the contributions appearing in the section From the Ornithological Notebook, only the title in original language is given (English/Slovenian and Latin name of the species), with contributions presented separately for each country. Then the Issue No. and pages of the contribution are given. The year and Volume No. of each issue are presented in Table 1. Contributions by the same author or authors are arranged in chronological order and in order of precedence in the

Tabela 2: Dvočrkovne oznake držav po ISO 3166, uporabljene v bibliografiji *Acrocephalus* 2000–2013

Table 2: Two-letter country codes according to ISO 3166, used in the bibliography of *Acrocephalus* for the 2000–2013 period

Država/ Country	Koda države/ Country code
Albanija / Albania	AL
Alžirija / Algeria	DZ
Avstrija / Austria	AT
Belgijska / Belgium	BE
Belorusija / Belarus	BY
Bolgarija / Bulgaria	BG
Bosna in Hercegovina/ Bosnia and Herzegovina	BA
Estonija / Estonia	EE
Finska / Finland	FI
Francija / France	FR
Grčija / Greece	GR
Gruzija / Georgia	GE
Hrvaška / Croatia	HR
Irska / Ireland	IE
Italija / Italy	IT
Izrael / Israel	IL
Kazahstan / Kazakhstan	KZ
Kitajska / China	CN
Latvija / Latvia	LV
Madžarska / Hungary	HU
Makedonija / Macedonia	MK
Malta	MT
Mongolija / Mongolia	MN
Norveška / Norway	NO
Oman	OM
Poljska / Poland	PL
Portugalska / Portugal	PT
Romunija / Romania	RO
Rusija / Russia	RU
Slovaška / Slovakia	SK
Srbija / Serbia	RS
Španija / Spain	ES
Švedska / Sweden	SE
Tunizija / Tunisia	TN
Turčija / Turkey	TR
Velika Britanija / Great Britain	GB

journal if more than one article is published in the same Issue No. At the second author and all further authors, reference directs us to the name of the first author. The only exception is the New Books section, where the contributions are arranged by the names of authors of the presented works, with the name of

authors stated in parentheses in the end. The Index of Authors is arranged per thematic blocks: the first part combines all articles (includes original and review articles), short articles, short communications, points-of-view, forum, and contributions in the section From the Ornithological Notebook, and then separately the sections Editorial, In Memoriam, Thesis Summaries, New Books, Announcements, Index of Volume/ Contents of Volume and The List of Manuscript Reviewers.

In the Index of Birds, the records are arranged in alphabetical order of their Latin names. All records about species, subspecies and other morphs are included (irrespective of the place of their description in the article), with the exception of references (literature). In contributions presented in the section From the Ornithological Notebook this means that all mentioned species, subspecies and morphs are taken into account, and not only those appearing in the title. This, however, does not apply for the statements that contain no concrete data on their occurrence (e.g. comparison of the observed species with others, general references to species surveys, etc.). Records on birds and bird groups with undetermined species names (e.g. *Anser* sp., Rallidae, *Circus pygargus*/C. macrourus, etc.) are not included, which also applies for contributions from the sections In Memoriam, New Books and Announcements. Every record is presented with Issue No. and first page of contribution, regardless of how many times and on which pages the taxon was referred to. The records that do not originate from Slovenia are followed by the name of the country in which research was carried out. Contributions in the section From the Ornithological Notebook differ from others by being written in Italics.

Latin names of birds are presented in accordance with the latest list of birds recorded in Slovenia (HANŽEL & ŠERE 2011), whereas those that do not appear on the national list follow the list of birds of the world prepared by the International Ornithologists' Union, version 4.4. (GILL & DONSKER 2014). Apart from them, the Index includes all other Latin names used in the 2000–2013 period in our journal, with reference to the currently valid species name. This, however, does not apply for changes in the use of certain adjectives for species (e.g. *Lagopus mutus* changed into *Lagopus muta*, *Delichon urbica* into *Delichon urbicum*, etc.). Records of subspecies, which now have the status of independent species (e.g. *Passer hispaniolensis italiae*, *Phoenicopterus ruber roseus*, etc.), are shown in the Index under the currently valid names (i.e. *Passer italiae*, *Phoenicopterus roseus*, etc.).

Records on the Yellow-legged Gull *Larus michahellis* and Caspian Gull *L. cachinnans*, which due to their unclear status and partially also inconsistent treatment appear under different names, are grouped in a single category, except where indubitably clear from the record itself which species of the two is actually at stake. All records on the breeding gulls (breeding referred to) in the Adriatic Sea are, irrespective of the name used in the article, automatically classified as the Yellow-legged Gull *L. michahellis*.

In the Bibliography, the countries are stated with two-letter codes in accordance to the ISO 3166 standard (http://www.iso.org/iso/home/standards/country_codes.htm) (Table 2).

Literatura / References

- GILL, F. & DONSKER, D. (eds.) (2014): IOC World Bird List (v 4.4). – [<http://www.worldbirdnames.org>], 20/11/2014.
 HANŽEL, J. & ŠERE, D. (2011): Seznam ugotovljenih ptic Slovenije s pregledom redkih vrst. – Acrocephalus 150/151: 143–203.
 TOME, D. (2000): Bibliografija Acrocephalusa 1980–2000. – Acrocephalus 101: 177–178.

Legenda / Legend

Kategorizacija prispevkov / Categorization of contributions:

- članki (vključuje originalne in pregledne članke)/ articles (including Original and Review Articles)
- kratki članki, kratki prispevki, stališča, razprava/ Short Articles, Short Communications, Points-of-view, Forum
- Iz ornitološke beležnice / From the Ornithological Notebook

Kratice / Abbreviations:

- | | |
|-------|--|
| app. | barvna priloga (navedena je številka strani)/ colour appendix (page number is given) |
| comm. | komentar (sklic h komentarju na prispevku v rubriki Razprava) / comment (reference to the comments on the contribution in the Forum section) |
| corr. | popravek (navedena sta zvezek in številka strani) / Corrigendum (issue and page number are given) |

KAZALO AVTORJEV

Index of Authors

ABULADZE A.

- A preliminary overview of raptor monitoring in Georgia [Predhodni pregled monitoringa ptic roparic v Gruziji], 154/155: 289–292

ADAMČ M. → PURNAT Z. et al., 134: 105–118

AGIĆ J. → JURČEVIĆ I., 133: 85

ALEKSOV R. L. → NIKOLOV B. P. et al., 124: 60

ALEKSOV R. L. → STOYANOV G. P. et al., 126: 162

ALEŠ K.

- Populacijski trend in izbor gnezditvenega habitat priba *Vanellus vanellus* na Ljubljanskem barju [Population trends and breeding habitat preferences of the Northern Lapwing *Vanellus vanellus* at Ljubljansko barje marshes], 123: 187–194
- Veliki skovik *Otus scops* 108: 178, Zvonec *Buccephala clangula* 116: 31, Velika uharica *Bubo bubo* 116: 33–34, Bobnarica *Botaurus stellaris* 117: 73
- ME: Caspian Tern *Sterna caspia* 118: 116, Raven *Corvus corax* 118: 119

ALEŠ K., VREZEC A.

- ME: Tawny Owl *Strix aluco* 118: 116–117

ALOISE G. → MIRAGLIA G. et al., 138/139: 143–147

AMBROŽIČ Š.

- Sove Trnovskega gozda: gostota, višinska razširjenost in medvrstni odnosi [Owls of Trnovski gozd (SW Slovenia): their density, altitudinal distribution and interspecific relationship], 113/114: 129–134
- Kobilari *Oriolus oriolus* 106/107: 127

ANDREOTTI A. → ARADIS A., 154/155: 297–300

ANGELOV I. → NIKOLOV S. C. et al., 135: 168–169

ARADIS A., ANDREOTTI A.

- A preliminary overview of monitoring for raptors in Italy [Predhodni pregled monitoringa populacij ptic roparic v Italiji], 154/155: 297–300

ARKUMAREV V. → SPASOV S. et al., 154/155: 181–189

AVIEL S. → CHARTER M. et al., 137: 105–107

AVUKATOV V. → VELEVSKI M. et al., 147: 181–282

BAGYURA J. → KOVÁCS A. et al., 154/155: 233–237

BAJD B. → TORKAR G., 138/139: 161–167

BAKALOUDIS D. E.

- A preliminary overview of monitoring for raptors in Greece [Predhodni pregled monitoringa populacij ptic roparic v Grčiji], 154/155: 293–295

BAKAN B.

- Dular *Charadrius morinellus* 106/107: 123

BALOG I.

- RS: Black-winged Stilt *Himantopus himantopus*, 125: 114–115

BALON V.

- Skalni plezalček *Tichodroma muraria* 100: 167

BALON V. → BALON B., 102/103: 276

BALON B., BALON V.

- Plevica *Plegadis falcinellus* 102/103: 276

BARIŠIĆ S. → KRALJ J. et al., 152/153: 105–107

BARZOVA Y. → GROZDANOV A. P. et al., 156/157: 132

BASLE T.

- Planinski vrabec *Montifringilla nivalis* 110/111: 55, Hribski škrjanec *Lullula arborea* 112: 102, Čipkasta raca *Calonetta leucophrys* 115: 194, Plevica *Plegadis falcinellus* 152/153: 125, Pegam *Bombycilla garrulus* 156/157: 122

BASLE T., PLOJ A.

- Polarni slapnik *Gavia arctica* 156/157: 108

BASLE T., PREMZL M.

- Bobnarica *Botaurus stellaris* 148/149: 86

BASLE T. → KOCE U. et al., 118: 103–107, 136: 5–11

BASLE T. → NOVAK J. et al., 148/149: 100, 150/151: 227

BASLE T. → PLOJ A., 144: 64

BASLE T. → PLOJ A. et al., 148/149: 87–88

BEDIČ E.

- Zlatovranka *Coracias garrulus* 119: 151

BEMBICH L.

- First breeding of the Yellow-legged Gull *Larus cachinnans michahellis* in the Karst [Prvo gnezdenje rumenonogega galeba *Larus cachinnans michahellis* na Krasu], 109: 227–228

BENDJOURDI D., CHENCHOUNI H., DOUMANDJI S., VOISIN J.-F.

- Bird species diversity of the Mitidja Plain (Northern Algeria) with emphasis on the dynamics of invasive and expanding species [Raznovrstnost ptičjih vrst v nižini Mitidja (severna Alžirija) s poudarkom na dinamiki invazivnih in ekspanzivnih vrst], 156/157: 13–26

BENGIL F., UZILDAY B., SIKI M.

- The distribution of breeding birds in the Küçük Menderes Delta in western Turkey [Razširjenost gnezdiljk v delti Küçük Menderes (zahodna Turčija)], 145/146: 115–130

BERCE K., BERCE T., JARC T.

- Divja grlica *Streptopelia turtur* 137: 114

BERCE T.

- Rjavi lunj *Circus aeruginosus* 106/107: 121,

Skalna lastovka *Hirundo rupestris* 106/107: 126, Kratkoperuti vrtnik *Hippolais polyglotta* 112: 103, Kvakač *Nycticorax nycticorax* 117: 73, Bela štokrila *Ciconia ciconia* 117: 73, Kačar *Circaetus gallicus* 117: 75, Mali skovik *Glaucidium passerinum* 117: 77, Pegam *Bombycilla garrulus* 117: 78, Hribska listnica *Phylloscopus bonelli* 117: 78, Kozica *Gallinago gallinago* 118: 112, Poljska vrana *Corvus frugilegus* 118: 113, Sršenar *Pernis apivorus* & rdečenoga postovka *Falco vespertinus* 136: 68, Ribji orel *Pandion haliaetus* 137: 112, Mali sokol *Falco columbarius* 137: 113, Mala uharica *Asio otus* 137: 114, Rjavi jastreb *Aegypius monachus* 144: 59

BERCE T. → BERCE K. et al., 137: 114

BERCE T. → DERŽIČ M., 156/157: 105, 156/157: 108

BEREZOVIKOV N. N. → RUBINIĆ B., 115: 185–188

BERTONCELJ I. → VREZEC A. et al., 154/155: 145–157

BEVK D., TRONTELJ P.

- Upadanje populacije in možni vzroki za ogroženost divjega petelina *Tetrao urogallus* v Škofjeloškem, Cerkljanskem in Polhograjskem hribovju [Decline and threat analysis of the Capercaillie *Tetrao urogallus* in the Škofja Loka, Cerkno and Polhov Gradec Mountains (central Slovenia)], 136: 13–22

BIBIĆ A.

○ Kozača *Strix uralensis* 108: 178

BIEDERMANN P. H. W.

- Hidden leks in the Yellow-browed Warbler *Phylloscopus inornatus?* – Investigations from the Khan Khentey reserve (Mongolia) [Prikriti leki pri muški listnici *Phylloscopus inornatus?* – raziskava iz rezervata Khan Khentey (Mongolija)], 128/129: 21–35

BLAŽIČ B.

○ Kvakač *Nycticorax nycticorax* & polojnik *Himantopus himantopus* 141/142/143: 209

BLAŽON G.

○ Čuk *Athene noctua* 125: 109

BLOMQVIST L.

- Yellow-legged Gull *Larus michahellis* in the Sečovlje saltpans (SW Slovenia) – abundance, age distribution and habitat preference in post-breeding period in July 2003 [Rumenonogi galeb *Larus michahellis* v Sečoveljskih solinah (JZ Slovenija) – številčnost, starostna sestava in izbor habitata v pognezditvenem obdobju v juliju 2003], 133: 69–73

BOEV Z.

- Status of the Gannet *Morus bassanus* in the Black Sea region (E Bulgaria) [Status strmoglavca *Morus bassanus* v Črnomorski regiji (V Bolgarija)], 140: 31–34

○ BG: House Martin *Delichon urbica* 136: 74–75

BOEV Z. → MILCHEV B. et al., 128/129: 59–63

BOGDANOVIĆ T.

○ HR: Crane *Grus grus* 135: 177

BOGDANOVIĆ T. → MIKUSKA J. et al., 124: 37–40

BOMBEK D.

▪ Popis velikega srakoperja *Lanius excubitor* na Dravskem in Ptujskem polju v decembru 2000 [Survey of the Great Grey Shrike *Lanius excubitor* at Dravsko and Ptujsko polje in December 2000], 104/105: 41–43

- Zimska prehrana velikega srakoperja *Lanius excubitor* na Ptujskem polju [Winter diet of the Great Grey Shrike *Lanius excubitor* on Ptujsko polje (NE Slovenia)], 115: 135–138

○ Kukavica *Cuculus canorus* 102/103: 281, Pritlikavi kormoran *Phalacrocorax pygmeus* 104/105: 54, Njivska gos *Anser fabalis* & beločela gos *A. albifrons* 104/105: 55–56, Smrdokavra *Upupa epops* 108: 179, Postovka *Falco tinnunculus* & veliki srakoper *Lanius excubitor* 118: 110–111, Pegasta sova *Tyto alba guttata* 118: 112, Bela štokrila *Ciconia ciconia* 119: 147, Gaga *Somateria mollissima* 120: 34–35, Beloglavji jastreb *Gyps fulvus* 132: 39–40, Žerjav *Grus grus* 132: 41, Škorec *Sturnus vulgaris* & priba *Vanellus vanellus* 132: 43, Mala tukalica *Porzana parva* 145/146: 156–157, Duplar *Columba oenas* 145/146: 158, Hribski škrjanec *Lullula arborea* 145/146: 159–160, Priba *Vanellus vanellus* 148/149: 93, Zalivski galeb *Chroicocephalus genei* 148/149: 96, Srednji detel *Dendrocopos medius* 148/149: 99

BOMBEK D. → Božič L., 118: 112–113

BONAVIA E.

▪ A preliminary overview of monitoring for raptors in Malta [Predhodni pregled monitoringa populacij ptic roparic na Malti], 154/155: 305–307

BORDJAN D.

▪ Gostota pojocih samcev velike uharice *Bubo bubo* na Dugem otoku (S Dalmacija, Hrvaska) [Density of the singing Eagle Owl *Bubo bubo* males on the island of Dugi otok (N Dalmatia, Croatia)], 115: 189–191

- Dinamika pojavljanja velikega škurha *Numenius arquata* na zadrževalniku Medvedce (SV Slovenija) med leti 2002 in 2005 [Seasonal dynamics of the Curlew *Numenius arquata* occurring at Medvedce reservoir (NE Slovenia) during the 2002–2005 period], 130/131: 131–137

▪ Prvo opazovanje rdečevrate gosi *Branta ruficollis* v Sloveniji [First observation of the Red-breasted Goose *Branta ruficollis* in Slovenia], 144: 53–55

- Vodne ptice in ujede Cerkniškega polja (južna

Slovenija) v letih 2007 in 2008, s pregledom zanimivejših opazovanj do konca leta 2010 [Waterbirds and raptors of Cerknica polje (southern Slovenia) in 2007 and 2008, with an overview of interesting observations till the end of 2010], 152/153: 25–104

- Pritlikavi kormoran *Phalacrocorax pygmeus* 110/111: 49, 123: 223, 150/151: 216, Čopasta čaplja *Ardeola ralloides* 110/111: 49, 150/151: 217, Rjavi škarnik *Milvus milvus* 110/111: 50, 113/114: 148, 115: 194, 116: 31, 150/151: 218, Veliki klinkač *Aquila clanga* 110/111: 50–51, Peregrine Falcon *Falco peregrinus* 110/111: 52–53, 112: 100, 128/129: 101, 135: 174, Rjavi galeb *Larus fuscus* 110/111: 54, 150/151: 224–225, Snežni strnad *Plectrophenax nivalis* 110/111: 55, Mali sokol *Falco columbarius* 115: 195, Kanja *Buteo buteo* 116: 31, 117: 75, 145/146: 154–155, Duplinska kozarka *Tadorna tadorna* 117: 74, 118: 109–110, Jezerski martinec *Tringa stagnatilis* 117: 76, 141/142/143: 218, 150/151: 224, Kozača *Strix uralensis* 117: 77, Vrtni strnad *Emberiza hortulana* 117: 79, Planinski orel *Aquila chrysaetos* 118: 110, 145/146: 156, Progastorepi kljunač *Limosa lapponica* 119: 149, Mali škurh *Numenius phaeopus* 119: 149, Brkata sinica *Panurus biarmicus* 119: 151, Mandarinka *Aix galericulata* 120: 34, Črni škarnik *Milvus migrans* 122: 162, 134: 129, 141/142/143: 212, Mali galeb *Larus minutus* 123: 226, 156/157: 115, Plevica *Plegadis falcinellus* 124: 47, Planinski vrabec *Montifringilla nivalis* 125: 110, Siva vrana *Corvus corone cornix* 126: 157, Velička bela čaplja *Egretta alba* 127: 197, Črna štokrila *Ciconia nigra* 127: 197, Čapljica *Ixobrychus minutus* 128/129: 99, Rjavi lunj *Circus aeruginosus* 128/129: 101, 141/142/143: 213, Prosnik *Saxicola torquata* 128/129: 103–104, Brezovček *Carduelis flammea* 128/129: 104, Sivka × kostanjevka *Aythya ferina* × *A. nyroca* 132: 39, 150/151: 216, Rjavi škarnik *Milvus milvus* & sršenar *Pernis apivorus* 132: 40, Veliki prodnik *Calidris canutus* 132: 41, Kaspijska čigra *Sterna caspia* 132: 41, 141/142/143: 219, Bela pastirica *Motacilla alba yarrellii* 132: 42, Belovrati muhar *Ficedula albicollis* & pogorelček *Phoenicurus phoenicurus* 132: 43, Šinkavec *Fringilla coelebs* 132: 43, 150/151: 228–229, Zvonec *Bucephala clangula* 133: 80, Kosec *Crex crex* 133: 81, Srednji detel *Dendrocopos medius* 133: 83, Plavček *Parus caeruleus* 133: 84, Rumena pastirica *Motacilla flava thunbergi* 134: 130–131, Šoja *Garrulus glandarius* 134: 131, 145/146: 163–164, Rdečegrali slapnik *Gavia stellata* 135: 173, 144: 57, 150/151: 216, Čopasti ponirek *Podiceps cristatus* 135: 173, 145/146: 151, 150/151: 218, Mali orel *Hieraetus pennatus* 135: 174, Sloka *Scopula rusticola* 135: 175–176, Veliki srakoper *Lanius excubitor* & siva vrana *Corvus corone cornix* 136: 71, Stepski lunj *Circus macrourus* 140: 38–39, 156/157: 111, Siva čaplja *Ardea cinerea* & rjava čaplja *A. purpurea* 141/142/143: 209, Žvižgavka *Anas penelope* 141/142/143: 212, Črna raca *Melanitta nigra* 141/142/143: 212, Črni škarnik *Milvus migrans* & siva vrana *Corvus corax* 141/142/143: 213, Rdečenoga postovka *Falco vespertinus* 141/142/143: 214, 145/146: 156, Sokol plenilec *Falco cherrug* 141/142/143: 214, Mokož *Rallus aquaticus* 141/142/143: 214, Mala tukalica *Porzana parva* 141/142/143: 215, Sabljarka *Recurvirostra avosetta* 141/142/143: 216, Sivi galeb *Larus canus* & rjavi galeb *L. fuscus* 141/142/143: 218, Južni sokol *Falco biarmicus* 144: 60–61, Mala uharica *Asio otus* 145/146: 158–159, Močvirška uharica *Asio flammeus* 145/146: 159, 156/157: 118, Rjava cipa *Anthus campestris* 145/146: 160, Rdečegrala cipa *Anthus cervinus* 145/146: 160, Citronasta pastirica *Motacilla citreola* 145/146: 161, Taščična penica *Sylvia cantillans* 145/146: 162, Dolgovrepka *Aegithalos caudatus* 145/146: 163, Rjavi srakoper *Lanius collurio* 145/146: 163, Zlatouhi ponirek *Podiceps auritus* & rdečeglii slapnik *Gavia stellata* 148/149: 85, Bobnarica *Botaurus stellaris* 148/149: 85–86, 156/157: 108, Kravja čaplja *Bubulcus ibis* 148/149: 86–87, Sivka *Aythya ferina* & kostanjevka *A. nyroca* 148/149: 88, Srednji žagar *Mergus serrator* 148/149: 89, Južna postovka *Falco naumanni* 148/149: 91–92, Močvirski Tringa *glareola* & zelenonogi martinec *T. nebularia* 148/149: 94, Rečni galeb *Chroicocephalus ridibundus* 148/149: 95–96, Kratkoprsti škrjanček *Calandrella brachydactyla* 148/149: 99–100, Šmarica *Phoenicurus ochruros* 148/149: 100–101, Sredozemski kupčar *Oenanthe hispanica* 148/149: 101, Kreheljc *Anas crecca* & kostanjevka *Aythya nyroca* 150/151: 215, Kostanjevka *Aythya nyroca* 150/151: 215, Veliki žagar *Mergus merganser* 150/151: 216, Kodrasti pelikan *Pelecanus crispus* 150/151: 216–217, Rjavovrati ponirek *Podiceps grisegena* 150/151: 218, Beloglavi jastreb *Gyps fulvus* 150/151: 218–219, 156/157: 110, Školjkarica *Haematopus ostralegus* 150/151: 220–221, Polojnik *Himantopus himantopus* 150/151: 221, 156/157: 112, Peščenec *Calidris alba* 150/151: 222, Puklež *Lymnocryptes minimus* 150/151: 223, 156/157: 113, Črni martinec *Tringa erythropus* 150/151: 224, Kričava čigra *Sterna sandvicensis* & školjkarica

- Haematopus ostralegus* 150/151: 225, Beločela gos *Anser albifrons* 152/153: 121, Koconoga kanja *Buteo lagopus* 152/153: 127, Veliki škurh *Numenius arquata* 152/153: 128, Duplar *Columba oenas* 152/153: 128–129, Labod grbec *Cygnus olor* 156/157: 105, Raca žličarica *Anas clypeata* 156/157: 107, Tatarska žvižgavka *Netta rufina* 156/157: 107, Mali deževnik *Charadrius dubius* 156/157: 112–113, Beločeli deževnik *Charadrius alexandrinus* 156/157: 113, Kamenjar *Arenaria interpres* 156/157: 113–114, Črnogлавi galeb *Larus melanocephalus* 156/157: 115, Ribji galeb *Larus ichthyaetus* 156/157: 115–116, Mala čigra *Sternula albifrons* 156/157: 117, Črnonoga čigra *Gelochelidon nilotica* 156/157: 117, Kričava čigra *Sterna sandvicensis* 156/157: 118, Poljska vrana *Corvus frugilegus* 156/157: 120, Gorska sinica *Poecile montana* & krekovt *Nucifraga caryocatactes* 156/157: 121
- HR: Veliki skovik *Otos scops* 112: 105, Krokar *Corvus corax* 112: 105, Žličarka *Platalea leucorodia* 113/114: 153, Polarni slapnik *Gavia arctica* 117: 79, Črnovrati ponirek *Podiceps nigricollis* & kostanjevka *Aythya nyroca* 117: 79, Črni škarnik *Milvus migrans* 117: 79, 134: 133, Podhujka *Caprimulgus europaeus* 117: 80, Peščenec *Calidris alba* 118: 114–115, Čuk *Athene noctua* 118: 115, Rjavi lunj *Circus aeruginosus* & kragulj *Accipiter gentilis* 119: 152–153, Kragulji orel *Hieraaetus fasciatus* 119: 153, Čoketa *Gallinago media* 119: 154, 122: 166, Čebelar *Merops apiaster* 119: 154, 120: 40, Rdeča lastovka *Hirundo daurica* 119: 154–155, Meniček *Parus atter* 119: 155, Čapljica *Ixobrychus minutus* 120: 38, 122: 165, Rjavi škarnik *Milvus milvus* & črni škarnik *Milvus migrans* 120: 39, Jezerski martinec *Tringa stagnatilis* 120: 39, Veliki prodnik *Calidris canutus* 120: 39, Velika uharica *Bubo bubo* 120: 39, Skalna lastovka *Ptyonoprogne rupestris* 120: 40, Tačica *Erythacus rubecula* 120: 40, Kragulj *Accipiter gentilis* 123: 229, Južna postovka *Falco naumanni* 123: 229, 128/129: 106, Italijanski vrabec *Passer × italiae* 123: 230, Črna štoklja *Ciconia nigra* 124: 53, Repaljščica *Saxicola rubetra* 126: 158–159, Veliki škurh *Numenius arquata* 127: 200, Mali škurh *Numenius phaeopus* 130/131: 175, Travniški vrabec *Passer hispaniolensis* 130/131: 176–177, Črna čigra *Chlidonias niger* 133: 85, Bobnarica *Botaurus stellaris* & čapljica *Ixobrychus minutus* 134: 132, Čopasta čaplja *Ardeola ralloides* 134: 133–134, Velika uharica *Bubo bubo* & veliki skovik *Otos scops* 135: 177, Zlatouhi ponirek *Podiceps auritus* 135: 177, Sredozemski viharnik *Puffinus*

yelkouan 148/149: 103, Sredozemski sokol *Falco eleonorae* 148/149: 104

- ME: Žalobna sinica *Parus lugubris* 126: 160, Velika uharica *Bubo bubo* 130/131: 181, Čuk *Athene noctua* 130/131: 181, Srednji detel *Dendrocopos medius* 130/131: 181, Mali klinkač *Aquila pomarina* 138/139: 191, Sršenar *Pernis apivorus* 148/149: 107, Rdečegrla cipa *Anthus cervinus* 148/149: 107–108

BORDJAN D., BOŽIČ L.

- Povajljanje vodnih ptic in ujed na območju vodnega zadrževalnika Medvedce (Dravsko polje, SV Slovenija) v obdobju 2002–2008 [Waterbirds and raptors occurring in the area of Medvedce reservoir (Dravsko polje, NE Slovenia) during the 2002–2008 period], 141/142/143: 55–163
- Rjasta kozarka *Tadorna ferruginea* 141/142/143: 210–211, Močvirška uharica *Asio flammeus* 141/142/143: 220

BORDJAN D., GAMSER M.

- Rdečegrla cipa *Anthus cervinus* 156/157: 122–123

BORDJAN D., KOZINA A.

- Sredozemski sokol *Falco eleonorae* 152/153: 127

BORDJAN D., KROFEL M.

- Rožnati škorec *Sturnus roseus* 128/129: 104, Planinska pevka *Prunella collaris* 134: 131

BORDJAN D., POLAJNAR J.

- HR: Black-necked Grebe *Podiceps nigricollis* 126: 158, Nevestica *Aix sponsa* 130/131: 175, Citronasta pastirica *Motacilla citreola* 130/131: 176

BORDJAN D., ROZONIČNIK A.

- Gnezditvena gostota velikega skovika *Otos scops* v naseljih otoka Brača (srednja Dalmacija) [Breeding density of the Scops Owl *Otos scops* in urban settlements on the island of Brač (Central Dalmatia)], 144: 15–20

BORDJAN D., ŠERE D.

- HR: Kravja čaplja *Bubulcus ibis* 148/149: 103–104

BORDJAN D., ŠINIGOJ E.

- Povajljanje nilske gosi *Alopochen aegyptiacus* v Sloveniji [Occurrence of the Egyptian Goose *Alopochen aegyptiacus* in Slovenia], 148/149: 81–83

BORDJAN D., ŠKOBERNE A.

- Mali orel *Aquila pennata* 150/151: 219, Veliki galeb *Larus marinus* 156/157: 117

BORDJAN D., VIDMAR A.

- Srednji detel *Dendrocopos medius* 128/129: 103, Veliki klinkač *Aquila clanga* & zlata prosenka *Pluvialis apricaria* 133: 80–81, Mali sokol *Falco columbarius* 134: 129, Šmarnica *Phoenicurus ochruros* 135: 177

- HR: Zlatovranka *Coracias garrulus* 128/129: 107, Črnočeli srakoper *Lanius minor* 130/131: 176, Ribji orel *Pandion haliaetus* 133: 85
- TR: White Pelican *Pelecanus onocrotalus* 122: 176, Lesser Spotted Eagle *Aquila pomarina* 122: 176, Hobby *Falco subbuteo* 122: 176–177, Caspian Snowcock *Tetraogallus caspius* 122: 177, Armenian Gull *Larus armenicus* 122: 177, Wallcreeper *Tichodroma muraria* 122: 177, Osprey *Pandion haliaetus* & Lesser Grey Shrike *Lanius minor* 123: 236, Saker Falcon *Falco cherrug* 123: 236, Terek Sandpiper *Xenus cinereus* 123: 237, Red-breasted Flycatcher *Ficedula parva* 123: 237, Lanner Falcon *Falco biarmicus* 126: 163, Roller *Coracias garrulus* 126: 163, Črna štokrlja *Ciconia nigra* 128/129: 112–113, Izmirski gozdomec *Halcyon smyrnensis* 128/129: 113, Siva pastirica *Motacilla cinerea* 128/129: 113, Planinski vrabec *Montifringilla nivalis* 128/129: 113
- BORDJAN D., GAMSER M., KOZINA A., NOVAK J., DENAC M.
 - Roost-site characteristics of the Mediterranean Shag *Phalacrocorax aristotelis desmarestii* along the Slovenian coast [Značilnosti prenočišč sredozemskega vranjeka *Phalacrocorax aristotelis desmarestii* v slovenskem morju], 156/157: 5–11
- BORDJAN D., KERČEK M., BOŽIČ L.
 - Seznam ptic, ugotovljenih na območju zadrževalnika Medvedce (SV Slovenija) [A list of birds recorded in the area of Medvedce reservoir (NE Slovenia)], 141/142/143: 195–198
- BORDJAN D., VIDMAR A., KROFEL M.
 - Hribska listnica *Phylloscopus bonelli* 133: 84
- BORDJAN D. → Božič L., 141/142/143: 214–215
- BORDJAN D. → Božič L. et al., 141/142/143: 181–193
- BORDJAN D. → GAMSER M. et al., 152/153: 123, 152/153: 123–124, 152/153: 124
- BORDJAN D. → DE GROOT M., 132: 3–15
- BORDJAN D. → POLAJNAR J., 127: 181–186
- BOZHILOV V. → STOYANOV G. P., 134: 120–121
- BOŽIČ I. A.
 - Gnezditvena biologija šmarnice *Phoenicurus ochruros* v osrednji Sloveniji [Breeding biology of the Black Redstart *Phoenicurus ochruros* in central Slovenia], 109: 213–218
 - Veliki skovik *Otus scops* 98/99: 85, Lesna sova *Strix aluco* 98/99: 91, Kozača *Strix uralensis* 98/99: 95, Mala uharica *Asio otus* 98/99: 97, Bobnarica *Buteo stellaris* 102/103: 275, Dolgorepa raca *Anas acuta* 104/105: 56, Čapljica *Ixobrychus minutus* 133: 79
- BOŽIČ L.
 - Poročilo nacionalne komisije za redkosti o opazovanju redkih vrst ptic za obdobje 1997–2000 [Slovenian Rarities Committee report on observation of rare bird species for the 1997–2000 period], 106/107: 109–113
 - Seznam ugotovljenih ptic Slovenije s pregledom redkih vrst [A list of birds confirmed in Slovenia with an overview of rare species], 106/107: 115–120
 - Zimsko štetje mokožev *Rallus aquaticus* v Sloveniji [Winter census of the Water Rail *Rallus aquaticus* in Slovenia], 110/111: 27–33, corr. 112: 111
 - Populacija kosca *Crex crex* na Ljubljanskem barju upada zaradi zgodnje košnje in uničevanja ekstenzivnih travnikov [The population of Corncrake *Crex crex* at Ljubljansko barje (Central Slovenia) is declining due to early mowing and destruction of the extensively farmed meadows], 124: 3–21
 - Rezultati januarskega štetja vodnih ptic leta 2004 in 2005 v Sloveniji [Results of the International Waterbird Census (IWC) in January 2004 and 2005 in Slovenia], 126: 123–137
 - Gnezditvena razširjenost in velikost populacije kosca *Crex crex* v Sloveniji leta 2004 [Breeding distribution and population size of Corncrake *Crex crex* in Slovenia in 2004], 127: 171–179
 - Rezultati januarskega štetja vodnih ptic leta 2006 v Sloveniji [Results of the International Waterbird Census (IWC) in January 2006 in Slovenia], 130/131: 160–167
 - Rezultati januarskega štetja vodnih ptic leta 2007 v Sloveniji [Results of the International Waterbird Census (IWC) in January 2007 in Slovenia], 132: 23–31
 - Rezultati januarskega štetja vodnih ptic leta 2008 v Sloveniji [Results of the International Waterbird Census (IWC) in January 2008 in Slovenia], 136: 39–49
 - Rezultati januarskega štetja vodnih ptic leta 2009 v Sloveniji [Results of the International Waterbird Census (IWC) in January 2009 in Slovenia], 138/139: 169–179
 - Rezultati januarskega štetja vodnih ptic leta 2010 v Sloveniji [Results of the International Waterbird Census (IWC) in January 2010 in Slovenia], 145/146: 131–141
 - Rezultati januarskega štetja vodnih ptic leta 2011 v Sloveniji [Results of the January 2011 waterbird census in Slovenia], 148/149: 67–77
 - Rezultati januarskega štetja vodnih ptic leta 2012 v Sloveniji [Results of the January 2012 waterbird census in Slovenia], 152/153: 109–119
 - Rezultati januarskega štetja vodnih ptic leta 2013

v Sloveniji [Results of the January 2013 waterbird census in Slovenia], 156/157: 93–103

- Bičja trstnica *Acrocephalus schoenobaenus* 102/103: 283, Črna prosenka *Pluvialis squatarola* 104/105: 57, Ozkokljuni liskonožec *Phalaropus lobatus* 104/105: 58, Črnonoga čigra *Gelochelidon nilotica* 104/105: 58, Triprsti detel *Picoides tridactylus* 104/105: 60–61, Veliki klinkač *Aquila clanga* 106/107: 122, Črnoglavi galeb *Larus melanoccephalus* 106/107: 124, Lesser Spotted Eagle *Aquila pomarina* 108: 176, Beločeli deževnik *Charadrius alexandrinus* 117: 76, Bobnarica *Bottaerus stellaris* 118: 109, Sloka *Scolopax rusticola* 118: 111–112, Kozača *Strix uralensis* 118: 112, Rjavi srakoper *Lanius collurio* 118: 113, Polarni slapnik *Gavia arctica* 119: 147, Koconogi čuk *Aegolius funereus* 119: 150, Rjavi škarnik *Milvus milvus* 123: 224–225, Ruševec *Tetrao tetrix* 123: 225–226, Duplar *Columba oenas* 123: 226–227, Triprsti detel *Picoides tridactylus* 123: 227–228, Čopasta sinica *Parus cristatus* 124: 51–52, Pegam *Bombycilla garrulus* 141/142/143: 221, Prekomorski prodnik *Calidris melanotos* 148/149: 93–94, Sabljasti martinec *Xenus cinereus* 150/151: 223–224
- HR: Plevica *Plegadis falcinellus* 116: 36–37, Črnonoga čigra *Gelochelidon nilotica* 116: 37–38, Žerjav *Grus grus* 118: 114, Rdečegrala cipa *Anthus cervinus* 123: 229–230
- MK: Long-legged Buzzard *Buteo rufinus* 108: 183, Južna postovka *Falco naumanni* 108: 183–184
- TN: Avocet *Recurvirostra avosetta* 130/131: 173, Blue-cheeked Bee-eater *Merops persicus* 130/131: 173–174

Božič L., BOMBEK D.

- Hribski škrjanec *Lullula arborea* 118: 112–113

Božič L., BORDJAN D.

- Mala tukalica *Porzana parva* 141/142/143: 214–215

Božič L., DENAC D.

- Številčnost in razširjenost izbranih gnezdkl struge reke Drave med Mariborom in Središčem ob Dravi (SV Slovenija) v letih 2006 in 2009 ter vzroki za zmanjšanje njihovih populacij [Abundance and distribution of selected breeding river-bed birds on the Drava River between Maribor and Središče ob Dravi (NE Slovenia) in 2006 and 2009, and causes of the reduction of their populations], 144: 27–45

Božič L., ŠTUMBERGER B.

- Bodičasta govnatka *Stercorarius parasiticus* 148/149: 95

Božič L., VREZEC A.

- Sovi Pohorja [Owls of the Pohorje moutains], 98/99: 47–53

Božič L., KERČEK M., BORDJAN D.

- Naravovarstveno vrednotenje avifavne območja zadrževalnika Medvedce (SV Slovenija) in dejavniki ogrožanja [Nature-conservancy evaluation of the birds of Medvedce reservoir (NE Slovenia), and the existing threat factors], 141/142/143: 181–193

Božič L. → **BORDJAN D.**, 141/142/143: 55–163, 141/142/143: 210–211, 141/142/143: 220

Božič L. → **BORDJAN D.** *et al.*, 141/142/143: 195–198

Božič L. → **PREMZL M.**, 118: 114

Božič L. → **RUBINIČ B.**, 110/111: 35–37

Božič L. → **SACKL P.** *et al.*, 116: 21–27

Božič L. → **ŠKOBERNE A.**, 144: 63

Božič L. → **ŠTUMBERGER B.**, 117: 74

Božič L. → **VELEVSKI M.** *et al.*, 147: 181–282

BRAČKO F.

- Čuk *Athene noctua* 98/99: 89–90, Hribska listnica *Phylloscopus bonelli* 102/103: 283, Pegam *Bombycilla garrulus* 106/107: 126, 145/146: 161–162, Vrbji kovaček *Phylloscopus collybita* 106/107: 127, Modra taščica *Luscinia svecica* 109: 236, Prosnik *Saxicola torquata* 109: 237, Rumeni vrtnik *Hippolais icterina* 109: 237–238, Šoja *Garrulus glandarius* 109: 238, Rdečeglavi kraljicek *Regulus ignicapillus* 116: 35, Skalni plezalček *Tichodroma muraria* 116: 35, Žerjav *Grus grus* 117: 75, Robidna trstnica *Acrocephalus dumetorum* 130/131: 174–175, Velika uharica *Bubo bubo* 134: 129–130, Krekovt *Nucifraga caryocatactes* 134: 131–132, Breguljka *Riparia riparia* 135: 176–177, Mušja listnica *Phylloscopus inornatus* 136: 71, Priča *Vanellus vanellus* 141/142/143: 216, Čebelar *Merops apiaster* 141/142/143: 220, Modra taščica *Luscinia svecica* 141/142/143: 221, Pisana penica *Sylvia nisoria* 141/142/143: 221, Severni kovaček *Phylloscopus trochilus* 145/146: 162, Rjavoglavi srakoper *Lanius senator* 148/149: 102, Rumenonogi galeb *Larus michahellis* 156/157: 116–117

BRAJNIK I. → **MIHELIČ T.**, 128/129: 86–87

BREČKO B.

- Belorepec *Haliaeetus albicilla* 137: 111–112

BREUSS M. → **ZEILER H.**, 113/114: 115–121

BRINKE T., VIKTORA L.

- Short-eared Owl *Asio flammeus* 130/131: 174

BUDINSKI I. → **MIKULIČ K.** *et al.*, 156/157: 71–74

BURFIELD I. → **VREZEC A.** *et al.*, 154/155: 145–157

BUX M., GIGLIO G., GUSTIN M.

- Breeding success of Lesser Kestrel *Falco naumanni* breeding in nest boxes and other sites in urban areas in southern Italy [Gnezditveni uspeh južne postovke *Falco naumanni* v gnezdilnicah in drugih

- gnezdilnih na urbanih območjih južne Italije], 137: 83–88

CIECHANOWSKI M. → SACHANOWICZ K. *et al.*, 136: 59–66

CERAR M.

 - Mali skovik *Glaucidium passerinum* 98/99: 88–89, Kozača *Strix uralensis* 98/99: 96, Koconogi čuk *Aegolius funereus* 98/99: 98–99

CHAKAROV N. → SHURULINKOV P. *et al.*, 135: 159–163, 148/149: 29–43

CHARTER M., LESHEM Y., EZER A., AVIEL S., CHIKATUNOV V.

 - The first record of use of a nest box by Hoopoe *Upupa epops* in Israel [Prvi zapis uporabe gnezditnice za smrdokavro *Upupa epops* v Izraelu], 137: 105–107

CHAVDAR N. → GROZDANOV A. P. *et al.*, 156/157: 132

CHENCHOUNI H. → BENDJOURDI D. *et al.*, 156/157: 13–26

CHESHMEDZHIEV S. → SHURULINKOV P. *et al.*, 148/149: 29–43

CHIKATUNOV V. → CHARTER M. *et al.*, 137: 105–107

CHOBANOV D. → MILCHEV B. *et al.*, 145/146: 143–145

CIGLIČ H.

 - Sokolič *Falco columbarius* 104/105: 57, Sabljarka *Recurvirostra avosetta* 120: 35, Čopasta črnica *Aythya fuligula* 122: 162, Polojnik *Himantopus himantopus* 144: 61–62
 - HR: Črna prosenka *Pluvialis squatarola* 104/105: 63–64, Stone-Curlew *Burhinus oedicnemus* 108: 182–183

CIGLIČ H., ŠERE D.

 - Pregled pojavljanja tujerodnih rac v Sloveniji [Occurrence of non-native duck species in Slovenia: an overview], 121: 79–83 (app. 107)

CORDELLI E.

 - Dotterel *Charadrius morinellus* 148/149: 92–93

COSOLO M., UTMAR P., ROPPA F., SPONZA S.

 - Interactions between fish resources and Cormorants *Phalacrocorax carbo* in the Grado and Marano lagoon (NE Italy) [Interakcije med ribogojništvtom in kormorani *Phalacrocorax carbo* v lagunah Grado in Marano (SV Italija)], 140: 17–23

ČAS M. → PURNAT Z. *et al.*, 134: 105–118

ČERNE R. → KROFEL M., 156/157: 75–77

ČIZMEŠIJA G.

 - HR: Little Tern *Sterna albifrons* & Common Tern *S. hirundo* 106/107: 130, Čebelar *Merops apiaster* 106/107: 131, Kormoran *Phalacrocorax carbo* 109: 239, Črna štoklja *Ciconia nigra* 109: 239–240

ČULINA A. → MIKULIĆ K. *et al.*, 156/157: 71–74

ČIKOVIĆ D. → KRALJ J. *et al.*, 152/153: 105–107

DAKSKOBLER I. → DAKSKOBLER V., 136: 68

DAKSKOBLER V., DAKSKOBLER I.

 - Veliki žagar *Mergus merganser* 136: 68

DAMBIERMONT J.-L. → NIKOLOV S. C. *et al.*, 128/129: 90

DASKALOVA G. → SHURULINKOV P. *et al.*, 135: 159–163, 148/149: 29–43

DAY J. → SHURULINKOV P. *et al.*, 116: 39, 126: 161

DE GROOT M.

 - Night Heron *Nycticorax nycticorax* 113/114: 147, Slavonian Grebe *Podiceps auritus* 115: 193, Lesser Grey Shrike *Lanius minor* 116: 35, Golden Eagle *Aquila chrysaetos* 117: 74–75, Rock Partridge *Alectoris graeca* 128/129: 101–102
 - HR: Great Snipe *Gallinago media* 117: 80

DE GROOT M., BORDJAN D.

 - Possibilities for fire as a management tool on Kras (SW Slovenia): a bird's perspective [Gozdni požar kot orodje upravljanja zemljišč na Krasu (JZ Slovenija): ptičja perspektiva], 132: 3–15

DE GROOT M., PIRIH P.

 - Alpine Swift *Tachymarptis melba* 133: 82

DE GROOT M. → VUKELIČ E., 115: 198

DELOV V. → NIKOLOV S. C. *et al.*, 124: 61–62

DEMERDJIEV D. → GROZDANOV A. *et al.*, 136: 74

DEMERDZHIJEV D., STOYCHEV S.

 - Status of the Masked Shrike *Lanius nubicus* in Bulgaria [Status zakrinkanega srakoperja *Lanius nubicus* v Bolgariji], 137: 99–104

DENAC D.

 - Gnezditvena biologija, fenologija in razširjenost bele štoklje *Ciconia ciconia* v Sloveniji [Breeding biology, phenology and distribution of White Stork *Ciconia ciconia* in Slovenia], 106/107: 89–103
 - Common Tern *Sterna hirundo* breeding population: development and nature conservation management results at the Ormož wastewater basins between 1992 and 2002 (NE Slovenia) [Razvoj kolonije navadnih čigre *Sterna hirundo* in rezultati naravovarstvenega upravljanja v bazenih za odpadne vode pri Ormožu v obdobju 1992–2002 (SV Slovenija)], 115: 163–168
 - Upad populacije in sprememb rabe tal v lovnem habitatru rjavega srakoperja *Lanius collurio* v Šturmovcih (SV Slovenija) [Population decline and land-use changes in hunting habitat of the Red-backed Shrike *Lanius collurio* at Šturmovci (NE Slovenia)], 118: 97–102
 - Prehranjevalna dinamika in pojav znotrajvrstnega kleptoparazitizma v koloniji navadne čigre *Sterna hirundo* na Ptujskem jezeru (SV Slovenija)

- [Common Tern *Sterna hirundo* feeding dynamics and intraspecific kleptoparasitism in the colony on Ptuj reservoir (Drava river, NE Slovenia)], 123: 201–205
- Population dynamics of the White Stork *Ciconia ciconia* in Slovenia between 1999 and 2010 [Populacijska dinamika bele štoklje *Ciconia ciconia* v Sloveniji med letoma 1999 in 2010], 145/146: 101–114
 - o Veliki skovik *Otus scops* 98/99: 86, 127: 199, Mala uharica *Asio otus* 98/99: 98, 124: 50, Črnočeli srakoper *Lanius minor* 100: 167, 123: 228–229, Črna štoklja *Ciconia nigra* 102/103: 276, Veliki galeb *Larus marinus* 104/105: 58, Brinovka *Turdus pilaris* 104/105: 61, Rečni galeb *Larus ridibundus* 112: 101, Kozača *Strix uralensis* 113/114: 152, Škorec *Sturnus vulgaris* 113/114: 152–153, Čapljica *Ixobrychus minutus* 115: 193, Liska *Fulica atra* & črnorepi kljunač *Limosa limosa* 115: 195, Navadna čigra *Sterna hirundo* 117: 76–77, 119: 149, 124: 49, Vranjek *Phalacrocorax aristotelis* 120: 33, Mandarinka *Aix galericulata* 120: 34, Hudournik *Apus apus* 120: 36, Škrjančar *Falco subbuteo* 122: 162, Sršenar *Pernis apivorus* 124: 48–49, Planinska pevka *Prunella collaris* 124: 51, Reglja *Anas querquedula* 127: 197, Sloka *Scolopax rusticola* & pegasta sova *Tyto alba guttata* 127: 198, Veliki prodnik *Calidris canutus* & ozkokljuni liskonožec *Phalaropus lobatus* 144: 62, Kozica *Gallinago gallinago* 144: 62–63
 - o HR: Kragulji orel *Hieraaetus fascinatus* 120: 38, Planinski hudournik *Tachymarptis melba* 120: 39
- DENAC D., DENAC K.**
- o Siva gos *Anser anser* 115: 193–194, Mokož *Rallus aquaticus* 116: 32, Koconoga kanja *Buteo lagopus* 127: 197
 - o HR: Čapljica *Ixobrychus minutus* 110/111: 103, Sredozemski sokol *Falco eleonorae* 110/111: 104, Velika uharica *Bubo bubo* 115: 199, Lesna sova *Strix aluco* & veliki skovik *Otus scops* 127: 201
- DENAC D., KOROŠEC L.**
- Prvo opazovanje dolgorepe govnačke *Stercorarius longicaudus* v Sloveniji [Long-tailed Skua *Stercorarius longicaudus* – a new record for Slovenia], 102/103: 265–267
- DENAC D., SMOLE J.**
- o Črnoglavni galeb *Larus melanocephalus* 127: 198
- DENAC D., VREZEC A.**
- Tengmalm's Owl *Aegolius funereus* found in bare karst area of Pag island (N Dalmatia, Croatia) [Koconogi čuk *Aegolius funereus* najden v goli kraški krajini otoka Paga (S Dalmacija, Hrvaska)], 127: 187–190
- DENAC D., DENAC K., DENAC M.**
- o Togotnik *Philomachus pugnax* 106/107: 123–124
- DENAC D., MARČIČ M., RADOLIČ P., TOMAŽIČ A.**
- Sove v cerkvah, gradovih in drugih objektih na območju Vipavske doline in Krasa v JZ Sloveniji [Owls in churches, castles and other buildings in the Vipava valley and the Karst (SW Slovenia)], 112: 91–95
- DENAC D. → BOŽIČ L.**, 144: 27–45
- DENAC D. → DENAC K.**, 112: 100, 112: 105
- DENAC D. → JANŽEKOVČ F. et al.**, 117: 61–66
- DENAC D. → TOME D. et al.**, 138/139: 137–142
- DENAC D. → ZAKŠEK B.**, 122: 153–155
- DENAC K.**
- Rezultati popisa velikega skovika *Otus scops* na Ljubljanskem barju v letu 1999 [Results of the Eurasian Scops Owl *Otus scops* census at Ljubljansko barje in 1999], 98/99: 35–37
 - Značilnosti gnezdišč mestne lastovke *Delichon urbica* v Kozjanskem parku [Characteristic of nest-sites chosen by House Martin *Delichon urbica* at Kozjansko Park], 100: 153–159
 - Population dynamics of Scops Owl *Otus scops* at Ljubljansko barje (central Slovenia) [Populacijska dinamika velikega skovika *Otus scops* na Ljubljanskem barju (osrednja Slovenija)], 119: 127–133
 - Census of migrating raptors at Breginjski Stol (NW Slovenia) – the first confirmed bottleneck site in Slovenia [Popis selečih se ujed na Breginjskem Stolu (SZ Slovenija) – prvo potrjeno ozko grlo v Sloveniji], 145/146: 77–92
 - Velikost in razširjenost populacije velikega škurha *Numenius arquata* na Ljubljanskem barju v letih 2011 in 2012 [The Curlew *Numenius arquata* population size and distribution at Ljubljansko barje in 2011 and 2012], 156/157: 33–41
 - o Brinovka *Turdus pilaris* 102/103: 282–283, Mlinarček *Sylvia curruca* 106/107: 127, Kobiličar *Locustella naevia* & rakar *Acrocephalus arundinaceus* 106/107: 128, Skalna lastovka *Hirundo rupestris* 108: 179, Črna štoklja *Ciconia nigra* 109: 233, Pogorelček *Phoenicurus phoenicurus* 109: 236, Mokož *Rallus aquaticus* 110/111: 53, Belorepec *Haliaeetus albicilla* 137: 111, Šmarnica *Phoenicurus ochruros* 140: 41, Črnoglavni strnad *Emberiza melanocephala* 145/146: 164–165
- DENAC K., DENAC D.**
- o Sokol plenilec *Falco cherrug* 112: 100
 - o HR: Travniki vrabec *Passer hispaniolensis* 112: 105
- DENAC K. → DENAC D., 115: 193–194, 110/111: 103, 110/111: 104, 115: 199, 116: 32, 127: 197, 127: 201**

DENAC K. → DENAC D. *et al.*, 106/107: 123–124

DENAC M.

- Kravja čaplja *Bubulcus ibis* 150/151: 217–218, Gaga *Somateria mollissima* 152/153: 121–122, Črna štoklja *Ciconia nigra* 152/153: 124–125, Bela štoklja *Ciconia ciconia* 152/153: 125, Rjavka *Aythya marila* 156/157: 107–108, Stepski lunj *Circus macrourus* 156/157: 111, Bodičasta govnačka *Stercorarius parasiticus* 156/157: 114–115, Pegam *Bombycilla garrulus* 156/157: 122

DENAC M. → BORDJAN D. *et al.*, 156/157: 5–11

DENAC M. → DENAC D. *et al.*, 106/107: 123–124

DENAC M. → GAMSER M. *et al.*, 152/153: 123, 152/153: 123–124, 152/153: 124

DENDER D.

- HR: Eider *Somateria mollissima* 128/129: 106, Knot *Calidris canutus* 128/129: 107, Shelduck *Tadorna tadorna* 136: 73
- BA: Waxwing *Bombycilla garulus* 128/129: 109

DENDER D., KOTROŠAN D.

- First data on the breeding of Fieldfare *Turdus pilaris* in Bosnia and Herzegovina [Prvi podatki o gnezdenju brinovke *Turdus pilaris* v Bosni in Hercegovini], 128/129: 69–71

DENDER D. → KOTROŠAN D. *et al.*, 128/129: 108–109

DERVOVIĆ I. → KOTROŠAN D. *et al.*, 128/129: 108–109

DERVOVIĆ I. → MULAMEROVIĆ J., 130/131: 177

DERŽIČ M., BERCE T.

- Labod grbec *Cygnus olor* 156/157: 105, Gozdnji jereb *Tetrastes bonasia* 156/157: 108

DIMCHEV I. → SHURULINKOV P. *et al.*, 148/149: 29–43

DINKOV H. → NIKOLOV I. *et al.*, 123: 235–236

DJUNINSKI E. → STOYANOV G. P., 124: 59

DOBREV D. → SPASOV S. *et al.*, 154/155: 181–189

DOBREV V. → SPASOV S. *et al.*, 154/155: 181–189

DOBSON A., HOLLING M., JONES K., WERNHAM C.

- A preliminary overview of monitoring for raptors in Great Britain [Predhodni pregled monitoringa populacij ptic roparic v Veliki Britaniji], 154/155: 225–231

DOLENEC Z. → RADOVIĆ A. *et al.*, 150/151: 135–141

DOMBROVSKI V.

- A preliminary overview of monitoring for raptors in Belarus [Predhodni pregled monitoringa populacij ptic roparic v Belorusiji], 154/155: 167–172

DOMINKO M.

- Kosec *Crex crex* 113/114: 150

DOMUSCHIEV D. → STOYANOV G. P., 116: 41–42, corr. 118: 122

DOUMANDJI S. → BENDJOURDI D. *et al.*, 156/157: 13–26

DOVČ A. → VERGLES RATAJ A. *et al.*, 122: 135–138

DÖLTLIMAYR G

- HR: Griffon Vulture *Gyps fulvus* 116: 37

DRAVECKÝ M., GUZIOVÁ Z.

- A preliminary overview of monitoring for raptors in the Slovak Republic [Predhodni pregled monitoringa populacij ptic roparic na Slovaškem], 154/155: 261–269

DUKE G. → VREZEC A. *et al.*, 154/155: 145–157

DUMBOVIĆ MAZAL V., MIKULIĆ K.

- A preliminary overview of monitoring for raptors in Croatia [Predhodni pregled monitoringa populacij ptic roparic na Hrvatskom], 154/155: 191–201

DUMBOVIĆ RUŽIĆ V.

- HR: Gull-billed Tern *Gelochelidon nilotica* 109: 240–241

DUMPELNÍK M.

- HR: Egipcovski jastreb *Neophron percnopterus* 104/105: 63

DYAKOV N. → GRUYCHEV G., 150/151: 213–214

DYULGEROVA S. → SHURULINKOV P. *et al.*, 148/149: 29–43

ĐAPIĆ D.

- RS: Stock Dove *Columba oenas* 113/114: 157, Whooper Swan *Cygnus cygnus* 117: 81, Short-eared Owl *Asio flammeus* 117: 81–82, Red-footed Falcon *Falco vespertinus* 120: 41, Pintail *Anas acuta* 122: 169, Bluethroat *Luscinia svecica* 124: 57–58

ĐURAKIĆ M., ŠĆIBAN M.

- RS: Golden Eagle *Aquila chrysaetos* 128/129: 109

ELERŠEK T.

- HR: Lesna sova *Strix aluco* 115: 199

ELERŠEK T. → VREZEC A., 116: 32

ENDE B. → MUŽINIĆ J., 128/129: 107–108

ERG B. → TUCAKOV M., 121: 100

ERNST S.

- ME: Baillon's Crake *Porzana pusilla* 148/149: 106–107, Pygmy Owl *Glaucidium passerinum* 156/157: 131–132

ESENKO I.

- Nenavadni vedenjski vzorec pinož *Fringilla montifringilla* med skupinskim prehranjevanjem na gozdnih tleh [Unusual behaviour pattern by Bramblings *Fringilla montifringilla* during their collective feeding on forest ground], 136: 51–52

- Močvirška uharica *Asio flammeus* 137: 114–115

EZER A. → CHARTER M. *et al.*, 137: 105–107

FANG Y. → SCHERZINGER W., 128/129: 3–12

FEKONJA D.

- Rdečenoga postovka *Falco vespertinus*, 100: 165–166, Veliki škurh *Numenius arquata* 133: 81, Čebelar *Merops apiaster* 133: 82–83, Snežni strnad *Plectrophenax nivalis* 144: 65, Plotni strnad *Emberiza cirlus* 144: 66, Kačar *Circaetus gallicus* 148/149: 90

FEKONJA D. → VREZEC A. et al., 156/157: 49–69

FICKO M.

○ Črna štoklja *Ciconia nigra* 104/105: 54

FICKO M. → JANŽEKovič F., 98/99: 27–29

FIGELJ A.

○ Sloka *Scolopax rusticola* 120: 35–36, Pogorelček *Phoenicurus phoenicurus* 120: 36–37, Puščavec *Monticola solitarius* 120: 37, Belorepec *Haliaeetus albicilla* 134: 128

FIGELJ A. → VRH VREZEC P., 132: 39

FIGELJ J.

▪ Pojavljanje sokola selca *Falco peregrinus* in kragulja *Accipiter gentilis* v Ljubljani [The occurrence of Peregrine Falcon *Falco peregrinus* and Goshawk *Accipiter gentilis* in Ljubljana (C Slovenia)], 135: 165–167

▪ Novi podatki o pojavljanju ščinkavcev (Fringillidae) na širšem območju Volovje reber (JZ Slovenija) [New data on the occurrence of Finches (Fringillidae) in the wider area of Volovja reber (SW Slovenia)], 137: 53

○ Mali orel *Hieraaetus pennatus* 100: 165, Skalna lastovka *Hirundo rupestris* 120: 36, Kratkoprsti škrjanec *Calandrella brachydactyla* 127: 199, Črni škarnik *Milvus migrans* 134: 129, Zlatovranka *Coracias garrulus* 136: 70, Bela štoklja *Ciconia ciconia* 140: 37, Čuk *Athene noctua* 140: 40

FONTANA-PUDIĆ K. → RADOVIĆ A. et al., 150/151: 135–141

FÖGER M. → PEGORARO K., 106/107: 73–79

FRAS A.

○ Bela štoklja *Ciconia ciconia* 102/103: 276

GALUSHIN V.

▪ An overview of the most significant recent (1990–2012) raptor monitoring studies in European Russia [Pregled najpomembnejših nedavnih (1990–2012) dejavnosti v okviru monitoringa ptic roparic v evropskem delu Rusije], 154/155: 315–319

GAMAUF A.

- A preliminary overview of raptor monitoring in Austria [Predhodni pregled monitoringa ptic roparic v Avstriji], 154/155: 159–166

GAMSER M.

○ Rjavi lunj *Circus aeruginosus* 145/146: 153, Stepski lunj *Circus macrourus* 145/146: 154, Mali škurh *Numenius phaeopus* 145/146: 158, Planinski hudournik *Apus melba* 145/146: 159, Stepski lunj *Circus macrourus* 148/149: 91, Puklež *Lymnocryptes minimus* 148/149: 94, Grivar *Columba palumbus* 148/149: 96–97, Hudournik *Apus apus* 148/149: 98–99, Čebelar *Merops apiaster* 148/149: 99, Severni repnik *Carduelis flavirostris* 150/151: 229

GAMSER M., BORDJAN D., DENAC M., NOVAK J., KOZINA A.

○ Sredozemski viharnik *Puffinus yelkouan* 152/153: 123, Strmoglavec *Morus bassanus* 152/153: 123–124, Čapljica *Ixobrychus minutus* 152/153: 124

GAMSER M. → BORDJAN D., 156/157: 122–123

GAMSER M. → BORDJAN D. et al., 156/157: 5–11

GAMSER M. → NOVAK J. et al., 148/149: 100, 150/151: 227

GAMSER M. → PLOJ A., 144: 67, 144: 68, 145/146: 165, 148/149: 94–95, 148/149: 96

GAMSER M. → PLOJ A. et al., 148/149: 87–88

GARBAJS M. → ZAKŠEK B., 122: 153–155

GAŠIĆ B.

▪ The breeding of White-backed Woodpecker *Dendrocopos leucotos* on Mount Lisina near Mrkonjić Grad (Bosnia and Herzegovina) [Gnezditev belohrbtega detla *Dendrocopos leucotos* na gori Lisina pri Mrkonjić-Gradu (Bosna in Hercegovina)], 132: 32–34

▪ First breeding record of the Syrian Woodpecker *Dendrocopos syriacus* in Bosnia and Herzegovina with a reference to its present status [Prvi podatek o gnezdenju in sedanji status sirskega detla *Dendrocopos syriacus* v Bosni in Hercegovini], 144: 47–51

GENERO F. → MIHELIČ T., 125: 73–79

GEORGIEV D. → IANKOV P. et al., 132: 37–38

GEORGIEV D. → NIKOLOV S. C. et al., 128/129: 91–92, 128/129: 92–93

GEORGIEV V. → MILCHEV B., 150/151: 211–212

GEORGIEV V. → MILCHEV B. et al., 128/129: 59–63

GERDGIKOV G.

○ BG: Collared Dove *Streptopelia decaocto* 152/153: 133

GERDJIKOV G. → NIKOLOV S. C. et al., 133: 75–76

GIGLIO G. → BUX M. et al., 137: 83–88

GIGOV S. → GROZDANOV A. et al., 136: 74

GLASNOVIĆ P.

○ Rumenonogi galeb *Larus michahellis* 128/129: 102

GOBEC M.

○ Veliki skovik *Otus scops* 98/99: 84, 98/99: 86, Kozača *Strix uralensis* 98/99: 93, Modra taščica *Luscinia svecica* 102/103: 282, Mali orel *Hieraaetus pennatus* 138/139: 187–188

GOCHEVA Y. → SHURULINKOV P. et al., 148/149: 29–43

GODINO G. → MIRAGLIA G. et al., 138/139: 143–147

GOVEDIČ M.

- Prehrana kormorana *Phalacrocorax carbo* na območju zgornjega toka reke Save v zimi 1998/99 (Slovenija) [The diet of Great Cormorant *Phalacrocorax carbo* on the upper Sava river in the winter of 1998/99 (Slovenia)], 115: 169–178

GOVEDIČ M., JANŽEKOVIČ F.

- Prehrana kormorana *Phalacrocorax carbo* na reki Dravi v zimi 1995/96 (Slovenija) [The diet of Great Cormorant *Phalacrocorax carbo* on the Drava river in the winter of 1995/96 (Slovenia)], 116: 11–19

GOVEDIČ M., JANŽEKOVIČ F., KOS I.

- Prehrana kormorana *Phalacrocorax carbo* na območju reke Save od Ljubljane do Zagorja [The diet of Great Cormorants *Phalacrocorax carbo* on the Sava river between Ljubljana and Zagorje (Slovenia)], 110/111: 5–20

GRABOVAC D. → ŠĆIBAN M., 150/151: 236

GRADINAROV D. → NIKOLOV S. C. et al., 133: 75–76, 136: 55–57

GREGORI J.

- Komentar na prispevek TREBAR T. (2003): Gosja raca *Chenonetta jubata*. – *Acrocephalus* 24 (118): 110 [Comments on the note by TREBAR T. (2003): Gosja raca *Chenonetta jubata*. – *Acrocephalus* 24 (118): 110], 120: 31

GROHAR D.

- Južna postovka *Falco naumanni* 150/151: 219–220

GROHAR D. → ŠERE D., 150/151: 230–231

GROŠELJ P.

- HR: Črnočeli srakoper *Lanius minor* 104/105: 64

GROZDANOV A., TONCHEV B., DEMERDJIEV D., GIGOV S.

- BG: Black Kite *Milvus migrans* 136: 74

GROZDANOV A. P., GROZDANOVA H. R.

- BG: Tree Sparrow *Passer montanus* 156/157: 133

GROZDANOV A. P., MARINOV M.

- BG: Bluethroat *Luscinia svecica* 152/153: 134

GROZDANOV A. P., SLAVCHEV M.

- BG: Cormorant *Phalacrocorax carbo* 152/153: 132

GROZDANOV A. P., CHAVDAR N., BARZOVA Y.

- BG: Coot *Fulica atra* 156/157: 132

GROZDANOV A. P. → NIKOLOV B. P., 140: 44

GROZDANOV A. P. → STOYNOV E. et al., 152/153: 133

GROZDANOVA H. R. → GROZDANOV A. P., 156/157: 133

GRUBAČ B., VELEVSKI M.

- MK: Snowfinch *Montifringilla nivalis* 115: 202

GRUBAČ B. → VELEVSKI M. et al., 147: 181–282

GRUJIĆ D. → RAJKOVIĆ D. et al., 156/157: 27–32

GRUYCHEV G., DYAKOV N.

- First confirmed breeding of Woodcock *Scolopax rusticola* in Vitosha Mountain (CW Bulgaria) [Prvo potrjeno gnezdenje sloke *Scolopax rusticola* v gorovju Vitoša (osrednja zahodna Bolgarija)], 150/151: 213–214

GULIĆ J.

- Akcijski načrt za varstvo ruševca *Tetrao tetrix* na območju Košenjaka (SSV Slovenija) [Action plan for the conservation of Black Grouse *Tetrao tetrix*

in the area of Mt. Košenjak (NNE Slovenia)], 122: 119–134

GUSTIN M., SORACE A.

- A case of early breeding of Grey Heron *Ardea cinerea* in North Italy [Primer zgodnje gnezditve sive čaplje *Ardea cinerea* v severni Italiji], 104/105: 45–46

GUSTIN M., MENDI M., PEDRELLI M.

- Red-footed Falcon *Falco vespertinus* breeding in Magpie's *Pica pica* nest built on a pylon [Gnezdenje rdečenoge postovke *Falco vespertinus* v gnezdu srale *Pica pica*, zgrajenem na nosilcu daljnoveda], 128/129: 83–84

GUSTIN M. → BUX M. et al., 137: 83–88

GUSTIN M. → MIRAGLIA G. et al., 138/139: 143–147

GUZIOVÁ Z. → DRAVECKÝ M., 154/155: 261–269

HABUL A. → KOTROŠAN D. et al., 122: 149–152

HALLMANN B. → VELEVSKI M. et al., 147: 181–282

HALMOS G. → KOVÁCS A. et al., 154/155: 233–237

HANŽEL J.

- Strmoglavec *Morus bassanus* – nova vrsta v avifauni Slovenije [Gannet *Morus bassanus* – new species in the avifauna of Slovenia], 138/139: 181–183

- Redke vrste ptic v Sloveniji v letu 2012 – Poročilo Nacionalne komisije za redkosti [Rare birds in Slovenia in 2012 – Slovenian Rarities Committee Report], 156/157: 83–91

- Čopasta sinica *Parus cristatus* 122: 164, Gaga *Somateria mollissima* 128/129: 100, Beloliska *Melanitta fusca* 128/129: 100, Sredozemski viharnik *Puffinus yelkouan* 133: 79, Skalna lastovka *Ptyonoprogne rupestris* 133: 83, Črnoglavci muhar *Ficedula hypoleuca* 134: 131, Puklež *Lymnocryptes minimus* 141/142/143: 217, Citronasta pastirica *Motacilla citreola* 145/146: 160–161, Labod grbec *Cygnus olor* 152/153: 121

- MK: Cattle Egret *Bubulcus ibis* 144: 68

HANŽEL J., ŠERE D.

- Seznam ugotovljenih ptic Slovenije s pregledom redkih vrst [The list of birds of Slovenia with an overview of rare species], 150/151: 143–203

HANŽEL J., ŠUMRADA T.

- Popis gnezdeče populacije postovk *Falco tinnunculus* v Ljubljani in značilnosti njenih gnezdišč v letu 2007 [Survey and nest site characteristics of breeding Kestrels *Falco tinnunculus* in Ljubljana (central Slovenia) in 2007], 138/139: 149–153

HANŽEL J. → ŠUMRADA T., 152/153: 5–24

HATIBOVIĆ E. → KOTROŠAN D., 154/155: 173–179

HAUPT R. → LUKAČ G. et al., 117: 51–59

HELANDER B. → HELLSTRÖM P., 154/155: 277–282

HELLSTRÖM P., HELANDER B.

- A preliminary overview of monitoring for raptors in

- Sweden [Predhodni pregled monitoringa populacij ptic roparic na Švedskem], 154/155: 277–282
- HOLLING M.** → DOBSON A. et al., 154/155: 225–231
- HORVÁTH M.** → KOVÁCS A. et al., 154/155: 233–237
- HÖNIGSFELD ADAMIČ M.** → VREZEC A., 119: 147–148
- HRISTOV I.** → NIKOLOV I. et al., 116: 39–40, 123: 235–236
- HRISTOV K.** → SHURULINKOV P. et al., 148/149: 29–43
- HRISTOVA I. P.** → NIKOLOV B. P. et al., 124: 60
- HRISTOVA I. P.** → STOYANOV G. P. et al., 126: 162
- HRISTOVA-NIKOLOVA I. P.** → NIKOLOV B. P. et al., 148/149: 79–80
- HUDOKLIN A.**
- Poljska vrana *Corvus frugilegus* ponovno gnezdi v Sloveniji [Rook *Corvus frugilegus* once again breeding in Slovenia], 132: 35–36
 - Ekološke zahteve črnočelega srakoperja *Lanius minor* v gnezditvenem habitatatu na Šentjernejskem polju (JV Slovenija) [Ecological demands of the Lesser Grey Shrike *Lanius minor* in its breeding habitat at Šentjernejsko polje (SE Slovenia)], 136: 23–31
 - Kvakač *Nycticorax nycticorax* 108: 175, Polarni slapnik *Gavia arctica* 128/129: 99, Bobnarica *Botaurus stellaris* 128/129: 99, Siva čaplja *Ardea cinerea* 128/129: 100, 140: 37, Prepelica *Coturnix coturnix* 128/129: 102, Kozača *Strix uralensis* 128/129: 102–103, Hudournik *Apus apus* 140: 40, Srednji detel *Dendrocopos medius* 140: 40
- IANKOV P., GEORGIEV D., IVANOV B.**
- Large scale migration of Red-footed Falcon *Falco vespertinus* over Kaliakra (NE Bulgaria) [Intenzivna selitev rdečenogih postovk *Falco vespertinus* preko Kaliakre (SV Bolgarija)], 132: 37–38
- IANKOV P.** → NIKOLOV S. C. et al., 128/129: 90, 128/129: 91–92, 128/129: 92–93
- ILIĆ B.**
- HR: Little Ringed Plover *Charadrius dubius* 150/151: 232–233, Marsh Harrier *Circus aeruginosus* 156/157: 124–125
- ILIEV M.**
- BG: Demoiselle Crane *Grus virgo* 156/157: 132–133
- ILIEVA M.** → SHURULINKOV P. et al., 116: 39, 126: 161
- ILZER W.** → SACKL P. et al., 121: 51–57
- IVANOV B.**
- Population development of the White-tailed Eagle *Haliaeetus albicilla* in Bulgaria in the period from 1977 to 2005 [Razvoj populacije belorepca *Haliaeetus albicilla* v Bolgariji v obdobju od 1977 do 2005], 132: 17–21
- IVANOV B.** → IANKOV P. et al., 132: 37–38
- IVANOV B.** → NIKOLOV S. C. et al., 128/129: 90, 128/129: 91–92, 128/129: 92–93
- IVANOV I.** → NIKOLOV S. C. et al., 135: 168–169
- IVANOVSKI T., VELEVSKI M.**
- MK: Avocet *Recurvirostra avosetta* 115: 200–201
- JAGODNIK A.**
- Sredozemski sokol *Falco eleonorae* 136: 69, Planinska pevka *Prunella collaris* 136: 70–71, Srednji detel *Dendrocopos medius* 137: 117, Sokolič *Falco columbarius* 140: 39
- JAGODNIK A.** → JANČAR T. et al., 148/149: 98
- JAKOPIN L.**
- Planinski orel *Aquila chrysaetus* 102/103: 278
- JANČAR A.** → JANČAR T. et al., 148/149: 98
- JANČAR T.**
- Varstveno pomembne vrste ptic in njihovi habitatati v Kozjanskem parku [Conservationally important bird species and their habitats at Kozjansko Park], 100: 135–151
 - Nova gnezditvena kolonija planinskih hudournikov *Tachymarptis melba* v Karavankah (J Avstrija) [New breeding colony of Alpine swift *Tachymarptis melba* in Karavanke / Karawanken mountains (S Austria)], 130/131: 168
 - Sredozemski kupčar *Oenanthe hispanica* 106/107: 126–127, Kamenjar *Arenaria interpres* 123: 226, Dular *Charadrius morinellus* 152/153: 127–128
 - HR: Beloglavi jastreb *Gyps fulvus* 113/114: 153, Kmečka lastovka *Hirundo rustica* 116: 38, Črnočeli srakoper *Lanius minor* 124: 55, Rdeča lastovka *Hirundo daurica* 126: 158
- JANČAR T., TREBUŠAK M.**
- Ptice Kozjanskega regijskega parka [The birds of Kozjansko Regional Park], 100: 107–134
- JANČAR T., JAGODNIK A., JANČAR A.**
- Močvirška uharica *Asio flammeus* 148/149: 98
- JANČAR T., KMECL P., MIHELIČ T., KOZINC B.**
- Pregled vodnih ptic Blejskega in Bohinjskega jezera ter jezera HE Moste (Gorenjska, SZ Slovenija) [A survey of aquatic birds occurring on Lake Bled, Lake Bohinj and Moste Power Plant Reservoir (Gorenjska, NW Slovenia)], 135: 141–157, corr. 136: 79
- JANŽEKOVIČ F.**
- Merjenje geografske razširjenosti ptic – primerjava empiričnih podatkov na primeru slovenskih gnezdkil [Estimates of the geographical distribution of birds – a comparison of empirical data as in the case of Slovene breeders], 102/103: 249–259
 - Odnosi med telesno velikostjo, razširjenostjo in gostoto gnezdečih ptic v Sloveniji [Relationship between body size, distribution and abundance of breeding birds in Slovenia], 113/114: 123–128
 - Redke vrste gnezdečih ptic v Sloveniji [Rare

- breeding bird species in Slovenia], 120: 5–13
- o Čuk *Athene noctua* 98/99: 89
- JANŽEKOVIČ F., FICKO M.**
- Prehrana pegaste sove *Tyto alba* na Goričkem [Diet composition of the Barn Owl *Tyto alba* at Goričko], 98/99: 27–29
- JANŽEKOVIČ F., MALEZ V., VELUŠČEK A.**
- Zooarheološke najdbe ptic na količarskih naselbinah na Ljubljanskem barju [The zooarchaeological findings of birds in ancient pile dwellings at Ljubljansko barje], 123: 195–200
- JANŽEKOVIČ F., ŠTUMBERGER B., DENAC D.**
- Velikost legla, velikost jajc in fenologija prihoda na gnezdišče pri navadni čigri *Sterna hirundo* v SV Sloveniji [Common Tern's *Sterna hirundo* clutch size, egg dimensions and phenology of its arrival to the breeding site in NE Slovenia], 117: 61–66
- JANŽEKOVIČ F. → GOVEDIČ M.**, 116: 11–19
- JANŽEKOVIČ F. → GOVEDIČ M. et al.**, 110/111: 5–20
- JANŽEKOVIČ F. → KUHAR B. et al.**, 130/131: 147–154
- JARC T. → BERCE K. et al.**, 137: 114
- JEHART V.**
- o Dular *Charadrius morinellus* 150/151: 221–222
- JELASKA S. D. → RADOVIĆ A. et al.**, 150/151: 135–141
- JONES K. → DOBSON A. et al.**, 154/155: 225–231
- JOVANOVIĆ S. → ŠĆIBAN M.**, 137: 122
- JOVIČEVIĆ M.**
- o ME: Golden Eagle *Aquila chrysaetos* 145/146: 167–168, Red-footed Falcon *Falco vespertinus* 152/153: 131
- JOVIČEVIĆ M., SAVELJIĆ D.**
- o ME: White Stork *Ciconia ciconia* 152/153: 131, Alpine Swift *Apus melba* 152/153: 131, Bee-eater *Merops apiaster* 152/153: 131–132
- JOVIČEVIĆ M., ŠIMIĆ E.**
- o ME: Flamingo *Phoenicopterus roseus* 145/146: 167
- JOVIČEVIĆ M. → RUBINIĆ B.**, 145/146: 168–169, 145/146: 169
- JOVIČEVIĆ M. → SAVELJIĆ D.**, 156/157: 131
- JURČEVIĆ I.**
- o HR: White-tailed Eagle *Haliaeetus albicilla* 106/107: 129, Črna štoklja *Ciconia nigra* 108: 181, Hobby *Falco subbuteo* 110/111: 56, Rook *Corvus frugilegus* 113/114: 154
- JURČEVIĆ I., AGIĆ J.**
- o HR: White Stork *Ciconia ciconia* 133: 85
- JURINOVIC L.**
- o HR: White Stork *Ciconia ciconia* 120: 38, Whooper Swan *Cygnus cygnus* 120: 38
- JURINOVIC L. → MIKULIĆ K. et al.**, 156/157: 71–74
- KALAN G. → KUHAR B. et al.**, 130/131: 147–154
- KALOCSA B. & TAMÁS E. A.**
- Comments on the short article TUCAKOV M.
- (2002): A case of late breeding of the Black Stork *Ciconia nigra* in northwestern Voivodina (Serbia). – *Acrocephalus* 23 (112): 97–98 [Komentarji na članek TUCAKOV, M. (2002): Primer poznega gnezdenja črne štoklje *Ciconia nigra* v severozahodni Vojvodini. – *Acrocephalus* 23 (112): 97–98], 113/114: 145
- KAMBOUROVA N. T.**
- The recent status of breeding bird communities of Srebarna Biosphere Reserve (NE Bulgaria) [Aktualni status združb ptic gnezdklik v biosfernem rezervatu Srebarna (SV Bolgarija)], 125: 81–97
- o BG: Eleonora's Falcon *Falco eleonorae* 124: 59, Syrian Woodpecker *Dendrocopos syriacus* 124: 60
- KAPLA A.**
- o Dular *Charadrius morinellus* 116: 32–33, Črna štoklja *Ciconia nigra* 122: 161, 162: 223, Krivokljun *Loxia curvirostra* 123: 229
- KARAÇA R.**
- Contribution to the knowledge of avifauna of Karacadağ, South-eastern Anatolia (Turkey) [Prispevki k poznavanju avifaune Karacadaša v jugovzhodni Anatoliji (Turčija)], 122: 139–148
 - A new breeding site of the Rook *Corvus frugilegus* in South-eastern Anatolia (Turkey) [Novo gnezdišče poljske vrane *Corvus frugilegus* v JV Anatoliji (Turčija)], 124: 33–35
 - o TR: Black-winged Kite *Elanus caeruleus* 126: 162
- KATALINIĆ D.**
- Skupinska počivališča malih uharc *Asio otus* v Pomurju [Group resting places of the Long-eared Owl *Asio otus* at Pomurje], 98/99: 75–76
 - Pegasta sova *Tyto alba* v JV delu Prekmurja [Barn Owl *Tyto alba* in the SE part of Prekmurje], 98/99: 83
- KEBE L.**
- o Kostanjevka *Aythya nyroca* 102/103: 276–277, Triprsti detel *Picoides tridactylus* 104/105: 60, Bela štoklja *Ciconia ciconia* 120: 33, Rdečegrlji slapnik *Gavia stellata* 132: 39, Rdečenoga postovka *Falco vespertinus* 132: 40
- KEBE L. → POLAK S.**, 121: 59–70
- KERČEK M.**
- Drugo opazovanje plamenca *Phoenicopterus ruber roseus* v Sloveniji [Second record of the Greater Flamingo *Phoenicopterus ruber roseus* in Slovenia], 127: 191–193
 - Gnezditke kopenskega dela zadrževalnika Medvedce (SV Slovenija) [Breeding birds in the terrestrial part of Medvedce reservoir (NE Slovenia)], 141/142/143: 165–179
 - o Pegasta sova *Tyto alba* 98/99: 84, Ozkokljuni liskonožec *Phalaropus lobatus* 102/103: 279,

- Žličarka *Platalea leucorodia* 104/105: 54, 121: 94, Rjavi škarnik *Milvus milvus* 104/105: 56, Veliki strnad *Miliaria calandra* 104/105: 62–63, Podhujka *Caprimulgus europaeus* 106/107: 125, Triprsti detel *Picoides tridactylus* 119: 151, Rdečegrla cipa *Anthus cervinus* 119: 151, Krekovt *Nucifraga caryocatactes* 119: 152, Rožnati škorec *Sturnus roseus* 120: 37, Bobnarica *Botaurus stellaris* 121: 93, Šmarnica *Phoenicurus ochruros* 121: 96 (app. 107), Rjavoglavi srakoper *Lanius senator* 121: 96, Črnoglavni strnad *Emberiza melanocephala* 121: 97, Sokol plenilec *Falco cherrug* 127: 198, Rjava cipa *Anthus campestris* 130/131: 174, Siva vrana *Corvus corone cornix* 130/131: 175
- HR: Travniški vrabec *Passer hispaniolensis* 108: 183, *Parus lugubris* 127: 201

KERČEK M. → BORDJAN D. et al., 141/142/143: 195–198

KERČEK M. → Božič L. et al., 141/142/143: 181–193

KISS J. B. → REKASI J., 130/131: 139–145

KLADNIK T. → SVETLIČIČ J., 108: 155–158

KLEMENČIČ A.

- Reglja *Anas querquedula* 106/107: 121, Rdečenoga postovka *Falco vespertinus* 106/107: 122, Grahasta tukalica *Porzana porzana* 106/107: 122–123, Čebelar *Merops apiaster* 106/107: 125, Žličarka *Platalea leucorodia* 108: 176, Mali orel *Hieraaetus pennatus* 108: 177, Sabljarka *Recurvirostra avosetta* 108: 178, Bodičasta govnačka *Stercorarius parasiticus* 108: 178, Zlata prosenka *Pluvialis apricaria* 109: 234, Ozkokljuni liskonožec *Phalaropus lobatus* 109: 234–235

KLEMENČIČ A., KLEMENČIČ G.

- Čapljica *Ixobrychus minutus* 102/103: 275–276, Polojnik *Himantopus himantopus* 102/103: 278, Črni škarnik *Milvus migrans* 104/105: 56, Hudournik *Apus apus* 128/129: 103

KLEMENČIČ G. → KLEMENČIČ A., 102/103: 275–276, 102/103: 278, 104/105: 56, 128/129: 103

KLENOVŠEK D.

- Kozača *Strix uralensis* 98/99: 94, Hribski škrjanec *Lullula arborea* 100: 166, Čopasti ponirek *Podiceps cristatus* 108: 175, Belorepec *Haliaeetus albicilla* 137: 111

KLETČEK E. → LANSZKI J. et al., 138/139: 190–191

KLETČEK E. → PURGER J. J., 137: 120

KLETČEK E. → PURGER J. J. et al., 137: 120–121, 138/139: 191

KIJUN I.

- Veliki skovik *Otus scops* 112: 102, Domači vrabec *Passer domesticus* 117: 78–79, Siva gos *Anser anser* 120: 34

KMECL P.

- Kragulj *Accipiter gentilis* 104/105: 56, Mali detel *Dendrocopos minor* 104/105: 59–60, Kmečka lastovka *Hirundo rustica* 104/105: 61, Mali orel *Hieraaetus pennatus* 106/107: 122, Črnočeli srakoper *Lanius minor* 106/107: 128, Velika bela čaplja *Egretta alba* 108: 176, Postovka *Falco tinnunculus* 108: 177–178, Plevica *Plegadis falcinellus* 124: 47 (app. 67), Sloka *Scolopax rusticola* 125: 109, Žerjav *Grus grus* 135: 175, Veliki žagar *Mergus merganser* 148/149: 89, 152/153: 122

- HR: Kosec *Crex crex* 112: 104

KMECL P. → JANČAR T. et al., 135: 141–157

KNAUS, P.

- HR: Pygmy Comorant *Phalacrocorax pygmeus* 119: 152

KOCE U., BASLE T., PREMZL M., ROZMAN R., ŠALAMUN G.

- Pegasta sova *Tyto alba* in lesna sova *Strix aluco* v gradovih in nekaterih drugih objektih SV Slovenije [Barn Owl *Tyto alba* and Tawny Owl *Strix aluco* in castles and some other buildings in NE Slovenia], 118: 103–107

KOCE U., BASLE T., PREMZL M., ROZMAN R., ZAKŠEK B.

- Razširjenost plotnega *Emberiza cirlus* in rumenega strnada *E. citrinella* v vzhodnih Halozah (SV Slovenija) ter raba tal na območju njunega pojavljanja [The distribution of Cyril Bunting *Emberiza cirlus* and Yellowhammer *E. citrinella* in the east of Haloze (NE Slovenia) and agricultural use in the area of their occurrence], 136: 5–11

KOCE U. → TOME D. et al., 138/139: 137–142

KOCUVAN D.

- Repaljščica *Saxicola rubetra* 112: 102–103

KOČEVAR B.

- Veliki škurh *Numenius arquata* 109: 234

KOČEVAR J.

- Pritlikavi kormoran *Phalacrocorax pygmeus* 109: 233, Duplar *Columba oenas* 109: 235

KOHEK K., VREZEC A.

- Ural Owl *Strix uralensis* 110/111: 54–55

KOHEK K. → PREŠERN J., 108: 167–169

KOHEK K. → VREZEC A., 115: 179–183

KOLENKO I.

- Labod grbec *Cygnus olor* 104/105: 55, Veliki škurh *Numenius arquata* 104/105: 57, Povodni kos *Cinclus cinclus* 104/105: 61

KOLENKO J.

- Lesna sova *Strix aluco* 98/99: 92, Koconoga kanja *Buteo lagopus* 104/105: 56–57

KOMAR S.

- Pogorelček *Phoenicurus phoenicurus* 124: 51

KOMITOV E. → SHURULINKOV P. et al., 122: 174

KOREN A.

- Gnezditveni uspeh kmečke lastovke *Hirundo rustica* v hlevih z različnimi rejnimi živalmi in v opuščenih hlevih v Halozah (SV Slovenija) [Breeding success of Barn Swallow *Hirundo rustica* in animal enclosures for different types of farm animals and in abandoned animal enclosures at Haloze (NE Slovenia)], 137: 89–97
- Mali škurh *Numenius phaeopus* 141/142/143: 217, Kaspijska čigra *Hydroprogne caspia* 141/142/143: 219, Rožnat pelikan *Pelecanus onocrotalus* 144: 57, Kanadska gos *Branta canadensis* 144: 58, Čopasta čaplja *Ardeola ralloides* 145/146: 151, Belorepec *Haliaeetus albicilla* 148/149: 90, Vodomec *Alcedo atthis* 156/157: 118–119

KOREN A., PIVKO KNEŽEVIČ A.

- Pritlikavi kormoran *Phalacrocorax pygmeus* & ribji orel *Pandion haliaetus* 138/139: 187

KOREN B. → POLAK S., 121: 59–70

KORMANN U., STUMBERGER B.

- A Sabine's Gull *Xema sabini* in Montenegro – first record in the NE Mediterranean and a short review of the species' status in SE Europe [Lastovičji galeb *Xema sabini* v Črni gori – prvo opazovanje v SV Sredozemlju in kratek pregled statusa vrste v JV Evropi], 156/157: 79–82

KOROŠEC L.

- Škrjančar *Falco subbuteo* 102/103: 277

KOROŠEC L. → DENAC D., 102/103: 265–267

KOS I. → GOVEDIČ M. et al., 110/111: 5–20

KOSI F.

- Velika uharica *Bubo bubo* 98/99: 88

KOTROŠAN D., HATIBOVIĆ E.

- Raptors in Bosnia and Herzegovina – their status and perspectives for monitoring development [Ptice roparice v Bosni in Hercegovini – njihov status in perspektive za razvoj monitoringa], 154/155: 173–179

KOTROŠAN D., DENDER D., DEROVIĆ I.

- BA: Red-footed Falcon *Falco vespertinus* 128/129: 108–109

KOTROŠAN D., MULAOMEROVIĆ J., HABUL A.

- Ornithology and bird protection in Bosnia and Herzegovina: situation and perspectives [Ornitologija in varstvo ptic v Bosni in Hercegovini: razmere in perspektive], 122: 149–152

KOTROŠAN D. → DENDER D., 128/129: 69–71

KOTROŠAN D. → MULAOMEROVIĆ J., 121: 85–88

KOVÁCS A., BAGYURA J., HORVÁTH M., HALMOS G.

- An overview of monitoring for raptors in Hungary [Pregled monitoringu populacij ptic roparic na Madžarskem], 154/155: 233–237

KOVÁCS A. → VREZEC A. et al., 154/155: 145–157

KOVAČIĆ D. → SCHNEIDER-JACOBY M. et al., 109: 191–206

KOZAMERNIK J.J.

- Črni škarnik *Milvus migrans* 102/103: 277

KOZINA A.

- Dular *Charadrius morinellus* 144: 62, Srednji žagar *Mergus serrator* 152/153: 122, Stepski lunj *Circus macrourus* 152/153: 126, Rjasta kanja *Buteo rufinus* 152/153: 126, Mali škurh *Numenius phaeopus* 152/153: 128, Citronasta pastirica *Motacilla citreola* 152/153: 129–130, Vrtni strnad *Emberiza hortulana* 152/153: 130–131, Mala gos *Anser erythropus* 156/157: 105–106, Rjasta kozarka *Tadorna ferruginea* 156/157: 106

KOZINA A. → BORDJAN D., 152/153: 127

KOZINA A. → BORDJAN D. et al., 156/157: 5–11

KOZINA A. → GAMSER M. et al., 152/153: 123, 152/153: 123–124, 152/153: 124

KOZINC B., MULEJ A.

- Veliki žagar *Mergus merganser* 152/153: 122–123

KOZINC B. → JANČAR T. et al., 135: 141–157

KRALJ J., BARIŠIĆ S., ĆIKOVIĆ D., TUTIŠ V.

- Range expansion of the Olive-tree Warbler *Hippolais olivetorum* along the Croatian coast [Širjenje areala oljčnega vrtnika *Hippolais olivetorum* vzdolž hrvaške obale], 152/153: 105–107

KREČIČ P.

- Opis gnezditvenega ciklusa kačarja *Circaetus gallicus* na dveh lokacijah v JZ Sloveniji v letih 2010 in 2011 [Description of the Short-toed Eagle *Circaetus gallicus* breeding cycle at two sites in SW Slovenia during the years 2010 and 2011], 148/149: 53–66

- Mali skovik *Glaucidium passerinum* 133: 82, Črnočeli srakoper *Lanius minor* 136: 72, Stepski lunj *Circus macrourus* 144: 60

KROFEL M.

- Survey of Scops Owl *Otus scops* on the high karst grasslands of Snežnik plateau (southern Slovenia) [Popis velikega skovika *Otus scops* na visokokraških travnikih Snežniške planote (južna Slovenija)], 136: 33–37

- Opažanja velikih jat krokarjev *Corvus corax* na Pokojski planoti (osrednja Slovenija) [Observations of large Raven *Corvus corax* flocks on Pokojsče Plateau (Central Slovenia)], 145/146: 147–149

- Monitoring of facultative avian scavengers on large mammal carcasses in Dinaric forest of Slovenia [Spremljanje priložnostnih ptičjih mrhovinarjev na truplih velikih sesalcev v dinarskem gozdu Slovenije], 148/149: 45–51

- Beloglavi jastreb *Gyps fulvus* 121: 95, Žerjav *Grus grus* 122: 163, 140: 39, Kragulj *Accipiter gentilis* & kozaca *Strix uralensis* 124: 49, Belohrbti detel *Dendrocopos leucotos* 124: 50, Triprsti detel *Picoides tridactylus* 124: 50–51, 135: 176, Črna štorklja *Ciconia nigra* 125: 107, 126: 157, Ribji orel *Pandion haliaetus* 125: 107, Liska *Fulica atra* 125: 109, Mala uharica *Asio otus* 127: 198–199, 140: 39, Smrdokavra *Upupa epops* 132: 42, 134: 130, Krokar *Corvus corax* 134: 132, 148/149: 102–103, Mali sokol *Falco columbarius* 135: 174–175, Gozdnji jereb *Bonasa bonasia* 137: 113, Rjavi škarnik *Milvus milvus* 140: 38, Šoja *Garrulus glandarius* 140: 41–42, Mali skovik *Glauucidium passerinum* 148/149: 97, Krokar *Corvus corax* & skobec *Accipiter nisus* 150/151: 227, Taščica *Erythacus rubecula* & ščinkavec *Fringilla coelebs* 150/151: 227–228, Rjavi lunj *Circus aeruginosus* 156/157: 110
- HR: Triprsti detel *Picoides tridactylus* 138/139: 189–190

KROFEL M., ČERNE R.

- Livestock depredations by large carnivores as a food source for avian scavengers [Plenjenje domaćih živali s strani velikih zveri kot vir hrane za ptice mrhovinarje], 156/157: 75–77

KROFEL M., ŽAGAR A.

- Ribji orel *Pandion haliaetus* 156/157: 111–112

KROFEL M., ŽBRAT U.

- Divji petelin *Tetrao urogallus* 125: 108

KROFEL M. → BORDJAN D., 128/129: 104, 134: 131

KROFEL M. → BORDJAN D. et al., 133: 84

KROFEL M. → LABUS N., 118: 110

KUHAR B., KALAN G., JANŽEKOVIČ F.

- Prehrana lesne sove *Strix aluco* na Kozjanskem (V Slovenija) [Diet of the Tawny Owl *Strix aluco* in the Kozjansko region (E Slovenia)], 130/131: 147–154

KULIĆ M. → KULIĆ S., 125: 113

KULIĆ S.

- RS: Black Stork *Ciconia nigra* 122: 169, Sand Martin *Riparia riparia* 123: 233–234, Osprey *Pandion haliaetus* 125: 114, Bee-eater *Merops apiaster* 125: 116, Redpoll *Carduelis flammea* 125: 116

KULIĆ S., KULIĆ M.

- RS: Black Stork *Ciconia nigra* 125: 113

KUMAR B.

- Beloglavi jastreb *Gyps fulvus* 128/129: 101

KUNST A.

- Pegasta sova *Tyto alba* 98/99: 84

KUNZE H.

- HR: Črnočeli srakoper *Lanius minor* 110/111: 57

KURILLO J.

- Siva gos *Anser anser* 136: 67

KUS-VEENVLIEDT J.

- Rumena pastirica *Motacilla flava* na Cerkniškem polju [Yellow Wagtail *Motacilla flava* at Cerknica polje], 104/105: 23–28

LABUS N.

- Kostanjevka *Aythya nyroca* 118: 110

LABUS N., KROFEL M.

- Mala tukalica *Porzana parva* 118: 111

LANSZKI J., KLETČKI E., TRÓCSÁNYI B., PURGER J. J.

- HR: Goldcrest *Regulus regulus* 138/139: 190–191

LANSZKI J. → PURGER J. J., 144: 66

LANSZKI J. → PURGER J. J. et al., 137: 120–121, 138/139: 191

LEGIŠA P.

- Kozača *Strix uralensis* 138/139: 187, Duplinska kozarka *Tadorna tadorna* 140: 38

LESHEM Y. → CHARTER M. et al., 137: 105–107

LINDTNER-KNIFIC R. → VERGLES RATAJ A. et al., 122: 135–138

LINNARTZ L. → NIKOLOV S. C. et al., 136: 55–57

LISIČANEK E. → VELEVSKI M. et al., 147: 181–282

LISIČANEK T. → VELEVSKI M. et al., 147: 181–282

LONČAR T.

- Črni škarnik *Milvus migrans* 119: 148, Beločela gos *Anser albifrons* 120: 33–34

LONČAR T., SACKL P.

- Short-toed Eagle *Circaetus gallicus* 125: 107, Corncrake *Crex crex* 125: 108

LONČAR T. → SACKL P., 127: 200

LONČAR T. → SACKL P. et al., 122: 171–172

LONČAR T. → SAVELJIĆ D. et al., 122: 172–173

LUCIĆ V. → MIKULIĆ K. et al., 156/157: 71–74

LUKAČ G.

- HR: Rosy Starling *Sturnus roseus* 108: 183, Velika bela čaplja *Egretta alba* 109: 239

LUKAČ G., STIPČEVIĆ M., HAUPR R.

- Recent observations on the Griffon Vulture *Gyps fulvus* in the Paklenica National Park (Croatia) [Nedavna opazovanja beloglavih jastrebov *Gyps fulvus* v Narodnem parku Paklenica (Hrvaška)], 117: 51–59

LUKAČ G. → STIPČEVIĆ M., 104/105: 9–21

MACCURRACH R., ŠĆIBAN M., RUŽIĆ M.

- RS: Glossy Ibis *Plegadis falcinellus* 125: 113

MACCURRACH R. → TUCAKOV M., 121: 99

MACCURRACH R. → RADAKOVIĆ M. et al., 128/129: 111

MACCURRACH R. → RUŽIĆ M., 125: 114

MACCURRACH R. → ŠĆIBAN M., 125: 112–113

MADZHAROV M. → SHURULINKOV P. et al., 148/149: 29–43

MAJČEN D.

- Lesna sova *Strix aluco* 98/99: 92

- MALEZ V.** → JANŽEKOVIC F., 123: 195–200
MARČETA B. → MIHELIČ T., 98/99: 61–66
MARČETA B. → ŠTUMBERGER B., 110/111: 52
MARČIČ M.
 - Čuk *Athene noctua* 115: 196

MARČIČ M. → DENAC D., 112: 91–95
MARINČEK M.
 - Belolična gos *Branta leucopsis* 140: 37

MARINOV M. → GROZDANOV A. P., 152/153: 134
MARUŠIČ S.
 - Veliki žagar *Mergus merganser* 134: 128

MASCIA F.
 - First record of Richard's Pipit *Anthus richardi* in Slovenia [Prvi zapis za ostrožno cipo *Anthus richardi* za Slovenijo], 140: 35–36

MEDVED A.
 - Kačar *Circaetus gallicus* 124: 48

MEE A.
 - An overview of monitoring for raptors in Ireland [Pregled monitoringa populacij ptic roparic na Irskem], 154/155: 239–245

MEEÙS, T. → NIKOLOV S. C. et al., 122: 175–176
MENDI M. → GUSTIN M. et al., 128/129: 83–84
MENZEL J., MILCHEV B.
 - A record of Tengmalm's Owl *Aegolius funereus* in Bulgaria indicating long-distance wandering [Najdba koconogega čuka *Aegolius funereus* v Bolgariji, ki kaže na klatenje na velikih razdaljah], 134: 122–123

MÉRÓ T. O.
 - Breeding birds of shelterbelts near Sombor (NW Serbia) [Gnezdilke drevoredov pri Somboru (SZ Srbija)], 144: 7–13

MÉRÓ T. O., ŽULJEVIĆ A.
 - RS: Red Kite *Milvus milvus* 150/151: 235, Savi's Warbler *Locustella lusciniooides* 156/157: 129 Great Reed Warbler *Acrocephalus arundinaceus* 156/157: 129–130, 156/157: 130, Nuthatch *Sitta europaea* 156/157: 130–131

MÉRÓ T. O., ŽULJEVIĆ A., VARGA K.
 - Nest-site characteristics and breeding density of Magpie *Pica pica* in Sombor (NW Serbia) [Značilnosti gnezdišč in gnezditvena gostota srake *Pica pica* v Somboru (SZ Srbija)], 145/146: 93–99

MÉRÓ T. O. → SPREMO N., 150/151: 235
MIHELIČ T.
 - Prva potrjena gnezditev rdeče lastovke *Hirundo daurica* v Sloveniji (Kraški rob, JZ Slovenija) [First confirmed breeding of the Red-rumped Swallow *Hirundo rustica* in Slovenia (Karst Edge, SW Slovenia)], 102/103: 261–263
 - Prehrana velike uharice *Bubo bubo* v jugozahodni Sloveniji [Diet of the Eagle Owl *Bubo bubo* in

- southwestern Slovenia], 112: 81–86
- Novi podatki o pojavljanju kotorne *Alectoris graeca* na Volovji rebri (JZ Slovenija) [New data on the occurrence of Rock Partridge *Alectoris graeca* on Volovja reber (SW Slovenia)], 134: 124–125
- Velika uharica *Bubo bubo* 98/99: 87–88, 98/99: 88, 117: 77, 119: 150, 135: 176, Kozača *Strix uralensis* 98/99: 94–95, 98/99: 95–96, Mala uharica *Asio otus* 98/99: 98, Koconogi čuk *Aegolius funereus* 98/99: 99, Kvakač *Nyctcorax nycticorax* 100: 165, Skobec *Accipiter nisus* 100: 165, Mali orel *Hieraaetus pennatus* 100: 165, Triprsti detel *Picoides tridactylus* 102/103: 281–282, Plavček *Parus caeruleus* 102/103: 283–284, Šmarnica *Phoenicurus ochruros* 104/105: 61, Sokol selec *Falco peregrinus* 119: 149, Siva vrana *Corvus corone cornix* 119: 152, Žalobna sinica *Parus lugubris* 123: 228, Kotorna *Alectoris graeca* 135: 175, Povodni kos *Cinclus cinclus* 136: 70
- HR: Grmovščica *Phylloscopus sibilatrix* 102/103: 285, Beloglavi jastreb *Gyps fulvus* 121: 97, Sredozemski sokol *Falco eleonorae* 121: 98
- MIHELIČ T., BRAJNIK I.**
 - Nova opazovanja selitve ujed na Volovji rebri (J Slovenia) [New observations of birds of prey migrating over Volovja reber (S Slovenia)], 128/129: 86–87

MIHELIČ T., GENERO F.
 - Occurrence of Griffon Vulture *Gyps fulvus* in Slovenia in the period from 1980 to 2005 [Pojavljanje beloglavih jastrebov *Gyps fulvus* v Sloveniji od leta 1980 do 2005], 125: 73–79, corr. 127: 211, comm. 127: 195, 128/129: 94–96, 130/131: 170

MIHELIČ T., MARČETA B.
 - Naravovarstvena problematika sten nad Ospom kot gnezdišča velike uharice *Bubo bubo* [Conservationist problems regarding the rock wall above Osp (Karst edge) as a nest-site of the Eagle Owl *Bubo bubo*], 98/99: 61–66

MIHELIČ T., VREZEC A., PERUŠEK M., SVETLIČIĆ J.
 - Kozača *Strix uralensis* v Sloveniji [Ural Owl *Strix uralensis* in Slovenia], 98/99: 9–22 (app. 101)

MIHELIČ T. → JANČAR T. et al., 135: 141–157

MIKULETIČ J.
 - Prvo opazovanje bradate sove *Strix nebulosa* v Sloveniji [First observation of the Great Grey Owl *Strix nebulosa* in Slovenia], 98/99: 79–80

MIKULIĆ K., BUDINSKI I., ČULINA A., JURINOVIC L., LUCIĆ V.
 - The return of the Lesser Kestrel *Falco naumanni* as a breeding bird to Croatia [Vrnitev južne postovke *Falco naumanni* kot gnezdlilke na Hrvasko], 156/157: 71–74

MIKULIĆ K. → DUMBOVIĆ MAZAL V., 154/155: 191–201

MIKUSKA A., MIKUSKA J., MIKUSKA T.

- The first breeding records of Avocets *Recurvirostra avosetta* for Croatia and Kopački rit [Prva gnezditve sabljarke *Recurvirostra avosetta* na Hrvatskom in v Kopačkem ritu], 113/114: 139–140
- HR: Broad-billed Sandpiper *Limicola falcinellus* 115: 199

MIKUSKA A. → MIKUSKA J. et al., 118: 115, 122: 164–165, 124: 37–40

MIKUSKA A. → MIKUSKA T., 125: 111

MIKUSKA A. → MIKUSKA T. et al., 130/131: 159

MIKUSKA A. → TOMIK A. et al., 128/129: 105–106, 130/131: 175–176

MIKUSKA J., BOGDANOVIĆ T., MIKUSKA T., MIKUSKA A., ŠALIĆ V.

- Size and distribution of breeding colonies of Grey Heron *Ardea cinerea* in lowland Croatia [Velikost in razporeditev kolonij sive čaplje *Ardea cinerea* v nižinskih delih Hrvatske], 124: 37–40

MIKUSKA J., MIKUSKA T., MIKUSKA A.

- HR: Bewick's Swan *Cygnus columbianus* 122: 164–165 (app. 183), corr. 124: 66

MIKUSKA J., ROŽAC V., MIKUSKA A.

- HR: Gull-billed Tern *Gelochelidon nilotica* 118: 115

MIKUSKA J. → MIKUSKA A. et al., 113/114: 139–140, 115: 199

MIKUSKA J. → MIKUSKA T. et al., 130/131: 159

MIKUSKA J. → SCHNEIDER-JACOBY M. et al., 109: 191–206

MIKUSKA J. → TOMIK A. et al., 128/129: 105–106, 130/131: 175–176

MIKUSKA T.

- HR: Black-necked Grebe *Podiceps nigricollis* 109: 239, Common Redpoll *Carduelis flammea* 127: 201–202

MIKUSKA T., MIKUSKA A.

- BA: Great Cormorant *Phalacrocorax carbo* 125: 111

MIKUSKA T., ROMULIĆ M., MIKUSKA A., MIKUSKA J.

- The first record of African Spoonbill *Platalea alba* in Croatia [Prvi podatek o afriški žičarki *Platalea alba* na Hrvatskom], 130/131: 159 (app. 191)

MIKUSKA T. → MIKUSKA A. et al., 113/114: 139–140, 115: 199

MIKUSKA T. → MIKUSKA J. et al., 122: 164–165, 124: 37–40

MIKUSKA T. → SCHNEIDER-JACOBY M. et al., 109: 191–206

MIKUSKA T. → TOMIK A. et al., 128/129: 105–106

MILCHEV B.

- Dynamics of the departure of Magpies *Pica pica*

at a communal roost-site in Sofia (W Bulgaria) [Dinamika odletov srak *Pica pica* na skupinskom prenočišču v Sofiji (Z Bolgarija)], 138/139: 155–160

MILCHEV B., GEORGIEV V.

- Plastic fibres cause a brood failure in a Long-legged Buzzard *Buteo rufinus* nest [Plastična vlakna kot vzrok propada legla rjaste kanje *Buteo rufinus*], 150/151: 211–212

MILCHEV B., BOEV Z., GEORGIEV V.

- Birds in the Diet of Barn Owl *Tyto alba* in SE Bulgaria [Ptice v prehrani pegaste sove *Tyto alba* v JV Bolgariji], 128/129: 59–63

MILCHEV B., CHOBANOV D., TZANKOV N.

- The Diet of a Lesser Spotted Eagle *Aquila pomarina* family in SE Bulgaria [Prehrana družine malega klinkača *Aquila pomarina* v JV Bolgariji], 145/146: 143–145

MILCHEV B. → MENZEL J., 134: 122–123

MINGOT B.

- Bobnarica *Botaurus stellaris* 156/157: 109, Rjava škarnik *Milvus milvus* 156/157: 109

MIRAGLIA G., ALOISE G., GODINO G., SANTOPAOLI R., GUSTIN M.

- New data on the diet of White Stork *Ciconia ciconia* in Calabria (southern Italy) [Novi podatki o prehrani bele štokrle *Ciconia ciconia* v Kalabriji (južna Italija)], 138/139: 143–147

MIRIĆ R.

- RS: Black-throated Loon *Gavia arctica* 156/157: 128

MIRIĆ R. → RAJKOVIĆ D. et al., 156/157: 27–32

MITEV D.

- BG: Lesser Sand Plover *Charadrius mongolus* 152/153: 132–133

MIZERA T. → SIELICKI J., 154/155: 255–260

MOHAR D.

- Čopasta čaplja *Ardeola ralloides* 106/107: 121, Veliki žagar *Mergus merganser* 106/107: 121, Koconogi čuk *Aegolius funereus* 106/107: 124–125, Breguljka *Riparia riparia* 125: 110

MOHL A.

- The nesting of the Little Tern *Sterna albifrons* on the Drava river in Croatia and Hungary [Gnezdenje male čigre *Sterna albifrons* na reki Dravi na Hrvatskom in Madžarskem], 104/105: 35–39

MOVALLI P. → VREZEC A. et al., 154/155: 145–157

MOZETIČ B.

- Kravja čaplja *Bubulcus ibis* 145/146: 151–152, Mala gos *Anser erythropus* & rdečevrata gos *Branta ruficollis* 145/146: 152–153, Mala droplja *Tetrax tetrix* 145/146: 157

MULAOMEROVIĆ J.

- BA: Povodni kos *Cinclus cinclus* 125: 112, Planinska kavka *Pyrrhocorax graculus* 125: 112, Purple Heron *Ardea purpurea* 128/129: 108, Golden Eagle *Aquila chrysaetos* & Wheatear *Oenanthe oenanthe* 128/129: 108, Sedge Warbler *Acrocephalus schoenobaenus* 128/129: 109, Wallcreeper *Tichodroma muraria* 130/131: 177, Alpine Chough *Pyrrhocorax graculus* 130/131: 177, 130/131: 178

MULAOMEROVIĆ J., DEROVIĆ I.

- BA: Red-rumped Swallow *Hirundo daurica* 130/131: 177

MULAOMEROVIĆ J., KOTROŠAN D.

- New data on breeding of Alpine Chough *Pyrrhocorax graculus* in caves in Bosnia and Herzegovina [Novi podatki o gnezdenju planinske kavke *Pyrrhocorax graculus* v jamah Bosne in Hercegovine] 121: 85–88

MULAOMEROVIĆ J. → KOTROŠAN D. et al., 122: 149–152

MULEJ A. → KOZINC B., 152/153: 122–123

MUŽNIČ J.

- Black stork *Ciconia nigra* on the island of Pag (Dalmatia, Croatia) [Črna štoklja *Ciconia nigra* na otoku Pagu (Dalmacija, Hrvaska)], 130/131: 169
- HR: Mute Swan *Cygnus olor* 121: 97, European Roller *Coracias garrulus* 137: 121

MUŽNIČ J., ENDE B.

- HR: Roller *Coracias garrulus* 128/129: 107–108

MUŽNIČ J., PURGER J. J.

- The number of Spanish Sparrow *Passer hispaniolensis* nests in the Neretva delta (S Dalmatia, Croatia) [Število gnezd travniškega vrabca *Passer hispaniolensis* v delti Neretve (J Dalmacija, Hrvaska)], 128/129: 85–86
- HR: Gull-billed Tern *Gelochelidon nilotica* 124: 54, Little Tern *Sterna albifrons* 132: 44, Spanish Sparrow *Passer hispaniolensis* 132: 44, 133: 86, Scops Owl *Otus scops* 136: 73–74

MUŽNIČ J. → PURGER J. J., 124: 53, 135: 170–171, 132: 43–44, 44–45, 133: 86, 136: 74

NELLIS R.

- A preliminary overview of monitoring for raptors in Estonia [Predhodni pregled monitoringa populacij ptic roparic v Estoniji], 154/155: 285–287

NEMEC M. → VERGLES RATAJ A. et al., 122: 135–138

NIKOLOV B. P.

- Diet of the Red-backed Shrike *Lanius collurio* in Bulgaria [Prehrana rjavega srakoperja *Lanius collurio* v Bolgariji], 110/111: 21–26

NIKOLOV B. P., GROZDANOV A. P.

- BG: Great Black-backed Gull *Larus marinus* 140: 44

NIKOLOV B. P., HRISTOVA I. P., ALEKSOV R. L., STANCHEV R. H.

- BG: Barn Swallow *Hirundo rustica* 124: 60

NIKOLOV B. P., HRISTOVA-NIKOLOVA I. P., VAN GROUW H.

- Aberrantly coloured Cory's Shearwater *Calonectris diomedea* offshore Chalkidiki, northern Greece [Aberantno obarvan rumenokljuni viharnik *Calonectris diomedea* opazovan v bližini Chalkidike, severna Grčija], 148/149: 79–80

NIKOLOV B. P., STOYANOV G. P., RAGYOV D. N., SHURULINKOV P. S., NIKOLOV I. P.

- High-altitude records of the Great Grey Shrike *Lanius excubitor* in Bulgaria during migration and winter [Višinski podatki o velikem srakoperju *Lanius excubitor* v Bolgariji v času selitve in prezimovanja], 138/139: 185–186

NIKOLOV B. P. → NIKOLOV S., 116: 42

NIKOLOV B. P. → STOYANOV G. P. et al., 126: 162

NIKOLOV I.

- BG: Magpie *Pica pica* 116: 42, Shoveler *Anas clypeata* 122: 173

NIKOLOV I., NIKOLOV S., HRISTOV I., STANCHEV R.

- BG: Velvet Scoter *Melanitta fusca* 116: 39–40

NIKOLOV I., VELKOV S., STANCHEV R., HRISTOV I., SHURULINKOV P., DINKOV H.

- BG: Moustached Warbler *Acrocephalus melanopogon* 123: 235–236

NIKOLOV I. P.

- Observations on breeding and nonbreeding birds in the Central Fore-Balkan, Northern Bulgaria [Opazovanja gnezdkil in negnezdkil osrednje predbalkanske regije, severna Bolgarija], 120: 15–26

NIKOLOV I. P. → NIKOLOV B. P. et al., 138/139: 185–186

NIKOLOV S., NIKOLOV B. P.

- BG: Great Black-headed Gull *Larus ichthyaetus* 116: 42

NIKOLOV S. → NIKOLOV I. et al., 116: 39–40

NIKOLOV S. C.

- New data on the Birds of Ponor Mountains, (W Bulgaria) [Novi podatki o pticah pogorja Ponor (Z Bolgarija)], 128/129: 88–89

- Study on the habitat selection by birds in mature and over-mature Macedonian Pine *Pinus peuce* forests in Pirin National Park (SW Bulgaria) [Ptice in njihov izbor habitata v optimalni in terminalni fazi odraslega gozda molike *Pinus peuce* v Narodnem parku Pirin (JZ Bolgarija)], 134: 95–104

- BG: Woodcock *Scolopax rusticola* 122: 174–175,

Corncrake *Crex crex* 123: 234, Long-tailed Tit *Aegithalos caudatus* 123: 236

NIKOLOV S. C., SPASOV S. D.

- Frequency, density and numbers of some breeding birds in the south part of Kresna Gorge (SW Bulgaria) [Frekvenca, gostota in številčnost nekaterih gnezdiljk južnega dela soteske Kresna (JZ Bolgarija)], 124: 23–31 (app. 67)
- BG: Great Spotted Cuckoo *Clamator glandarius* 123: 235

NIKOLOV S. C., GEORGIEV D., IVANOV B., IANKOV P.

- A recent evidence of the spring migration of Mediterranean Shearwater *Puffinus yelkouan* along the Bulgarian Black Sea coast [Novi dokazi o pomladni selitvi sredozemskega viharnika *Puffinus yelkouan* vzdolž obale Črnega morja v Bolgariji], 128/129: 91–92
- Evidence for the regular spring and autumn migration of Terek Sandpiper *Xenus cinereus* along the western Black Sea coast [Dokazi o redni spomladanski in jesenski selitvi sabljastega martinca *Xenus cinereus* vzdolž zahodne obale Črnega morja], 128/129: 92–93

NIKOLOV S. C., IVANOV B., IANKOV P., DAMBIERMONT J.-L.

- A short review of the status of Bonelli's Eagle *Hieraetus fasciatus* in Bulgaria [Kratek pregled statusa kraguljega orla *Hieraetus fasciatus* v Bolgariji], 128/129: 90

NIKOLOV S. C., IVANOV I., ANGELOV I.

- New data on roosting sites of the Raven *Corvus corax* in Bulgaria [Novi podatki o prenočiščih krokarjev *Corvus corax* v Bolgariji], 135: 168–169

NIKOLOV S. C., PROFIROV L., GERDJIKOV G., GRADINAROV D.

- A review of the observations of Great Spotted Cuckoo *Clamator glandarius* in Bulgaria in 2006 and 2007 [Pregled opazovanj čopaste kukavice *Clamator glandarius* v Bolgariji v letih 2006 in 2007], 133: 75–76

NIKOLOV S. C., RAGYOV D., LINNARTZ L., GRADINAROV D., SHISHKOVA V.

- Observations of the Common Rosefinch *Carpodacus erythrinus* in Bulgaria in 2006 and 2007 [Opazovanja škrlatca *Carpodacus erythrinus* v Bolgariji v letih 2006 in 2007], 136: 55–57

NIKOLOV S. C., SPASOV S. D., DELOV V.

- BG: Woodchat Shrike *Lanius senator* 124: 61–62

NIKOLOV S. C., SPASOV S. D., MEEÙS, T.

- BG: Northern Wheatear *Oenanthe oenanthe* 122: 175–176 (app. 183)

NOVAK J., GAMSER M., PLOJ A., BASLE T.

- Rdeča lastovka *Cecropis daurica* 148/149: 100,

Skalna lastovka *Ptyonoprogne rupestris* 150/151: 227

NOVAK J. → BORDJAN D. et al., 156/157: 5–11

NOVAK J. → GAMSER M. et al., 152/153: 123, 152/153: 123–124, 152/153: 124

NOVAK J. → PLOJ A., 148/149: 105, 150/151: 234, 156/157: 114, 156/157: 125, 156/157: 125–126

NOVAK J. → PLOJ A. et al., 148/149: 105–106, 156/157: 127–128

NOVČIĆ R. → RAJKOVIĆ D. et al., 156/157: 27–32

NYGÅRD T.

- Monitoring of raptors in Norway [Monitoring ptic roparic na Norveškem], 154/155: 247–254

OJSTERŠEK L.

- Sivi muhar *Muscicapa striata* 102/103: 283–284

OMERZEL M.

- Žerjav *Grus grus* 137: 113

OMERZEL M. → ŠERE D., 137: 115–116

PALMA L.

- A preliminary overview of monitoring for raptors in Portugal [Predhodni pregled monitoringa populacij ptic roparic na Portugalskem], 154/155: 309–313

PANTOVIĆ U. → RADAKOVIĆ M. et al., 128/129: 111

PANTOVIĆ U. → RUŽIĆ M., 124: 55–56

PANTOVIĆ U. → RUŽIĆ M. et al., 128/129: 110

PAQUET J.-Y. → VERMEERSCH G., 154/155: 283–284

PAVLICEV M., PROBST R.

- HR: Eleonora's Falcon *Falco eleonorae* 110/111: 56, Roller *Coracias garrulus* 110/111: 56–57, Common Crossbill *Loxia curvirostra* 110/111: 57

PEDRELLI M. → GUSTIN M. et al., 128/129: 83–84

PEGORARO K., FÖGER M.

- Individuality in the Northern Bald Ibis or Waldrapp Ibis *Geronticus eremita* – key features for a complex social system [Individualnost klavžarja *Geronticus eremita* – poglavitne značilnosti zapletene socialne strukture teh ptic], 106/107: 73–79

PERCO F., TOUT P.

- Notes on recent discoveries regarding the presence of the Northern Bald Ibis *Geronticus eremita* in the Upper Adriatic Region [Zapiski o nedavnih odkritijih znamenj o pojavljanju klavžarja *Geronticus eremita* v območju gornjega Jadran], 106/107: 81–87 (app. 135)

PERUŠEK M.

- Mali skovik *Glaucidium passerinum* 106/107: 125, Taščična penica *Sylvia cantillans* 106/107: 127, Skalni plezalček *Tichodroma muraria* 106/107: 129, Čebelar *Merops apiaster* 108: 179, Smrdokavra *Upupa epops* 108: 179, Gozdnji jereb *Bonasa bonasia* 122: 162–163, Škrjančar *Falco subbuteo* 123: 225, Kozača *Strix uralensis* 123: 227

PERUŠEK M. → MIHELIČ T. et al., 98/99: 9–22

PESHEV H. → STOYNOV E. et al., 152/153: 133

PETKOV N.

- Ferruginous Duck *Aythya nyroca* breeding population development and habitat selection at Durankulak Lake, Bulgaria [Razvoj gnezdeče populacije kostanjevke *Aythya nyroca* in njen izbor habitatov na jezeru Durankulak, Bolgarija], 118: 87–96
- The Ferruginous Duck *Aythya nyroca* as a potential indicator species for tracking ecological changes at the Srebarna Lake managed reserve (NE Bulgaria) [Kostanjevka *Aythya nyroca* kot potencialna indikatorska vrsta za spremljanje ekoloških sprememb v upravljanem rezervatu jezera Srebarna (SV Bolgarija)], 128/129: 37–43

- Habitat characteristics assessment of the wetlands with breeding Ferruginous Duck *Aythya nyroca* and Pochard *A. ferina* in Bulgaria [Ocena habitatnih značilnosti mokrišč z gnezdecimi kostanjevkami *Aythya nyroca* in sivkami *A. ferina* v Bolgariji], 150/151: 127–134

○ BG: Terek Sandpiper *Xenus cinereus* 124: 59–60, Red-necked Phalarope *Phalaropus lobatus* 124: 60, Stonechat *Saxicola torquata maura* 126: 162

PETRAS SACKL T. → SACKL P., 137: 108–109, 150/151: 205–206

PFEIFER T.

○ HR: Kostanjevka *Aythya nyroca* 102/103: 285

PFEILER J. → SACKL P. et al., 121: 51–57

PINTAR M.

○ HR: Poljska vrana *Corvus frugilegus* 102/103: 285–286

PINTUR G. → SCHNEIDER-JACOBY M., 122: 167

PIPAN T.

○ Mali detel *Dendrocopos minor* 117: 77–78

PIRH P. → DE GROOT M., 133: 82

PIVKO KNEŽEVIČ A. → KOREN A., 138/139: 187

PLOJ A.

○ Pegasta sova *Tyto alba* & čuk *Athene noctua* 112: 101–102, Črna štorklja *Ciconia nigra* 134: 127–128, Kozača *Strix uralensis* 138/139: 187, Siva vrana *Corvus corone cornix* 140: 42, Plevica *Plegadis falcinellus* 141/142/143: 210, Svilnica *Cettia cetti* 148/149: 101, Kraljevi orel *Aquila heliaca* 156/157: 112

PLOJ A., BASLE T.

○ Kratkoprsti škrjanček *Calandrella brachydactyla* 144: 64, Rjava cipa *Anthus campestris* 144: 64

PLOJ A., GAMSER M.

○ Kamenjar *Arenaria interpres* 148/149: 94–95, Kaspijska čigra *Hydroprogne caspia* 148/149: 96

○ HR: Laški škrjanec *Melanocorypha calandra* 144:

67, Rdečegrla cipa *Anthus cervinus* 144: 68, Rdeča lastovka *Cecropis daurica* 145/146: 165

PLOJ A., NOVAK J.

- Kamenjar *Arenaria interpres* 156/157: 114
- HR: Črnonoga čigra *Gelochelidon nilotica* 148/149: 105, Citronasta pastirica *Motacilla citreola* 150/151: 234, Rjava komatna tekica *Glareola pratincola* 156/157: 125, American Golden Plover *Pluvialis dominica* 156/157: 125–126

PLOJ A., GAMSER M., BASLE T.

○ Raca žličarica *Anas clypeata* 148/149: 87–88

PLOJ A., NOVAK J., GAMSER M.

- HR: Terek Sandpiper *Xenus cinereus* 156/157: 127–128

PLOJ A., NOVAK J., ŠERE D.

- HR: Čopasta kukavica *Clamator glandarius* 148/149: 105–106

PLOJ A. → BASLE T., 156/157: 108

PLOJ A. → Novak J. et al., 148/149: 100, 150/151: 227

PODHRAŠKI K.

- Rjava čaplja *Ardea purpurea* 108: 176, Vinski drozg *Turdus iliacus* 109: 237

PODHRAŠKI Z.

- Koconoga kanja *Buteo lagopus* 102/103: 278, Škrlatec *Carpodacus erythrinus* 108: 180–181, Kmečka lastovka × mestna lastovka *Hirundo rustica* × *Delichon urbica* 109: 236, Prosnik *Saxicola torquata* 109: 236–237, Mala bela čaplja *Egretta garzetta* 112: 99, Kosec *Crex crex* 112: 100–101, Črna štorklja *Ciconia nigra* 113/114: 147–148, Velika bela čaplja *Casmerodium albus* 148/149: 87, Žerjav *Grus grus* 148/149: 92

POLAJNAR J., BORDJAN D.

- Sezonska dinamika števila sivih čapelj *Ardea cinerea* ob reki Savinji med Celjem in Zidanim Mostom (SV Slovenija) [Seasonal dynamics of the Grey Heron *Ardea cinerea* numbers along the Savinja river between Celje and Zidani Most (NE Slovenia)], 127: 181–186

POLAJNAR J. → BORDJAN D., 126: 158, 130/131: 175, 130/131: 176

POLAK S.

- Pojavljanje lesne sove *Strix aluco* v notranjskih in primorskih kraških jamah [Occurrence of Tawny Owl *Strix aluco* in the karst caves of Notranjska and Primorska regions], 98/99: 55–59
- Description of nests, nestling and breeding behaviour of a Yemen Serin *Serinus menachensis* population in Tawi Attair sinkhole, Sultanate of Oman [Opis gnezd, mladičev in gnezditvenega vedenja populacije jemenskega grilčka *Serinus menachensis* v udornici Tawi Attair, Sultanat

- Oman], 104/105: 3–8 (app. 67)
- Sredozemski kupčar *Oenanthe hispanica melanoleuca* 116: 34–35, Snežni strnad *Plectrophenax nivalis* 116: 36
- POLAK S., TRONTELJ P.**
- ME: Rock Bunting *Emberiza cia* 126: 160
- POLAK S., KEBE L., KOREN B.**
- Trinajst let popisov kosca *Crex crex* na Cerkniškem jezeru (Slovenija) [Thirteen years of the Corncrake *Crex crex* census at Lake Cerknica (Slovenia)], 121: 59–70
- POLAK S.** → TRONTELJ P., 125: 112
- POPOV K.** → SHURULINKOV P. et al., 126: 161
- POTOČAR KOROŠEC T.**
- Siva čaplja *Ardea cinerea* 134: 127
- POTOKAR M.**
- Predselitvena disperzija kmečke lastovke *Hirundo rustica* v Sloveniji [Pre-migratory dispersion of Barn Swallow *Hirundo rustica* in Slovenia], 102/103: 231–239
- PREMZL M.**
- Bela štorklja *Ciconia ciconia* 102/103: 276, Mestna lastovka *Delichon urbica* 112: 102, Kanja *Buteo buteo* 113/114: 149, Rjavi škarnik *Milvus milvus* 119: 148, Brkati ser *Gypaetus barbatus* 137: 110
- PREMZL M., BOŽIČ L.**
- Planinski vrabec *Montifringilla nivalis* 118: 114
- PREMZL M.** → BASLE T., 148/149: 86
- PREMZL M.** → KOCE U. et al., 118: 103–107, 136: 5–11
- PRESETNIK P.**
- 42 let gnezdenja bele štorklje *Ciconia ciconia* na gnezdu v Spodnji Poljskavi in analiza fenoloških podatkov [42 years of White Stork *Ciconia ciconia* breeding at Spodnja Poljskava and phenology data analysis], 150/151: 207–210
 - Veliki skovik *Otus scops* 115: 195–196
- PREŠERN J., KOHEK K.**
- Popis kozače *Strix uralensis macroura* na Javornikih [Census of the Ural Owl *Strix uralensis macroura* at Javorniki in Central Slovenia], 108: 167–169
- PRIKOP M.** → ŠĆIBAN M. et al., 150/151: 236–237
- PRITEKELJ A.**
- Velika sinica *Parus major* 156/157: 120, 156/157: 120–121, Močvirška sinica *Poecile palustris* 156/157: 121–122
 - HR: Mestna lastovka *Delichon urbica* 124: 55, Bee-eater *Merops apiaster* 126: 158
- PROBST R.** → PAVLICEV M., 110/111: 56, 110/111: 56–57, 110/111: 57
- PROBST R.** → TUCAKOV M., 126: 147–149
- PROFIROV L.** → NIKOLOV S. C. et al., 133: 75–76
- PURGER J. J.**
- HR: Caspian Tern *Hydroprogne caspia* 144: 66–67, Tawny Owl *Strix aluco* 144: 67, Bee-eater *Merops apiaster* 150/151: 233–234
- PURGER J. J., KLETČEKI E.**
- HR: Grey Plover *Pluvialis squatarola* 137: 120
- PURGER J. J., LANSZKI J.**
- HR: Squacco Heron *Ardeola ralloides* 144: 66
- PURGER J. J., MUŽINIĆ J.**
- New data on the avifauna of Čulišićke bare wetland area in Krka National Park (Croatia) [Novi podatki o avifavni močvirja Čulišićke bare v Nacionalnem parku Krka (Hrvaška)], 135: 170–171
 - HR: Red-footed Falcon *Falco vespertinus* 124: 53, Hobby *Falco subbuteo* 132: 43–44, Spanish Sparrow *Passer hispaniolensis* 132: 44–45, Pheasant *Phasianus colchicus* 133: 86, Rosy Starling *Sturnus roseus* 136: 74
- PURGER J. J., KLETČEKI E., LANSZKI J., TRÓCSÁNYI B.**
- HR: Gull-billed Tern *Gelochelidon nilotica* 137: 120–121
- PURGER J. J., KLETČEKI E., TRÓCSÁNYI B., LANSZKI J.**
- HR: Firecrest *Regulus ignicapillus* 138/139: 191
- PURGER J. J.** → LANSZKI J. et al., 138/139: 190–191
- PURGER J. J.** → MUŽINIĆ J., 124: 54, 128/129: 85–86, 132: 44, 133: 86, 136: 73–74
- PURNAT Z., ČAS M., ADAMIĆ M.**
- Problematika ohranjanja habitata divjega petelina *Tetrao urogallus* na Menini (osrednja Slovenija) in vpliv pašništva [Problems of the Capercaillie *Tetrao urogallus* habitat conservation in Menina Mountain (central Slovenia) and influence of pasture], 134: 105–118
- PUZOVIĆ S.** → TUCAKOV M., 126: 147–149
- RACHWALD A.** → SACHANOWICZ K. et al., 136: 59–66
- RADAKOVIĆ M.**
- RS: Short-toed Eagle *Circaetus gallicus* 137: 122–123
- RADAKOVIĆ M., ŠĆIBAN M.**
- RS: Little Ringed Plover *Charadrius dubius* 124: 57
- RADAKOVIĆ M., ŠĆIBAN M., RUŽIĆ M., PANTOVIĆ U., MACCURRACH R.**
- RS: Stock Dove *Columba oenas* 128/129: 111
- RADAKOVIĆ M.** → RUŽIĆ M., 130/131: 178
- RADAKOVIĆ M.** → RUŽIĆ M. et al., 128/129: 110
- RADIŠIĆ D.**
- RS: Great Crested Grebe *Podiceps cristatus* 123: 230–231, Whiskered Tern *Chlidonias hybridus* 123: 233
- RADIŠIĆ D.** → ŠĆIBAN M., 124: 56–57
- RADOLIĆ P.** → DENAC D., 112: 91–95.
- RADOVIĆ A., FONTANA-PUDIĆ K., DOLENEC Z., JELASKA S. D.**
- Detecting habitat changes using MODIS EVI images: a case study of Spoonbill *Platalea leucorodia* 136: 165

- leucorodia* in Croatia [Ugotavljanje sprememb v habitatih z uporabo posnetkov MODIS EVI: vzorčna študija žličarke *Platalea leucorodia* na Hrvaškem], 150/151: 135–141
- RAGYOV D.** → NIKOLOV S. C. *et al.*, 136: 55–57
- RAGYOV D.** → SHURULINKOV P. *et al.*, 116: 39
- RAGYOV D. N.** → NIKOLOV B. P. *et al.*, 138/139: 185–186
- RAJKOVIĆ D., GRUJIĆ D., NOVČIĆ R., MIRIĆ R.**
- Population of Tengmalm's Owl *Aegolius funereus* in Kopaonik National Park (central Serbia) [Populacija koconogega čuka *Aegolius funereus* v Narodnem parku Kopaonik (srednja Srbija)], 156/157: 27–32
- RAJKOVIĆ D., VRAČARIĆ M.**
- o RS: Curlew Sandpiper *Calidris ferruginea* 156/157: 128–129
- RAKOVIĆ M.**
- Sombre Tit *Parus lugubris* in Serbia and Montenegro – a review of historical and recent data with suggestions regarding its distribution and habitat [Žalobna sinica *Parus lugubris* v Srbiji in Črni gori – pregled zgodovinskih in novejših podatkov z možnimi zaključki glede njene razširjenosti in habitatata], 126: 139–145
- RAKIĆ V.** → ŠĆIBAN M., 128/129: 112
- RAKOVIĆ M.** → ŠĆIBAN M., 124: 58
- RALEV A.** → SHURULINKOV P. *et al.*, 135: 159–163
- RALEV A.** → STOYANOV G. P., 124: 61
- RANGUS H.**
- o Sršenar *Pernis apivorus* 112: 99
- RASSATI G., RODARO P.**
- Habitat, vegetation and land management of Corncrake *Crex crex* breeding sites in Carnia (Friuli-Venezia Giulia, NE Italy) [Habitat, vegetacija in kmetijska raba na gnezdiščih kosca *Crex crex* v Karnijskih Alpah (Furlanija Julijska krajina, SV Italija)], 133: 61–68
- RAŠOVIĆ B.**
- o ME: Zitting Cisticola *Cisticola juncidis* 148/149: 108
- REBERC P.**
- o Bobnarica *Botaurus stellaris* 102/103: 275
- REIHMANIS J.**
- A preliminary overview of monitoring for raptors in Latvia [Predhodni pregled monitoringa populacij ptic roparic v Latviji], 154/155: 301–304
- REKASI J., KISS J. B.**
- New data on the lice (Phthiraptera) of some birds in northern Dobrogea (Romania) [Novi podatki o ušeh (Phthiraptera) na nekaterih pticah v Dobrudži (Romunija)], 130/131: 139–145
- REMEC Ž.** → VUKELIĆ E., *et al.*, 119: 148
- RIEGERBAUER R.** → SAMWALD O., 136: 67
- RIJAVEC A.** → TRILAR T., 133: 79, 134: 130
- RISTIĆ N.**
- o RS: Wren *Troglodytes troglodytes* 124: 57
- RISTIĆ N.** → ŠĆIBAN M., 128/129: 111
- RODARO P.** → RASSATI G., 133: 61–68
- ROMULIĆ M.**
- o HR: Beloglavi jastreb *Gyps fulvus* 127: 199–200
- ROMULIĆ M.** → MIKUSKA T. *et al.*, 130/131: 159
- ROMULIĆ M.** → TOMIK A. *et al.*, 128/129: 105–106
- ROPPA F.** → COSOLO M. *et al.*, 140: 17–23
- ROZMAN R.** → KOCE U. *et al.*, 118: 103–107, 136: 5–11
- ROZONIČNIK A.** → BORDJAN D., 144: 15–20
- ROŽAC V.** → MIKUSKA J., 118: 115
- RUBINIĆ B.**
- Smrtnost sov Strigiformes na avtocestah med Bologno in Monfalconejem (Italija) pozimi 1998–99 [Mortality rate of owls (Strigiformes) on motorways between Bologna and Monfalcone (Italy) in the winter of 1998–99], 98/99: 67–70
 - Širjenje severozahodne meje gnezditvenega areala travniškega vrabca *Passer hispaniolensis* vzdolž Jadranske obale: kako se vede nova populacija v Hrvaški Istri [Expansion of northwestern frontier of the Spanish Sparrow's *Passer hispaniolensis* breeding range along the Adriatic coast: behaviour of the new population in Croatian Istra], 109: 207–211
 - Fenologija in številčnost galebov Laridae na območju južne Dalmacije (Hrvaška) [Phenology and abundance of gulls Laridae in Southern Dalmatia (Croatia)], 119: 135–143
 - o HR: Puščavec *Monticola solitarius* 104/105: 64, Kragulj *Accipiter gentilis* 106/107: 130, Sokol selec *Falco peregrinus* 112: 104, Rumeno nogi galeb *Larus cachinnans michahellis* 112: 104–105, Mali galeb *Larus minutus* 113/114: 153, Srednji detel *Dendrocopos medius* 115: 199–200
 - o BA: Great Crested Grebe *Podiceps cristatus* 112: 106, Common Crane *Grus grus* 112: 106–107, Red-rumped Swallow *Hirundo daurica* 112: 107, Northern Wheatear *Oenanthe oenanthe* & Black-eared Wheatear *Oe. hispanica* 112: 108, Črnoglavi strnad *Emberiza melanocephala* 112: 108–109
 - o ME: Arctic Skua *Stercorarius parasiticus* 119: 155, Planinski hudournik *Tachymarptis melba* 119: 156, Sombre Tit *Parus lugubris* 119: 156–157
- RUBINIĆ B., VREZEC A.**
- Audouin's Gull *Larus audouinii*, a new breeding gull species in the Adriatic Sea (Croatia) [Sredozemski galeb *Larus audouinii*, nova gnezdeča galebja vrsta v

- Jadranskem morju (Hrvaška)], 102/103: 219–222
- Prispevki k poznavanju smrtnosti ptic na cestah v Sloveniji [A contribution to the knowledge of bird mortality on Slovene roads], 109: 219–223
- RUBINIĆ B., BOŽIĆ L., SACKL P.**
- The actual status of Slender-billed Gull *Larus genei* on the southern Dalmatian coast [Status zalivskega galeba *Larus genei* na južnodalmatinski obali], 110/111: 35–37 (app. 63)
- RUBINIĆ B.** → VREZEC A., 118: 109
- RUBINIĆ B.**
- HR: Mali klinkač *Aquila pomarina* 121: 97–98, Sršenar *Pernis apivorus* 134: 133
- RUBINIĆ B., BEREZOVIKOV N. N.**
- The fluctuation of breeding numbers of Relict Gull *Larus relictus* on lake Alakol (SE Kazakhstan): a review of surveys from 1968 to 2001 [Nihanja v številu gnezdečih reliktnih galebov *Larus relictus* na jezeru Alakol (JV Kazahstan): pregled popisov, opravljenih med letoma 1968 in 2001], 115: 185–188 (app. 211)
- RUBINIĆ B., JOVIČEVIĆ M.**
- ME: Great Snipe *Gallinago media* 145/146: 168–169, Short-eared Owl *Asio flammeus* 145/146: 169
- RUBINIĆ B.** → SAVELJIĆ D., 124: 41–44, 137: 123, 137: 124
- RUBINIĆ B.** → SAVELJIĆ D. *et al.*, 122: 111–118
- RUBINIĆ B.** → SCHNEIDER-JACOBY M. *et al.*, 128/129: 45–57
- RUSS M.**
- Booted Eagle *Hieraetus pennatus* 109: 234
- RUŽIĆ M.**
- RS: Lesser Spotted Eagle *Aquila pomarina* 120: 40–41, Whooper Swan *Cygnus cygnus* 123: 231–232, Corncrake *Crex crex* 123: 232–233, Rock Bunting *Emberiza cia* 124: 58, Common Gull *Larus canus* 128/129: 110–111, Ring Ouzel *Turdus torquatus* 128/129: 113, Barn Owl *Tyto alba* 130/131: 178, Grey-headed Woodpecker *Picus canus* 130/131: 179, Bohemian Waxwing *Bombycilla garrulus* 130/131: 179, Raven *Corvus corax* 130/131: 180
- RUŽIĆ M., MACCURREACH R.**
- RS: Peregrine Falcon *Falco peregrinus* 125: 114
- RUŽIĆ M., PANTOVIĆ U.**
- RS: Short-toed Eagle *Circaetus gallicus* 124: 55–56
- RUŽIĆ M., RADAKOVIĆ M.**
- RS: Eagle Owl *Bubo bubo* 130/131: 178
- RUŽIĆ M., ŠČIBAN M.**
- RS: Pygmy Cormorant *Phalacrocorax pygmeus* 122: 167–168, Red-rumped Swallow *Hirundo daurica* & Crag Martin *Ptyonoprogne rupestris* 130/131: 179, Firecrest *Regulus ignicapillus* 130/131: 180
- RUŽIĆ M., PANTOVIĆ U., RADAKOVIĆ M.**
- RS: Red-footed Falcon *Falco vespertinus* 128/129: 110
- RUŽIĆ M.** → MACCURREACH R. *et al.*, 125: 113
- RUŽIĆ M.** → RADAKOVIĆ M. *et al.*, 128/129: 111
- RUŽIĆ M.** → ŠČIBAN M., 125: 112–113
- SACHANOWICZ K., CIECHANOWSKI M., RACHWALD A.**
- Ornithological observations (2003–2007) from Albania [Ornitološka opazovanja iz Albanije (2003–2007)], 136: 59–66
- SACKL P.**
- Form and function of aerial courtship displays in Black Storks *Ciconia nigra* [Oblika in funkcija dvorjenja črnih štorkelj *Ciconia nigra* v zraku], 102/103: 223–229
 - Marsh Sandpiper *Tringa stagnatilis* 102/103: 279
 - HR: Rock Partridge *Alectoris graeca* 136: 73
- SACKL P., LONČAR T.**
- HR: Levant Sparrowhawk *Accipiter brevipes* 127: 200
- SACKL P., PETRAS SACKL T.**
- Some notes on the winter diet and feeding behaviour of the Rock Bunting *Emberiza cia* in southern Montenegro [Nekaj opazovanj skalnega strnada *Emberiza cia* pri prehranjevanju v zimskem času v južni Črni gori], 137: 108–109
 - First breeding record of free-ranging Canada Goose *Branta canadensis* in Greece [Prvo opazovanje gnezdenja prostoživeče kanadske gosi *Branta canadensis* v Grčiji], 150/151: 205–206
- SACKL P., SMOLE J.**
- HR: Common Scoter *Melanitta nigra* 118: 114, Little Crake *Porzana parva* 119: 153–154
 - ME: Golden Eagle *Aquila chrysaetos* 118: 116, Black-eared Wheatear *Oenanthe hispanica* 118: 117, Alpine Chough *Pyrrhocorax graculus* 118: 118
- SACKL P., ŠTUMBERGER B.**
- ME: Alpine Swift *Tachymarptis melba* 119: 155–156, Whiskered Tern *Chlidonias hybrida* 145/146: 169
- SACKL P., BOŽIĆ L., ŠTUMBERGER B.**
- Baillon's Crake *Porzana pusilla* on the lower Neretva river: notes on a possible breeding location in southern Dalmatia [Pritlikava tukalica *Porzana pusilla* ob spodnjem toku reke Neretve: zapiski o verjetni gnezditvi v južni Dalmaciji], 116: 21–27
- SACKL P., LONČAR T., SMOLE J., ŠTUMBERGER B.**
- ME: Lanner Falcon *Falco biarmicus* 122: 171–172
- SACKL P., SMOLE J., ŠTUMBERGER B.**
- ME: Short-eared Owl *Asio flammeus* 121: 102–103, Bonelli's Eagle *Hieraetus fasciatus* 122: 170–171
- SACKL P., TIEFENBACH M., ILZER W., PFEILER J., WIESER B.**
- Monitoring the Austrian relict population

of European Roller *Coracias garrulus* – a review of preliminary data and conservation implications [Monitoring reliktné avstrijske populacije zlatovranke *Coracias garrulus* – pregled preliminarnih podatkov in varstvenih prizadevanj], 121: 51–57

SACKL P. → LONČAR T., 125: 107, 125: 108

SACKL P. → RUBINIĆ B., 110/111: 35–37

SACKL P. → SAVELJIĆ D. et al., 122: 172–173

SACKL P. → SCHNEIDER-JACOBY M. et al., 128/129: 45–57

SAKOULIS A.

- The status of the Imperial Eagle *Aquila heliaca* in Greece [Status kraljevega orla *Aquila heliaca* v Grčiji], 106/107: 105–108

SAMWALD O., RIEGERBAUER R.

- Pygmy Cormorant *Phalacrocorax pygmeus* 136: 67

SÁNCHEZ ZAPATA J. A.

- Overview of raptor monitoring in Spain [Pregled monitoringa ptic roparic v Španiji], 154/155: 321–323

SANTOPAOLI R. → MIRAGLIA G. et al., 138/139: 143–147

SAUROLA P.

- An overview of monitoring for raptors in Finland [Pregled monitoringa populacij ptic roparic na Finskem], 154/155: 203–215

SAUROLA P. → VREZEC A. et al., 154/155: 145–157

SAVELJIĆ D.

- Changes in population size of some shorebirds breeding at Ulcinj salt-pans in Montenegro [Populacijske spremembe pri nekaterih gnezdecih pobrežnikih v Ulcinjskih solinah v Črni gori], 110/111: 39–42

- The breeding of Pygmy Cormorant *Phalacrocorax pygmeus* in Montenegro: a review [Gnezdenje pritlikavega kormorana *Phalacrocorax pygmeus* v Črni gori: pregled], 130/131: 123–129

- ME: Greater Flamingo *Phoenicopterus ruber* 121: 101, Stone-curlew *Burhinus oedicnemus* 121: 101, Black-headed Gull *Larus ridibundus* 121: 101–102, Whiskered Tern *Chlidonias hybridus* 121: 102, Alpine Chough *Pyrrhocorax graculus* 121: 103, Griffon Vulture *Gyps fulvus* 122: 170, Dalmatian Pelican *Pelecanus crispus* 126: 160, Black Stork *Ciconia nigra* 130/131: 180, Roller *Coracias garrulus* 138/139: 191–192, Golden Eagle *Aquila chrysaetos* 145/146: 168, Great Bustard *Otis tarda* 145/146: 168

SAVELJIĆ D., JOVIČEVIĆ M.

- ME: Terek Sandpiper *Xenus cinereus* 156/157: 131

SAVELJIĆ D., RUBINIĆ B.

- The presence of the Dalmatian Pelican *Pelecanus*

crispus on Ulcinj saltpans (Montenegro) [Pojavljanje kodrastega pelikana *Pelecanus crispus* v Ulcinjskih solinah (Črna gora)], 124: 41–44

○ AL: Dalmatian Pelican *Pelecanus crispus* & White Pelican *Pelecanus onocrotalus* 137: 123, Golden Eagle *Aquila chrysaetos* 137: 124

SAVELJIĆ D., RUBINIĆ B., SCHNEIDER-JACOBY M., VIZI O.

- Breeding of Dalmatian Pelican *Pelecanus crispus* on Skadar Lake [Gnezdenje kodrastega pelikana *Pelecanus crispus* na Skadarskem jezeru], 122: 111–118

SAVELJIĆ D., SCHNEIDER-JACOBY M., SMOLE J., LONČAR T., SACKL P.

- ME: Crane *Grus grus* 122: 172–173

SAVELJIĆ D. → JOVIČEVIĆ M., 152/153: 131, 152/153: 131–132

SAVELJIĆ D. → VELEVSKI M., 144: 69–70

SCHERZINGER W., FANG Y.

- Field observations of the Sichuan Wood Owl *Strix uralensis davidi* in western China [Terenska opazovanja sečuanske kozáče *Strix uralensis davidi* v zahodni Kitajski], 128/129: 3–12 (app. 115), corr. 130/131: 189, 191

SCHNEIDER-JACOBY M.

▪ Lastovo – a new bottleneck site for the migratory Honey Buzzards *Pernis apivorus?* [Lastovo – novo ozko grlo za seleče se sršenarje *Pernis apivorus?*], 108: 163–165

○ HR: Lanner *Falco biarmicus* 122: 165–166, Brambling *Fringilla montifringilla* & Hawfinch *Coccothraustes coccothraustes* 123: 230

○ ME: Great Black-headed Gull *Larus ichthyaetus* 122: 173

SCHNEIDER-JACOBY M., PINTUR G.

○ HR: White Wagtail *Motacilla alba* 122: 167

SCHNEIDER-JACOBY M., MIKUSKA T., KOVACIĆ D., MIKUSKA J., ŠETINA M, TADIĆ Z.

- Dispersal by accident – the Spoonbill *Platalea leucorodia* population in Croatia [Razprtitev populacije žličark *Platalea leucorodia* na Hrvaskem], 109: 191–206

SCHNEIDER-JACOBY M., RUBINIĆ B., SACKL P., ŠTUMBERGER B.

- A preliminary assessment of the ornithological importance of Livanjsko Polje (Cetina River Basin, Bosnia and Herzegovina) [Preliminarna ocena ornitološkega pomembna Livanjskega polja (dolina reke Cetine, Bosna in Hercegovina)], 128/129: 45–57, corr. 130/131: 189

SCHNEIDER-JACOBY M. → SAVELJIĆ D. et al., 122: 111–118, 122: 172–173

SEDMAK K.

- Prispevek k poznavanju prehrane pegaste sove

Tyto alba na Ljubljanskem barju in v Sečoveljskih solinah [A contribution to the knowledge of the diet of Barn Owl *Tyto alba* at Ljubljansko barje and Sečovlje Salina], 98/99: 31–34

SEDMINEK P.

- Črna štoklja *Ciconia nigra* 106/107: 121, Mala bela čaplja *Egretta garzetta* 110/111: 49, Črni škarnik *Milvus migrans* 110/111: 50, Sokol selec *Falco peregrinus* 110/111: 53, Smrdokavra *Upupa epops* 110/111: 55, Rjava čaplja *Ardea purpurea* 112: 99, Kupčar *Oenanthe oenanthe* 113/114: 152, Kačar *Circaetus gallicus* 115: 194

SEDMINEK P., TUŠ R.

- Črna štoklja *Ciconia nigra* 117: 73–74

SEKEREŠ O. → ŽULJEVIĆ A. et al., 125: 115**SENEGAČNIK K.**

- Pegasta sova *Tyto alba* 98/99: 84, Kozica *Gallinago gallinago* 102/103: 278, Vrbji kovaček *Phylloscopus collybita* 102/103: 284, Vodomec *Alcedo atthis* 110/111: 55

SHISHKOVA V. → NIKOLOV S. C. et al., 136: 55–57**SHURULINKOV P.**

- BG: Kittiwake *Rissa tridactyla* 123: 234, Parasitic Skua *Stercorarius parasiticus* 126: 161

SHURULINKOV P., TSONEV R.

- BG: Knot *Calidris canutus* 126: 161

SHURULINKOV P., DASKALOVA G., CHAKAROV N., HRISTOV K., DYULGEROVA S., GOCHEVA Y., CHESHMEDZHIEV S., MADZHAROV M., DIMCHEV I.
- Characteristics of soaring birds' spring migration over inland SE Bulgaria [Značilnosti spomladanske selitve jadrajocih ptic v notranjosti JV Bolgarije], 148/149: 29–43

SHURULINKOV P., KOMITOV E., ZLATANOV T., VULTCHEV K.

- BG: Eleonora's Falcon *Falco eleonorae* & Griffon Vulture *Gyps fulvus* 122: 174

SHURULINKOV P., POPOV K., ILIEVA M., DAY J.

- BG: Great Black-headed Gull *Larus ichthyaetus* 126: 161

SHURULINKOV P., RAGYOV D., ILIEVA M.

- BG: Dalmatian Pelican *Pelecanus crispus* 116: 39

SHURULINKOV P., RAGYOV D., ZLATANOV T., DAY J.

- BG: Tundra Swan *Cygnus columbianus bewickii* 116: 39

SHURULINKOV P., RALEV A., DASKALOVA G., CHAKAROV N.

- Distribution, numbers and habitat of Pigmy Owl *Glaucidium passerinum* in Rhodopes Mts (S Bulgaria) [Razširjenost, številčnost in habitat malega skovika *Glaucidium passerinum* v Rodopih (J Bolgarija)], 135: 159–163

SHURULINKOV P. → NIKOLOV I. et al., 123: 235–236**SHURULINKOV P. → STOYANOV G.**, 119: 145–146**SHURULINKOV P. → STOYANOV G. P.**, 116: 42–43**SHURULINKOV P. → STOYANOV G. P. et al.**, 127: 202**SHURULINKOV P. S., STOYANOV G. P.**

- Some new findings of Pigmy Owl *Glaucidium passerinum* and Tengmalm's Owl *Aegolius funereus* in western and southern Bulgaria [Nekaj novih odkritij malega skovika *Glaucidium passerinum* in koconogega čuka *Aegolius funereus* v zahodni in južni Bolgariji], 128/129: 65–68

SHURULINKOV P. S., TSONEV R. T.

- First observation of the Desert Wheatear *Oenanthe deserti* in Bulgaria [Prvo opazovanje puščavskega kupčarja *Oenanthe deserti* v Bolgariji], 104/105: 53

SHURULINKOV P. S. → NIKOLOV B. P. et al., 138/139: 185–186**SIELICKI J., MIZERA T.**

- A preliminary national overview of monitoring for raptors in Poland [Predhodni nacionalni pregled monitoringa populacij ptic roparic na Poljskem], 154/155: 255–260

SIKI M. → BENGIL F. et al., 145/146: 115–130**SIMIĆ D. V.**

- RS: Griffon Vulture *Gyps fulvus* 113/114: 155–156, corr. 121: 106
- ME: Dalmatian Pelican *Pelecanus crispus* 118: 116

SIMIĆ D. V., TUCAKOV M.

- Numbers and local movements of Pygmy Cormorants *Phalacrocorax pygmeus* wintering in Belgrade [Število in lokalni premiki prezujočih pritlikavih kormoranov *Phalacrocorax pygmeus* v Beogradu], 123: 207–212

SLAK M.

- Bela štoklja *Ciconia ciconia* 117: 73, Repaljščica *Saxicola rubetra* 124: 51

SLANA D.

- Čuk *Athene noctua* 98/99: 90

SLAVCHEV M. → GROZDANOV A. P., 152/153: 134**SMOLE J.**

- Prvi teritorialni črnoglavi galeb *Larus melanocephalus* v Sloveniji [First record of a territorial Mediterranean Gull *Larus melanocephalus* in Slovenia], 109: 225–226
- Skalni plezalček *Tichodroma muraria* 109: 238, Plevica *Plegadis falcinellus* 110/111: 50, Rdečenogi martinec *Tringa totanus* 113/114: 150, Brent Goose *Branta bernicla* 120: 34
- HR: Tatarska žvižgavka *Netta rufina* 109: 240, Turška kotorna *Alectoris chukar* 110/111: 56 (app. 63)

SMOLE J., ŠTUMBERGER B.

- HR: Beloglavji jastreb *Gyps fulvus* 106/107: 129–130

SMOLE J. → DENAC D., 127: 198**SMOLE J. → SACKL P. et al.**, 121: 102–103, 122: 170–171, 122: 171–172

- SMOLE J.** → SAVELJIĆ D. *et al.*, 122: 172–173
- SORACE A.** → GUSTIN M., 104/105: 45–46
- SOVA D.**
- Polojnik *Himantopus himantopus* 106/107: 123
- SOVINC A.**
- Belorepec *Haliaeetus albicilla* 130/131: 174, Kreheljc *Anas crecca* & mlakarica *Anas platyrhynchos* 156/157: 106–107, Sloka *Scopula rusticola* 156/157: 113
- SPASOV L.** → STOYANOV G. P., 124: 61
- SPASOV S., ARKUMAREV V., DOBREV D., DOBREV, V.**
- An overview of monitoring for raptors in Bulgaria [Pregled monitoringa populacij ptic roparic v Bolgariji], 154/155: 181–189
- SPASOV S. D.** → NIKOLOV S. C., 123: 235, 124: 23–31
- SPASOV S. D.** → NIKOLOV S. C. *et al.*, 122: 175–176, 124: 61–62
- SPOZNA S.** → COSOLO M. *et al.*, 140: 17–23
- SPREMO N.**
- RS: Bohemian Waxwing *Bombycilla garrulus* 135: 178, White-tailed Eagle *Haliaeetus albicilla* 135: 178, Red-necked Phalarope *Phalaropus lobatus* 135: 178, Osprey *Pandion haliaetus* 150/151: 235–236, Collared Pratincole *Glareola pratincola* 150/151: 236, Grey Plover *Pluvialis squatarola* 150/151: 236, Red-throated Pipit *Anthus cervinus* 150/151: 237
- SPREMO N., MÉRÖ T. O.**
- RS: Buzzard *Buteo buteo* 150/151: 235
- STANCHEV R.**
- BG: Redstart *Phoenicurus phoenicurus* 122: 176
- STANCHEV R.** → NIKOLOV B. P. *et al.* 124: 60
- STANCHEV R.** → NIKOLOV I. *et al.*, 116: 39–40, 123: 235–236
- STANCHEV R. H.** → STOYANOV G. P., 127: 203
- STANCHEV R. H.** → STOYANOV G. P. *et al.*, 126: 162
- STANIČ D.**
- Dular *Charadrius morinellus* 150/151: 222
- STANKOVIĆ B.**
- RS: Lesser Grey Shrike *Lanius minor* 138/139: 192, Rock Bunting *Emberiza cia* 138/139: 192, Crane *Grus grus* 138/139: 193
- STIPČEVIĆ M.**
- Solitary breeding of Griffon Vulture *Gyps fulvus* on the island of Pag (Croatia) in 1997 [Solitarno gnezdenje beloglavega jastreba *Gyps fulvus* na otoku Pagu v letu 1997], 112: 87–90
- STIPČEVIĆ M., LUKAČ G.**
- Status of tubenose seabirds Procellariiformes breeding in the eastern Adriatic [Status cevonoscev Procellariiformes, gnezdečih v Jadranskem morju], 104/105: 9–21
- STIPČEVIĆ M.** → LUKAČ G. *et al.*, 117: 51–59

STOYANOV G., SHURULINKOV P.

- Late nesting of the Common Swift *Apus apus* and the Pallid Swift *Apus pallidus* in Bulgaria [Pozno gnezdenje hudournika *Apus apus* and bledega hudournika *Apus pallidus* v Bolgariji], 119: 145–146

STOYANOV G. P.

- Common Buzzard *Buteo buteo* nesting on a cliff [Gnezditev kanje *Buteo buteo* v steni], 134: 119
- BG: White Pelican *Pelecanus onocrotalus* 116: 38, Eastern Imperial Eagle *Aquila heliaca* 116: 40, Saker Falcon *Falco cherrug* 116: 40–41, 127: 202, Peregrine Falcon *Falco peregrinus* 116: 41–42, corr. 118: 122, Wallcreeper *Tichodroma muraria* 127: 202–203, Rosy Starling *Sturnus roseus* 127: 203, White-backed Woodpecker *Dendrocopos leucotos* 140: 44, Redpoll *Carduelis flammea* 140: 45

STOYANOV G. P., BOZHIOV V.

- Observation of Dottorel *Charadrius morinellus* in Slavyanka Mountain (SW Bulgaria) [Opazovanje dularja *Charadrius morinellus* na gori Slavjanka (JZ Bulgaria)], 134: 120–121

STOYANOV G. P., DJUNINSKI E.

- BG: Booted Eagle *Hieraaetus pennatus* 124: 59

STOYANOV G. P., SHURULINKOV P.

- BG: Alpine Chough *Pyrrhocorax graculus* 116: 42–43

STOYANOV G. P., STANCHEV R. H.

- BG: Great Grey Shrike *Lanius excubitor* 127: 203

STOYANOV G. P., NIKOLOV B. P., HRISTOVA I. P., ALEKSOV R., STANCHEV R. H.

- BG: Black-headed Bunting *Emberiza melanocephala* 126: 162

STOYANOV G. P., RALEV A., SPASOV L.

- BG: Waxwing *Bombycilla garrulus* 124: 61

STOYANOV G. P., SHURULINKOV P., TODOROV T.

- BG: Osprey *Pandion haliaetus* 127: 202

STOYANOV G. P. → NIKOLOV B. P. *et al.*, 138/139: 185–186

STOYANOV G. P. → SHURULINKOV P. S., 128/129: 65–68

STOYCHEV S. → DEMERDZHIEV D., 137: 99–104

STOYNOV E.

- MK: Lesser Kestrel *Falco naumanni* 108: 184

STOYNOV E., PESHEV H., GROZDANOV A. P.

- BG: Pallid swift *Apus pallidus* 152/153: 133

STOYNOV E. → VELEVSKI M. *et al.*, 147: 181–282

STUMBERGER B. → KORMANN U., 156/157: 79–82

STUMBERGER B. → VELEVSKI M., 147: 283–291

STUMBERGER B. → VELEVSKI M. *et al.*, 147: 181–282

SURINA B.

- Še eno gnezdenje navadnega kupčarja *Oenanthe oenanthe* na nizki nadmorski višini [Another

- lowland breeding site of the Northern Wheatear *Oenanthe oenanthe* in Slovenia], 104/105: 47–50
- Velika uharica *Bubo bubo* 98/99: 88, Čuk *Athene noctua* 98/99: 90, Kozača *Strix uralensis* 98/99: 94, Komatar *Turdus torquatus* 104/105: 61–62
 - BA: Kotorna *Alectoris graeca* 112: 106, Wallcreeper *Tichodroma muraria* 112: 107
- SVETLIČIĆ J., KLDNIK T.**
- Razširjenost in gostota kozače *Strix uralensis* na Krašici v Savinjskih Alpah [Distribution and density of the Ural Owl *Strix uralensis* on Mt. Krašica in the Savinja Alps (N Slovenia)], 108: 155–158
- SVETLIČIĆ J.** → MIHELIČ T. et al., 98/99: 9–22
- SZINOVATZ V.** → ZEILER H., 113/114: 115
- SZYMAŃSKI M.**
- Bobnarica *Botaurus stellaris* 112: 99, Beloglavi jastreb *Gyps fulvus* 112: 100, Sloka *Scolopax rusticola* 112: 101, Čopasta čaplja *Ardeola ralloides* 113/114: 147, Črnonoga čigra *Gelochelidon nilotica* 113/114: 150–151, Triprsti detel *Picoides tridactylus* 113/114: 152, Kvakač *Nycticorax nycticorax* 115: 193, Močvirski lunj *Circus pygargus* 115: 194–195, Rumenokljuni slapnik *Gavia adamsii* & beloliska *Melanitta fusca* 122: 161
 - RS: Booted Eagle *Hieraaetus pennatus* 128/129: 109–110
- ŠALAMUN G.** → KOCE U. et al., 118: 103–107
- ŠALAMUN Ž.**
- Nova gnezditvena kolonija navadne čigre *Sterna hirundo* v Pomurju [New breeding colony of the Common Tern *Sterna hirundo* in Pomurje region], 104/105: 51–52
 - Črna žolna *Dryocopus martius* 106/107: 125–126, Breguljka *Riparia riparia* 106/107: 126, Pritlikavi kormoran *Phalacrocorax pygmaeus* 108: 175, Veliki srakoper *Lanius excubitor* 108: 180, Črna štorklja *Ciconia nigra* 109: 233, Northern Three-toed Woodpecker *Picoides tridactylus* 109: 235, Dlesk *Coccothraustes coccothraustes* 109: 239, Stepski lunj *Circus macrourus* 145/146: 153–154, Rjasta kanja *Buteo rufinus* 145/146: 155
- ŠALIĆ V.** → MIKUSKA J. et al., 124: 37–40
- ŠĆIBAN M.**
- RS: Red-necked Grebe *Podiceps grisegena* 122: 167, Red-necked Phalarope *Phalaropus lobatus* 122: 169, Jay *Garrulus glandarius* 122: 170, Bittern *Botaurus stellaris* 123: 231, Little Egret *Egretta garzetta* 123: 231, Bluethroat *Luscinia svecica* 123: 234, Pintail *Anas acuta* 124: 56, Marsh Sandpiper *Tringa stagnatilis* 128/129: 110, Tawny Pipit *Anthus campestris* 128/129: 111, Wheatear *Oenanthe oenanthe* 128/129: 112, Red-crested Pochard *Netta rufina* 137: 122, Corncrake *Crex crex* 137: 123, Alpine Swift *Apus melba* 150/151: 236
 - MK: Black-throated Diver *Gavia arctica* 144: 68, Pallid Harrier *Circus macrourus* 144: 68, Crane *Grus grus* 144: 69
- ŠĆIBAN M., GRABOVAC D.**
- RS: Middle Spotted Woodpecker *Dendrocopos medius* 150/151: 236
- ŠĆIBAN M., JOVANOVIĆ S.**
- RS: Mute Swan *Cygnus olor* 137: 122
- ŠĆIBAN M., RADIŠIĆ D.**
- RS: Ferruginous Duck *Aythya nyroca* 124: 56–57
- ŠĆIBAN M., RAKIĆ V.**
- RS: Stonechat *Saxicola torquata* 128/129: 112
- ŠĆIBAN M., RAKOVIĆ M.**
- RS: Red-breasted Flycatcher *Ficedula parva* 124: 58
- ŠĆIBAN M., RISTIĆ N.**
- RS: Lesser Black-backed Gull *Larus fuscus* 128/129: 111
- ŠĆIBAN M., TUCAKOV M.**
- RS: Red-necked Grebe *Podiceps grisegena* 120: 40, Red-footed Falcon *Falco vespertinus* 123: 232
- ŠĆIBAN M., VEREBELJI Č.**
- RS: Spotted Crake *Porzana porzana* 125: 114
- ŠĆIBAN M., RUŽIĆ M., MACCURRELL R.**
- RS: Bittern *Botaurus stellaris* 125: 112–113
- ŠĆIBAN M., TUPITSYN I., PRIKOP M.**
- RS: White-backed Woodpecker *Dendrocopos leucotos* 150/151: 236–237
- ŠĆIBAN M.** → ĐURAKIĆ M., 128/129: 109
- ŠĆIBAN M.** → MACCURRELL R. et al., 125: 113
- ŠĆIBAN M.** → RADAKOVIĆ M., 124: 57
- ŠĆIBAN M.** → RADAKOVIĆ M. et al., 128/129: 111
- ŠĆIBAN M.** → RUŽIĆ M., 122: 167–168, 130/131: 179, 130/131: 180
- ŠĆIBAN M.** → TUCAKOV M. et al., 121: 99, 122: 168–169
- ŠEGULA B.**
- Lesna sova *Strix aluco* 102/103: 280–281, Postovka *Falco tinnunculus* 108: 177, Veliki skovik *Otus scops* 120: 36
 - HR: Rumenoglav kraljicek *Regulus regulus* & grilček *Serinus serinus* 126: 159
- ŠERE D.**
- Najdbe obročanih ptic na zadrževalniku Medvedce in okolici (SV Slovenija) [The recoveries of ringed birds at Medvedce reservoir and its surroundings (NE Slovenia)], 141/142/143: 199–208
 - Lesna sova *Strix aluco* 98/99: 91, Kozača *Strix uralensis* 98/99: 93, 98/99: 93–94, 98/99: 94, Mala uharica *Asio otus* 98/99: 98, Repaljščica *Saxicola*

- rubetra* 102/103: 282, Čebelar *Merops apiaster* 104/105: 59, Močvirška uharica *Asio flammeus* 116: 34, Rumeni vrtnik *Hippolais icterina* 128/129: 104, Škrlatec *Carpodacus erythrinus* 128/129: 105, 152/153: 130, Skalna lastovka *Ptyonoprogne rupestris* 133: 83–84, Duplinska kozarka *Tadorna tadorna* 136: 68, Mali strnad *Emberiza pusilla* 136: 72–73, Južna postovka *Falco naumanni* & črna štoklja *Ciconia nigra* 137: 112, Rumena pastirica *Motacilla flava* 137: 117, Šmarnica *Phoenicurus ochruros* & skalna lastovka *Ptyonoprogne rupestris* 137: 117–118, Črnočeli srakoper *Lanius minor* 137: 118, Ostroglež *Calcarius lapponicus* 137: 119, Čoketa *Gallinago media* & čopasta čaplja *Ardeola ralloides* 138/139: 188, Plevelna trstnica *Acrocephalus agricola* 138/139: 188–189, Rdečegrla cipa *Anthus cervinus* 141/142/143: 220–221, Brkata sinica *Panurus biarmicus* 141/142/143: 222, Grmovščica *Phylloscopus sibilatrix* 144: 65, Puklež *Lymnocryptes minimus* 145/146: 157–158, Tatarska žvižgavka *Netta rufina* 148/149: 88, Rjavi škarnik *Milvus milvus* 148/149: 90, Trstni cvrčalec *Locustella lusciniooides* 148/149: 101–102, Koconoga kanja *Buteo lagopus* 150/151: 219, Grahasta tukalica *Porzana porzana* 150/151: 220, Rjavi srakoper *Lanius collurio* 150/151: 226, Vrtni strnad *Emberiza hortulana* 150/151: 229, Sršenar *Pernis apivorus* 152/153: 125–126, Prepelica *Coturnix coturnix* 156/157: 108, Veliki srakoper *Lanius excubitor* 156/157: 119–120, Carar *Turdus viscivorus* 156/157: 122, Skalni strnad *Emberiza cia* 156/157: 123–124
- HR: Črna štoklja *Ciconia nigra* 128/129: 105, Mala tukalica *Porzana parva* 128/129: 106–107, Kvakač *Nycticorax nycticorax* 137: 119, Čopasta čaplja *Ardeola ralloides* 137: 120, Rumenoglavni kraljiček *Regulus regulus* 137: 121, Črnonoga čigra *Gelochelidon nilotica* 138/139: 189, Črnočeli srakoper *Lanius minor* 138/139: 190, Zlatovranka *Coracias garrulus* 140: 42, Bršinka *Cisticola juncidis* 140: 43, Škrlatec *Carpodacus erythrinus* 140: 44, Ribji orel *Pandion haliaetus* 145/146: 165, Rdečegrla cipa *Anthus cervinus* 145/146: 165–166, Citronasta pastirica *Motacilla citreola* 145/146: 166–167, Kravja čaplja *Bubulcus ibis* & plevica *Plegadis falcinellus* 150/151: 230, Rdečenoga postovka *Falco vespertinus* 150/151: 231–232, Žerjav *Grus grus* 150/151: 232, Čopasta kukavica *Clamator glandarius* 150/151: 233, Puščavec *Monticola solitarius* 150/151: 234, Črna prosenka *Pluvialis squatarola* & mali škurh *Numenius phaeopus* 156/157: 125, Zlata prosenka *Pluvialis apricaria* 156/157: 126–127

ŠERE D., GROHAR D.

- HR: Južna postovka *Falco naumanni* 150/151: 230–231

ŠERE D., OMERZEL M.

- Močvirška uharica *Asio flammeus* 137: 115–116

ŠERE D. → BORDJAN D., 148/149: 103–104

ŠERE D. → CIGLIČ H., 121: 79–83

ŠERE D. → HANŽEL J., 150/151: 143–203

ŠERE D. → PLOJ A. et al., 148/149: 105–106

ŠERE D. → VREZEC A. et al., 156/157: 49–69

ŠETINA M. → SCHNEIDER-JACOBY M. et al., 109: 191–206

ŠIMIĆ E. → JOVIĆEVIĆ M., 145/146: 167

ŠINIGOJ E.

- Kačar *Circaetus gallicus* 110/111: 50, Grahasta tukalica *Porzana porzana* 110/111: 53, Beloglavi jastreb *Gyps fulvus* 113/114: 148, Zlatovranka *Coracias garrulus* 144: 63–64

ŠINIGOJ E. → BORDJAN D., 148/149: 81–83

ŠKOBERNE A.

- Močvirška uharica *Asio flammeus* 137: 116, Plevica *Plegadis falcinellus* 144: 57, Kostanjevka *Aythya nyroca* 144: 58–59

ŠKOBERNE A., BOŽIĆ L.

- Kričava čigra *Sterna sandvicensis* 144: 63

ŠKOBERNE A. → BORDJAN D., 150/151: 219, 156/157: 117

ŠKRAJNAR Š.

- HR: Čebelar *Merops apiaster* 124: 54–55

ŠORG A.

- Mala uharica *Asio otus* 98/99: 96–97

ŠTUMBERGER B.

- Veliki skovik *Otus scops* na Goričkem [Eurasian Scops Owl *Otus scops* at Goričko (NE Slovenia)], 98/99: 23–26
- Prvo opazovanje prekomorskega prodnika *Calidris melanotos* v Sloveniji [First observation of the Pectoral Sandpiper *Calidris melanotos* in Slovenia], 102/103: 269–270 (app. 295)
- Rezultati štetja vodnih ptic v januarju 2000 v Sloveniji [Results of the mid-winter waterfowl counts in January 2000 in Slovenia], 102/103: 271–274
- Rezultati štetja vodnih ptic v januarju 2001 v Sloveniji [Results of the Mid-Winter Waterfowl Counts in January 2001 in Slovenia], 108: 171–174
- Rezultati štetja vodnih ptic v januarju 2002 v Sloveniji [Results of the Mid-Winter Waterfowl Counts in January 2002 in Slovenia], 110/111: 43–47
- Rezultati štetja vodnih ptic v januarju 2003 v Sloveniji [Results of the Mid-Winter Waterfowl Counts in January 2003 in Slovenia], 112/113: 43–47

- Counts in January 2003 in Slovenia], 125: 99–103
- Veliki skovik *Otus scops* 98/99: 85, 98/99: 85–86, Čuk *Athene noctua* 98/99: 89, 98/99: 90–91, Lesna sova *Strix aluco* 98/99: 91–92, Kozača *Strix uralensis* 98/99: 93, 115: 196–197, Ribji galeb *Larus ichthyaetus* 102/103: 279–280, Rdeča lastovka *Hirundo daurica* 102/103: 282, Žličarka *Platalea leucorodia* 104/105: 54–55, Kratkokljuna gos *Anser brachyrhynchus* 104/105: 55, Veliki klinkač *Aquila clanga* 104/105: 57, Veliki škurh *Numenius arquata* 104/105: 58, 141/142/143: 217, Črnovrati ponirek *Podiceps nigricollis* 109: 233, 113/114: 147, Rdečenogi martinec *Tringa totanus* 109: 234, 113/114: 150, 116: 33, Južna postovka *Falco naumanni* 110/111: 51–52, 110/111: 52, Belolična trdorepka *Oxyura jamaicensis* 113/114: 148, Dolgorepa raca *Anas acuta* 115: 194, Planinska kavka *Pyrrhocorax graculus* 115: 198–199, Brinovka *Turdus pilaris* 116: 34, Krekovača *Nucifraga caryocatactes* 116: 36, Kavka *Corvus monedula* 117: 78, Siva čaplja *Ardea cinerea* & velika bela čaplja *Casmerodus albus* 141/142/143: 209–210, Mali prodnik *Calidris minuta* 141/142/143: 216, Kaspijska čigra *Hydroprogne caspia* 141/142/143: 218–219
 - HR: Pritlikavi kormoran *Phalacrocorax pygmeus* 102/103: 284–285, Sredozemski galeb *Larus audouinii* 106/107: 130, Oljčni vrtnik *Hippolais olivetorum* 106/107: 132, Griffon Vulture *Gyps fulvus* 108: 181–182, Alpine Swift *Tachymarptis melba* 113/114: 153–154, Yellow-billed Chough *Pyrrhocorax graculus* 115: 200, Montagu's Harrier *Circus pygargus* 116: 37, Zalivski galeb *Larus genei* 124: 53, Levant Sparrowhawk *Accipiter brevipes* 127: 200
 - BA: Corn Bunting *Miliaria calandra* 112: 109
 - ME: Beloglavi jastreb *Gyps fulvus* 119: 155
 - MK: Masked Shrike *Lanius nubicus* 110/111: 58–59, Wryneck *Jynx torquilla* 115: 201
- ŠTUMBERGER B., BOŽIČ L.**
- Labod pevec *Cygnus cygnus* 117: 74
- ŠTUMBERGER B., MARČETA B.**
- Južna postovka *Falco naumanni* 110/111: 52
- ŠTUMBERGER B., VELEVSKI M.**
- White Stork *Ciconia ciconia* survey in Pelagonia indicates a decrease in its breeding population and colony disintegration [Popis bele štoklje *Ciconia ciconia* v Pelagoniji kaže na nazadovanje gnezdeče populacije in razpad kolonij], 112: 67–74
 - MK: Stone-Curlew *Burhinus oedicnemus* 110/111: 57–58, Ferruginous Duck *Aythya nyroca* 115: 200, Woodchat Shrike *Lanius senator* 115: 202
- ŠTUMBERGER B. → Božič L., 148/149: 95**
- ŠTUMBERGER B. → JANŽEKOVIC F. et al., 117: 61–66**
- ŠTUMBERGER B. → SACKL P., 119: 155–156, 145/146: 169**
- ŠTUMBERGER B. → SACKL P. et al., 116: 21–27, 121: 102–103, 122: 170–171, 122: 171–172**
- ŠTUMBERGER B. → SCHNEIDER-JACOBY M. et al., 128/129: 45–57**
- ŠTUMBERGER B. → SMOLE J., 106/107: 129–130**
- ŠTUMBERGER B. → VELEVSKI M., 110/111: 59**
- ŠTUMBERGER B. → VREZEC A., 100: 161–163, 113/114: 113**
- ŠUMRADA T., HANŽEL J.**
- The Kestrel *Falco tinnunculus* in Slovenia – a review of its distribution, population density, movements, breeding biology, diet and interactions with other species [Postovka *Falco tinnunculus* v Sloveniji – pregled njene razširjenosti, populacijske gostote, disperzije, gnezditvene biologije, prehrane in interakcij z drugimi vrstami], 152/153: 5–24
- ŠUMRADA T. → HANŽEL J., 138/139: 149–153**
- ŠUŠMELJ T.**
- The impact of environmental factors on distribution of Scops Owl *Otus scops* in the wider area of Kras (SW Slovenia) [Vpliv okoljskih dejavnikov na razširjenost velikega skovika *Otus scops* na širšem območju Krasa (JZ Slovenija)], 148/149: 11–28
- TADIĆ Z.**
- HR: Labod pevec *Cygnus cygnus* 109: 240
- TADIĆ Z. → SCHNEIDER-JACOBY M. et al., 109: 191–206**
- TAMÁS E. A. → KALOCSA B., 113/114: 145**
- TEKAVČIČ R.**
- Velika uharica *Bubo bubo* 98/99: 87
- TIEFENBACH M. → SACKL P. et al., 121: 51–57**
- TODOROV T. → STOYANOV G. P. et al., 127: 202**
- TOMAŽIČ A.**
- Čuk *Athene noctua* 98/99: 91, Pepelasti lunj *Circus cyaneus* 102/103: 277, Zelena žolna *Picus viridis* 112: 102, Mali skovik *Glaucidium passerinum* 113/114: 151–152, Mala bela čaplja *Egretta garzetta* 115: 193, Veliki škurh *Numenius arquata* 115: 195, Siva pastirica *Motacilla cinerea* 115: 197–198, Brkata sinica *Panurus biarmicus* 115: 198, Mali sokol *Falco columbarius* 116: 32, Mala tukalica *Porzana parva* & tamariskovka *Acrocephalus melanopogon* 116: 32, Priba *Vanellus vanellus* 117: 76
- TOMAŽIČ A. → DENAC D., 112: 91–95**
- TOME D.**
- Winter diet of the Long-eared Owl *Asio otus* in Slovenia [Zimska prehrana male uharice *Asio otus* v Sloveniji], 98/99: 3–7

- Sto številk Acrocephalusa [A hundred numbers of Acrocephalus journal], 101: 173–176
 - Bibliografija Acrocephalusa 1980–2000 [Bibliography of the Acrocephalus journal from 1980 to 2000], 101: 177–178
 - Pomen odvodnikov za ptice na Ljubljanskem barju [The significance of drainage channels at Ljubljansko barje for birds], 104/105: 29–34
 - Effect of floods on the distribution of meadow birds on Ljubljansko barje [Vpliv poplav na gnezditveno razširjenost travniških ptic na Ljubljanskem barju], 112: 75–79
 - Ali je populacija kosca *Crex crex* na Ljubljanskem barju (še) stabilna? [Is the Corn Crake *Crex crex* population at Ljubljansko barje (still) stable?], 113/114: 141–143
 - Prezimovanje velikega škurha *Numenius arquata*, pribi *Vanellus vanellus* in liske *Fulica atra* na Kolanskem blatu (otok Pag, Hrvaška) [Wintering Eurasian Curlew *Numenius arquata*, Northern Lapwing *Vanellus vanellus* and Common Coot *Fulica atra* at Kolansko blato (Pag Island, Croatia)], 116: 29–30
 - Komentar na članek MIHELIČ T., GENERO F. (2005): Occurrence of Griffon Vulture *Gyps fulvus* in Slovenia in the period from 1980 to 2005. – Acrocephalus 26 (125): 73–79. [Comments on the article by MIHELIČ T., GENERO F. (2005): Occurrence of Griffon Vulture *Gyps fulvus* in Slovenia in the period from 1980 to 2005. – Acrocephalus 26 (125): 73–79], 127: 195
 - Komentar na članek MIHELIČ T., GENERO F. (2005): Occurrence of Griffon Vulture *Gyps fulvus* in Slovenia in the period from 1980 to 2005. – Acrocephalus 26 (125): 73–79 [Comments on the article by MIHELIČ T., GENERO F. (2005): Occurrence of Griffon Vulture *Gyps fulvus* in Slovenia in the period from 1980 to 2005. – Acrocephalus 26 (125): 73–79], 130/131: 170
 - Rast mladičev repaljščice *Saxicola rubetra* na Ljubljanskem barju (osrednja Slovenija) [Growth of young Whinchat *Saxicola rubetra* on Ljubljansko barje (central Slovenia)], 133: 51–55
 - Bobnarica *Botaurus stellaris* 116: 31, Rožnatni škorec *Sturnus roseus* 116: 36, Rjava čaplja *Ardea purpurea* 121: 94, Čopasta črnica *Aythya fuligula* 121: 94, Tatarska žvižgavka *Netta rufina* 121: 94, Mestna lastovka *Delichon urbica* 121: 95, Veliki žagar *Mergus merganser* 124: 48
 - HR: Ploskokljunc *Limicola falcinellus* 148/149: 105
- TOME D., VREZEC A.**
- funereus found at Ljubljansko barje], 98/99: 71–73 (app. 101–102)
- TOME D., DENAC D., KOCE U., VREZEC A.**
- Ocena velikosti populacije neteritorialnih krokarjev *Corvus corax* v Sloveniji [Estimated population number of non-territorial Ravens *Corvus corax* in Slovenia], 138/139: 137–142
- TOMIK A.**
- HR: Cattle Egret *Bubulcus ibis* 156/157: 124
- TOMIK A., MIKUSKA J., MIKUSKA A.**
- HR: Red-throated Pipit *Anthus cervinus* 130/131: 175–176
- TOMIK A., MIKUSKA T., ROMULIĆ M., MIKUSKA A., MIKUSKA J.**
- HR: Wood Duck *Aix sponsa* 128/129: 105–106
- TONCHEV B. → GROZDANOV A. et al.**, 136: 74
- TORKAR G., BAJD B.**
- Vplivi izbruha aviarne influenze na odnos študentov do ptic [The impacts of avian influenza outbreak on students' attitudes towards birds], 138/139: 161–167
- TOUT P.**
- Pritlikavi kormoran *Phalacrocorax pygmeus* 124: 47, Kalin *Pyrrhula pyrrhula* 125: 110–111, Black Vulture *Aegypius monachus* 140: 38, Calandra Lark *Melanocorypha calandra* 140: 41
- TOUT P. → PERCO F.**, 106/107: 81–87
- TREBAR T.**
- Gosja raca *Chenonetta jubata* 118: 110 (app. 123), comm. 120: 31, Rožnatokljuna žvižgavka *Netta peposaca* 123: 224
- TREBUŠAK M. → JANČAR T.**, 100: 107–134
- TRILAR T.**
- Ticks (Acarina: Ixodidae) on birds in Slovenia [Klopi (Acarina: Ixodidae) na pticah v Sloveniji], 123: 213–216
 - Kozica *Gallinago gallinago* 134: 129
- TRILAR T., RIJAVEC A.**
- Črna štorklja *Ciconia nigra* 133: 79, Triprsti detel *Picoides tridactylus* 134: 130
- TRÓCSÁNYI B.**
- HR: Little Tern *Sternula albifrons* 144: 67
- TRÓCSÁNYI B. → LANSZKI J. et al.**, 138/139: 190–191
- TRÓCSÁNYI B. → PURGER J. J. et al.**, 137: 120–121, 138/139: 191
- TRONTELJ P.**
- Popis kosca *Crex crex* v Sloveniji leta 1999 kaže na kratkoročno stabilno populacijo [The 1999 Slovenian Corncrake *Crex crex* census indicates short-term stable population], 108: 139–147
 - Konec skrivnosti o ne-gnezdenju hudournikov *Apus apus* v Ljubljani? [The end of the non-breeding mistery of Swifts *Apus apus* in Ljubljana]

- (Slovenia)], 109: 229–232
- Komentar na članek MIHELIČ T., GENERO F. (2005): Occurrence of Griffon Vulture *Gyps fulvus* in Slovenia in the period from 1980 to 2005. – *Acrocephalus* 26 (125): 73–79. [Comments on the article by MIHELIČ T., GENERO F. (2005): Occurrence of Griffon Vulture *Gyps fulvus* in Slovenia in the period from 1980 to 2005. – *Acrocephalus* 26 (125): 73–79.], 128/129: 94–96
 - Soimenski, nominaten ali nominotipski? – prispevek k sistematskemu poimenovanju [Nominate or nominotypical? – a contribution to systematic terminology], 130/131: 155–157
 - Povodna trstnica *Acrocephalus paludicola* 106/107: 128, Kratkoristi škrjanček *Calandrella brachyactyla* 108: 179–180, 108: 180, Srednji detel *Dendrocopos medius* & belovrati muhar *Ficedula albicollis* 125: 109–110
- TRONTELJ P., POLAK S.**
- BA: Long-legged Buzzard *Buteo rufinus* 125: 112
- TRONTELJ P. → BEVK D.**, 136: 13–22
- TRONTELJ P. → POLAK S.**, 126: 160
- TRONTELJ P. → VUKELIČ E. et al.**, 119: 148
- TROŠT I.**
- Lesna sova *Strix aluco* 98/99: 92–93
- TRSTENJAK T.**
- Zlatouhi ponirek *Podiceps auritus* 102/103: 275, Vinski drozg *Turdus iliacus* 104/105: 62, Mali deževnik *Charadrius dubius* 106/107: 123, Čebelar *Merops apiaster* 108: 178–179
- TSONEV R. → SHURULINKOV P.**, 126: 161
- TSONEV R. T. → SHURULINKOV P. S.**, 104/105: 53
- TUCAKOV M.**
- A case of late breeding of the Black Stork *Ciconia nigra* in northwestern Voivodina (Serbia) [Primer poznega gnezdenja črne štoklje *Ciconia nigra* v severozahodni Vojvodini], 112: 97–98, comm. 113/114: 145
 - Changes of breeding numbers and habitat of Eurasian Spoonbill *Platalea leucorodia* in Vojvodina (N Serbia) [Spremembe v gnezditvenem številu in habitatu žličarke *Platalea leucorodia* v Vojvodini (S Srbija)], 121: 71–78
 - Population development, nest site selection and conservation measures for White Stork *Ciconia ciconia* along the lower Tamiš River (Vojvodina, N Serbia) [Bela štoklja *Ciconia ciconia* ob spodnjem toku reke Tamiš (Vojvodina, S Srbija) – populacijski trendi, izbira gnezdišč in varstveni ukrepi zanj], 128/129: 13–20
 - RS: Black Stork *Ciconia nigra* 113/114: 154–155, 113/114: 155, Eurasian Spoonbill *Platalea leucorodia* 113/114: 155, Common Shelduck *Tadorna tadorna* 113/114: 155, Common Redshank *Tringa totanus* 113/114: 156, Pygmy Cormorant *Phalacrocorax pygmeus* 117: 80–81, Montagu's Harrier *Circus pygargus* 117: 81, Coal Tit *Parus ater* 117: 82, Grey-headed Woodpecker *Picus canus* 120: 41–42, Northern Wheatear *Oenanthe oenanthe* 120: 42, Little Tern *Sterna albifrons* 121: 98–99, Wood Pigeon *Columba palumbus* 121: 99, Spanish Sparrow *Passer hispaniolensis* 121: 100–101, Ferruginous Duck *Aythya nyroca* 123: 232, Red Kite *Milvus milvus* 124: 56
- TUCAKOV M., ERG B.**
- RS: Hooded Crow *Corvus corone cornix* 121: 100
- TUCAKOV M., MACCURREACH R., ŠĆIBAN M.**
- RS: European Roller *Coracias garrulus* 121: 99
- TUCAKOV M., PROBST R., PUZOVIĆ S., VUČANOVIĆ M.**
- Probable new breeding sites of Booted Eagle *Hieraetus pennatus* in Vojvodina (N Serbia) [Nova verjetna gnezdišča malega orla *Hieraetus pennatus* v Vojvodini (S Srbija)], 126: 147–149
- TUCAKOV M., ŠĆIBAN M., ŽULJEVIĆ A.**
- RS: Glossy Ibis *Plegadis falcinellus* 122: 168–169
- TUCAKOV M. → SIMIĆ D. V.**, 123: 207–212
- TUCAKOV M. → ŠĆIBAN M.**, 120: 40, 123: 232
- TUCAKOV M. → ŽULJEVIĆ A.**, 113/114: 156
- TUCAKOV M. → ŽULJEVIĆ A. et al.**, 125: 115
- TUCOVIĆ V.**
- Veliki srankoper *Lanius excubitor* 120: 37
- TUPITSYN I. → ŠĆIBAN M. et al.**, 150/151: 236–237
- TUŠ R.**
- Velika uharica *Bubo bubo* 113/114: 151
- TUŠ R. → SEDMINEK P.**, 117: 73–74
- TUTIŠ V. → KRALJ J. et al.**, 152/153: 105–107
- TZANKOV N. → MILCHEV B. et al.**, 145/146: 143–145
- URCUN J.-P.**
- A preliminary overview of monitoring for raptors in France [Predhodni pregled monitoringu populacij ptic roparic v Franciji], 154/155: 217–223
- UTMAR P. → COSOLO M. et al.**, 140: 17–23
- UZILDAY B. → BENGIL F. et al.**, 145/146: 115–130
- UŽMAH S.**
- Skalni plezalček *Tichodroma muraria* 102/103: 284
- VAJNDORFER B.**
- Mala uharica *Asio otus* 98/99: 97
- VAN GROUW H. → NIKOLOV B. P. et al.**, 148/149: 79–80
- VARGA K. → MÉRŐ T. O. et al.**, 145/146: 93–99
- VASILIK Ž.**
- HR: Baillon's Crake *Porzana pusilla* 122: 166, Long-eared Owl *Asio otus* 124: 54, Black Stork

- Ciconia nigra* 126: 158
- o BA: Black Swan *Cygnus atratus* 125: 111,
Ferruginous Duck *Aythya nyroca* 125: 111
- VAUPOTIČ L.**
- o Bobnarica *Botaurus stellaris* 110/111: 49
- VELEVSKI M.**
- New data on distribution of the Masked Shrike *Lanius nubicus* in Macedonia: further evidence for the expansion of its range on the Balkan Peninsula [Novi podatki o razširjenosti zakrinkanega srakoperja *Lanius nubicus* v Makedoniji: nadaljnji dokazi o širjenju areala te vrste na Balkanskem polotoku], 108: 159–161
- o MK: Corncrake *Crex crex* 108: 184, Blue Rock Thrush *Monticola solitarius* 108: 185, Orphean Warbler *Sylvia hortensis* 108: 185, 110/111: 58, Booted Eagle *Hieraetus pennatus* 110/111: 57, Long-eared Owl *Asio otus* 115: 201, Penduline Tit *Remiz pendulinus* 115: 201–202, Crane *Grus grus* 144: 69
- VELEVSKI M., SAVELJIĆ D.**
- o MK: Great Black-headed Gull *Larus ichthyaetus* 144: 69–70
- VELEVSKI M., ŠTUMBERGER B.**
- Review of the references on birds of Macedonia [Pregled virov o pticah Makedonije], 147: 283–291
- VELEVSKI M., ŠTUMBERGER B.**
- o MK: Rock Sparrow *Petronia petronia* 110/111: 59
- VELEVSKI M., HALLMANN B., GRUBAČ B., LISIČANEC T., STOYNOV E., LISIČANEC E., AVUKATOV V., BOŽIČ L., ŠTUMBERGER B.**
- Important Bird Areas in Macedonia: Sites of Global and European Importance [Mednarodno pomembna območja za ptice globalnega in evropskega pomena v Makedoniji], 147: 181–282
- VELEVSKI M. → GRUBAČ B.**, 115: 202
- VELEVSKI M. → IVANOVSKI T.**, 115: 200–201
- VELEVSKI M. → ŠTUMBERGER B.**, 110/111: 57–58, 112: 67–74, 115: 200, 115: 202
- VELKOV S. → NIKOLOV I. et al.**, 123: 235–236
- VELUŠČEK A. → JANŽEKOVIČ F.**, 123: 195–200
- VEREBELJI Č. → ŠČIBAN M.**, 125: 114
- VERGLES RATAJ A., NEMEC M., VLAHOVIČ K., LINDTNER-KNIFIC R., DOVČ A.**
- *Aprocta* sp. (Aproctoidea, Nematoda) found in the Great Tit *Parus major* in Slovenia [*Aprocta* sp. (Aproctoidea, Nematoda) najdena v veliki sinici *Parus major* v Sloveniji], 122: 135–138
- VERMEERSCH G., PAQUET J.-Y.**
- A preliminary overview of monitoring for raptors in Belgium [Predhodni pregled monitoringa populacij ptic roparic v Belgiji], 154/155: 283–284
- VIKTORA L. → BRINKE T.**, 130/131: 174
- VIDMAR A. → BORDJAN D.**, 122: 176, 122: 177, 123: 236, 123: 237, 126: 163, 128/129: 103, 128/129: 107, 128/129: 112–113, 128/129: 113, 130/131: 176, 133: 80–81, 133: 85, 134: 129, 135: 177
- VIDMAR A. → BORDJAN D. et al.**, 133: 84
- VIDMAR J.**
- o Beloglavi jastreb *Gyps fulvus* 133: 80, Žerjav *Grus grus* 144: 61
- VIZI A., VIZI O.**
- Changes in the diet composition of Pygmy Cormorant *Phalacrocorax pygmeus* on Skadar lake (Southern Montenegro) [Spremembe v prehrani pritlikavega kormorana *Phalacrocorax pygmeus* na Skadrskem jezeru (južna Črna gora)], 144: 21–26
- VIZI O. → SAVELJIĆ D. et al.**, 122: 111–118
- VIZI O. → VIZI A.**, 144: 21–26
- VLAHOVIČ K. → VERGLES RATAJ A. et al.**, 122: 135–138
- VOGRIN M.**
- Sovje spodnje Savinjske doline [Owls of the Lower Savinja valley], 98/99: 43–45
- Ptice na hmeljiščih v spodnji Savinjski dolini [Birds of the Lower Savinja Valley hop fields], 120: 27–29
- Fenologija vodnih ptic na Žovneškem jezeru (spodnja Savinjska dolina, osrednja Slovenija) [The phenology of waterbirds on Lake Žovnek (Lower Savinja valley, central Slovenia)], 126: 151–155
- Reakcije navadne čigre *Sterna hirundo* in rečnega galeba *Chroicocephalus ridibundus* na motnje z motornimi plovili v obdobju gnezdenja [Reactions of Common Terns *Sterna hirundo* and Black-headed Gulls *Chroicocephalus ridibundus* to motor boat disturbances during their breeding season], 156/157: 43–48
- VOISIN J.-F. → BENDJOURDI D. et al.**, 156/157: 13–26
- VRAČARIĆ M. → RAJKOVIĆ D.**, 156/157: 128–129
- VREŠ I.**
- o Mali skovik *Glaucidium passerinum* 98/99: 89, Lesna sova *Strix aluco* 98/99: 91, Mala uharica *Asio otus* 98/99: 96, Mali muhar *Ficedula parva* 141/142/143: 221, Mušja listnica *Phylloscopus inornatus* 144: 64–65, Mali strnad *Emberiza pusilla* 144: 66
- VREZEC A.**
- Popis kozače *Strix uralensis* na Ljubljanskem vrhu [Census of the Ural Owl *Strix uralensis* at Ljubljanski vrh], 98/99: 39–41
- Prispevek k poznavanju prehrane kozače *Strix uralensis macroura* na Kočevskem [A contribution to the knowledge of the diet of Ural Owl *Strix uralensis macroura*], 98/99: 42–43

- uralensis macroura* at Kočevsko], 98/99: 77–78
- Zgodnje gnezdenje lesne sove *Strix aluco* blizu urbanega središča Ljubljane [Early breeding by Tawny Owl *Strix aluco* near the urban centre of Ljubljana], 98/99: 81–82
 - Evropsko pomembne populacije ptic v Sloveniji [Bird populations of European significance in Slovenia], 102/103: 241–248
 - The breeding density of Eurasian Scops Owl *Otus scops* in urban areas of Pelješac Peninsula in southern Dalmatia [Gnezditvena gostota velikega skovika *Otus scops* v urbanih okoljih polotoka Pelješac v južni Dalmaciji], 108: 149–154
 - Slovensko poimenovanje tipov ptičjih mladičev [Slovenian terminology of bird nestling types], 117: 67–71
 - Ali je vzrok upada populacije jerebice *Perdix perdix* v Sloveniji prikrita kompeticija s fazonom *Phasianus colchicus*? [Is the Grey Partridge *Perdix perdix* population decline in Slovenia the result of apparent competition with the Pheasant *Phasianus colchicus*?], 128/129: 73–81
 - Strong agonistic reaction of territorial male Blackbird *Turdus merula* against its self-image [Močna agonistična reakcija teritorialnega samca kosa *Turdus merula* proti lastni podobi], 128/129: 84–85
 - Insects in the White Stork *Ciconia ciconia* diet as indicators of its feeding conditions: the first diet study in Slovenia [Žuželke v prehrani bele štoklje *Ciconia ciconia* kot indikatorji njenih prehranskih razmer: prva raziskava prehrane vrste v Sloveniji], 140: 25–29
 - A preliminary overview of raptor monitoring in Slovenia – an overview of methodologies, current monitoring status and future perspectives [Predhodni pregled monitoringa ptic roparic v Sloveniji – pregled metodologij, trenutnega stanja monitoringa in perspektive], 154/155: 271–276
 - Veliki skovik *Otus scops* 98/99: 85, 152/153: 129, Velika uharica *Bubo bubo* 98/99: 86–87, Kozača *Strix uralensis* 100: 166, 104/105: 59, Sloka *Scolopax rusticola* 102/103: 278–279, 110/111: 53–54, Triprsti detel *Picoides tridactylus* 104/105: 60, Grmovščica *Phylloscopus sibilatrix* 104/105: 62, Skalni strnad *Emberiza cia* 104/105: 62, Lesna sova *Strix aluco* 106/107: 124, 119: 150, Čopasti škrjanec *Galerida cristata* 109: 235–236, Skalni plezalček *Tichodroma muraria* 109: 238, Skobec *Accipiter nisus* 110/111: 51, Dolgoprsti plezalček *Certhia familiaris* 112: 103, Moškatna bleščavka *Cairina moschata* 113/114: 148, Fazan *Phasianus colchicus* f. *tenebrosus* 113/114: 149–150, Duplar *Columba oenas* 113/114: 151, Koconogi čuk *Aegolius funereus* 115: 197, Hudournik *Apus apus* 115: 197, Veliki srakoper *Lanius excubitor* & skalni plezalček *Tichodroma muraria* 118: 113, Gozdni jereb *Bonasa bonasia* 119: 149, Pegasta sova *Tyto alba* 119: 150, Veliki srakoper *Lanius excubitor* 119: 151–152, Čapljica *Ixobrychus minutus* 121: 93, Srednji detel *Dendrocopos medius* 121: 95, 126: 157, Rečni cvrčalec *Locustella fluviatillis* 121: 96, Čebelar *Merops apiaster* 123: 227, Rjavi škarnik *Milvus milvus* 124: 48, Črni škarnik *Milvus migrans* 125: 107–108, Mali žagar *Mergellus albellus* 128/129: 100–101, Rumeni vrtnik *Hippolais icterina* 132: 42, Siva vrana *Corvus cornix* 150/151: 226–227, Krokar *Corvus corax* 152/153: 129, Kravja čaplja *Bubulcus ibis* 156/157: 109
 - HR: Čebelar *Merops apiaster* 102/103: 285, Rumenokluni viharnik *Calonectris diomedea* & sredozemski viharnik *Puffinus yelkouan* 104/105: 63, Veliki skovik *Otus scops* 106/107: 131, Hudournik *Apus apus* 106/107: 131, Oljčni vrtnik *Hippolais olivetorum* & črnoglav strnad *Emberiza melanocephala* 106/107: 131–132, Travniški vrabec *Passer hispaniolensis* 106/107: 132, 118: 115–116, 122: 167, Kvakač *Nycticorax nycticorax* 108: 181, Shelduck *Tadorna tadorna* 108: 181, Eleonora's Falcon *Falco eleonorae* 108: 182, Rdeča lastovka *Hirundo daurica* 121: 98
 - ME: Dipper *Cinclus cinclus* 118: 117, Lesser Grey Shrike *Lanius minor* & Red-backed Shrike *Lanius collurio* 118: 117–118
 - TR: Krüper's Nuthatch *Sitta krueperi* 123: 237–238
- VREZEC A., ELERŠEK T.**
- Žerjav *Grus grus* & togotnik *Philomachus pugnax* 116: 32
- VREZEC A., HÖNIGSFELD ADAMIČ M.**
- Labod grbec *Cygnus olor* 119: 147–148 (app. 167)
- VREZEC A., KOHEK K.**
- Nekaj gnezditvenih navad kozače *Strix uralensis* v Sloveniji [Some breeding habits of the Ural Owl *Strix uralensis* in Slovenia], 115: 179–183
- VREZEC A., RUBINIČ B.**
- Rumenokluni slapnik *Gavia adamsii* 118: 109
- VREZEC A., ŠTUMBERGER B.**
- Prvi teritorialni travniški vrabci *Passer hispaniolensis* v Sloveniji [The first territorial Spanish Sparrows *Passer hispaniolensis* in Slovenia], 100: 161–163 (app. 169)
- VREZEC A., VRH P.**
- Ščinkavec *Fringilla coelebs* 124: 52–53, Pegam *Bombycilla garrulus* 128/129: 103

◦ HR: Krivokljun *Loxia curvirostra* 126: 159

VREZEC A., VRH VREZEC P.

- Delež levcistične oblike "immutabilis" laboda grbca *Cygnus olor* v prezimujoči subpopulaciji na Zbiljskem jezeru (osrednja Slovenija) [Proportion of leucistic Polish morph "immutabilis" in the wintering subpopulation of Mute Swan *Cygnus olor* at Lake Zbilje (central Slovenia)], 133: 57–59
- Turška grlica *Streptopelia decaocto* 136: 69–70, Veliki skovik *Otus scops* 137: 116, Žličarka *Platalea leucorodia* 144: 57–58, Duplar *Columba oenas* 144: 63, Čuk *Athene noctua* 148/149: 97–98

VREZEC A., DUKE G., KOVÁCS A., SAUROLA P., WERNHAM C., BURFIELD I., MOVALLI P., BERTONCELJ I.

- Overview of raptor monitoring activities in Europe [Pregled monitoringa ptic roparic v Evropi], 154/155: 145–157

VREZEC A., FEKONJA D., ŠERE D.

- Obročkanje ptic v Sloveniji s pregledom domačih in tujih najdb v letu 2012 [Bird ringing in Slovenia in 2012 with an overview of recoveries of birds ringed at home and abroad], 156/157: 49–69

VREZEC A. → ALEŠ K., 118: 116–117

VREZEC A. → BOŽIČ L., 98/99: 47–53

VREZEC A. → DENAC D., 127: 187–190

VREZEC A. → KOHEK K., 110/111: 54–55

VREZEC A. → MIHELIČ T. et al., 98/99: 9–22

VREZEC A. → RUBINIČ B., 102/103: 219–222, 109: 219–223

VREZEC A. → TOME D., 98/99: 71–73

VREZEC A. → TOME D. et al., 138/139: 137–142

VREZEC A. → VRH P., 123: 223

VREZEC A. → VRH VREZEC P., 132: 41, 134: 127, 135: 173

VRH P.

- Bela štoklja *Ciconia ciconia* 121: 94

VRH P., VREZEC A.

- Črna štoklja *Ciconia nigra* 123: 223

VRH P. → VREZEC A., 124: 52–53, 126: 159, 128/129: 103

VRH VREZEC P.

- Bela štoklja *Ciconia ciconia* 137: 110

VRH VREZEC P., VREZEC A.

- Zelenonogi martinec *Tringa nebularia* 132: 41, Črna štoklja *Ciconia nigra* 134: 127, Bela štoklja *Ciconia ciconia* 135: 173

VRH VREZEC P., VUKELIČ E., FIGELJ A.

- Kvakač *Nycticorax nycticorax* 132: 39

VRH VREZEC P. → VREZEC A., 133: 57–59, 136: 69–70, 137: 116, 144: 57–58, 144: 63, 148/149: 97–98

VUČANOVIĆ M. → TUCAKOV M., 126: 147–149

VULTCHEV K. → SHURULINKOV P. et al., 122: 174

VUKELIČ E.

- Vpliv načinov gospodarjenja s travnišči na ptice gnezditke Ljubljanskega barja (osrednja Slovenija) [Effects of meadow management practices on the breeding birds of Ljubljansko barje (central Slovenia)], 140: 3–15
- Pegasta sova *Tyto alba* 98/99: 84, Črnočeli srakoper *Lanius minor* 106/107: 128

VUKELIČ E., DE GROOT M.

- Blue Rock Thrush *Monticola solitarius* 115: 198

VUKELIČ E., TRONTELJ P., REMEC Ž.

- Stepski lunj *Circus macrourus* 119: 148

VUKELIČ E. → VRH VREZEC P., 132: 39

WERNHAM C. → DOBSON A. et al., 154/155: 225–231

WERNHAM C. → VREZEC A. et al., 154/155: 145–157

WIESER B. → SACKL P. et al., 121: 51–57

WÖSS M. → ZEILER H., 113/114: 115–121

YOTOV S. → STOYANOV G. P., 116: 41–42, corr. 118: 122

ZAKŠEK B., GARBAJS M., DENAC D.

- Odnos ljudi do zlatovranke *Coracias garrulus* na posebnem območju varstva (SPA) "Doli Slovenskih goric" [The people's attitude towards European Roller *Coracias garrulus* at "Doli Slovenskih goric", a Special Protected Area (SPA) in NE Slovenia], 122: 153–155

ZAKŠEK B. → KOCE U. et al., 136: 5–11.

ZEILER H., BREUSS M., WÖSS M., SZINOVATZ V.

- The structure of habitat used by Hazel Grouse *Bonasa bonasia* during winter [Struktura zimskega habitata gozdnega jereba *Bonasa bonasia*], 113/114: 115–121

ZLATANOV T. → SHURULINKOV P. et al., 116: 39, 122: 174

ŽAGAR A. → KROFEL M., 156/157: 111–112

ŽGAJNAR M.

- Planinski orel *Aquila chrysaetos* 113/114: 149

ŽIBRAT U. → KROFEL M., 125: 108

ŽNIDARIŠIČ M.

- Lesna sova *Strix aluco* 98/99: 92, Hribski škrjanec *Lullula arborea* 100: 166

ŽULJEVIĆ A.

- RS: Long-eared Owl *Asio otus* 113/114: 157

ŽULJEVIĆ A., TUCAKOV M.

- RS: Broad-billed Sandpiper *Limicola falcinellus* 113/114: 156

ŽULJEVIĆ A., SEKEREŠ O., TUCAKOV M.

- RS: Mediterranean Gull *Larus melanocephalus* 125: 115

ŽULJEVIĆ A. → MÉRŐ T. O., 150/151: 235, 156/157: 129, 156/157: 129–130, 156/157: 130, 156/157: 130–131

ŽULJEVIĆ A. → MÉRŐ T. O. et al., 145/146: 93–99

ŽULJEVIĆ A. → TUCAKOV M., 122: 168–169

UVODNIKI
Editorials

BIBIČ A. → ZIDAR F., 100: 105–106

BOŽIČ L.

- Zadrževalnik Medvedce v mreži evropskih mokrišč – danes in jutri [Medvedce reservoir in the network of European wetlands – today and tomorrow], 141/142/143: 49–53

DENAC K.

- Nova mednarodno pomembna območja (IBA) v Sloveniji [New Important Bird Areas (IBAs) in Slovenia], 148/149: 1–10

DUKE G., KOVÁCS A., VREZEC A., MOVALLI P.

- Special issue on a preliminary inventory of monitoring for raptors in Europe [Posebna številka o preliminarnem pregledu monitoringa populacij ptic roparic v Evropi], 154/155: 141–144

GREGORI J.

- Društvo za opazovanje in proučevanje ptic Slovenije (DOPPS) in njegovih 25 let [DOPPS – BirdLife Slovenia and its 25 years], 121: 49–50

HANŽEL J.

- Nacionalna komisija za redkosti – zakaj jo potrebujemo [The National Rarities Committee – why do we need it], 150/151: 117–122

JANČAR T.

- Interventno varstvo ptic [Bird conservation by means of interventionist management], 126: 121–122
- In dubio pro natura [In dubio pro natura], 134: 89–94
- Veliki škurb v Sloveniji, danes in nikdar več? [Curlew in Slovenia, today and never again?], 156/157: 1–4

KMECL P.

- Nagovor novega urednika [The new editor's address], 124: 1–2
- Urednikova notica [Editor's note], 127: 169
- Nekatere spremembe v rubrikah [Some changes in the journal's contents], 128/129: 1–2
- Indeksirana resnica [The Indexed Truth], 132: 1–2
- Na novi poti [On a New Path], 140: 1–2
- Spomini na jezero [Memories of the Lake], 152/153: 1–3

KOVÁCS A. → DUKE G. et al., 154/155: 141–144

LUKAČ G.

- Ornithological investigations in Croatia and the importance of the Acrocephalus journals for knowledge about the birds in Croatia [Ornitološke raziskave na Hrvaškem in pomen revije Acrocephalus za boljše poznavanje ptic Hrvaške], 112: 65–66

MEDVED A.

- Kmetijsko okoljska politika na pragu pomembne odločitve; ali morda že čez? [Debate on the future of Agri-environmental policy. Are we already too late?], 135: 137–138

MIHELIČ T.

- Ohranjanje ogroženih gozdnih ptic – nov izziv pri gospodarjenju z gozdom [The conservation of threatened forest birds – a new challenge for forest economy], 137: 81–82

MOVALLI P. → DUKE G. et al., 154/155: 141–144

PROBST R.

- Important sites for migrating raptors in the Eastern Alps [Pomembna območja za seleče se ujede v Vzhodnih Alpah], 145/146: 73–75

RUBINIČ B.

- Srebrni sokol [Silver Falcon], 122: 109–110

SCHNEIDER-JACOBY M.

- How many birds migrate over the Adriatic Sea? [Koliko ptic se seli preko Jadranskega morja?], 136: 1–3
- How to implement the European Birds Directive? [Kako uresničevati evropsko Ptičjo direktivo?], 138/139: 129–135
- A Milestone on the Road to Natura 2000 [Mejnik na poti k Naturi 2000], 147: 175–179

SURINA B.

- So prerokbe v varstvu narave še plod znanstvenih raziskav? [Are the various nature conservationist predictions still the result of scientific research?], 118: 85–86

ŠORGO A.

- Domači golob *Columba livia forma domestica* – divja ptica, ki je ornitologi ne popisujejo [Feral Pigeon *Columba livia forma domestica* – a wild bird not surveyed by ornithologists], 102/103: 217–218

ŠTUMBERGER B.

- Sove – pred jubilejem revije in po njem [Owls – before and after the jubilee of the Acrocephalus journal], 98/99: 1
- Železni vrabec [The Iron Sparrow], 104/105: 1–2
- Varstvo narave brez ptic [Nature conservation without birds], 108: 137
- Acrocephalus na pohodu – drugi del [Acrocephalus on the move – part two], 109: 189

ŠTUMBERGER B. → VREZEC A., 113/114: 113

TOME D.

- Hektocephalus [Hectocephalus], 101: 171
- Merila [Criteria], 117: 49
- Je pomembno! [It certainly is important!], 133: 49

VREZEC A.

- Položaj alohtonih vrst v slovenski avifavni [Position

- of introduced species in the Slovene avifauna], 106/107: 69–71
- Acrocephalus – mednarodna ornitološka revija za jugovzhodno Evropo in vzhodno mediteransko regijo [Acrocephalus – international ornithological journal for Southeastern Europe and Eastern Mediterranean region], 110/111: 1–4
 - Urednikovo vsebinsko poročilo za letnik 23, 2002 [The Editor's report on Volume 23, 2002], 115: 161–162
 - Novosti pri reviji Acrocephalus [What's new in Acrocephalus], 116: 1–3
 - Rubrika Iz ornitološke beležnice – zgodovina, poslanstvo in perspektive [From the ornithological notebook section – its history, vocation and perspectives], 119: 125–126
 - Ustvarjalci revije Acrocephalus skozi njeno 25-letno zgodovino (1980 – 2004) [The creators of the journal Acrocephalus through its 25-year history (1980 – 2004)], 120: 1–4
 - Acrocephalus na pohodu – tretji del [Acrocephalus on the move – part three], 123: 185–186
 - Ornitološke taksonomske novosti [Novelties in ornithological taxonomy], 125: 69–71
 - Tržaški zaliv – mednarodno morsko območje IBA/SPA? [The Gulf of Trieste – an international marine IBA / SPA site?], 130/131: 117–119
 - Slovenska ornitologija – včeraj, danes in jutri [Slovenian Ornithology – its Past, Present and Future], 144: 1–5

VREZEC A., ŠTUMBERGER B.

- Acrocephalus – short-term journal program [Acrocephalus – kratkoročni program revije], 113/114: 113

VREZEC A. → DUKE G. et al., 154/155: 141–144

ZIDAR F., BIBIČ A.

- Kozjanski regijski park – terra incognita danes in nikoli več [Kozjansko Regional Park – terra incognita today and never again], 100: 105–106

V SPOMIN

In memoriam

SIMIĆ D.: Dr Sergej Dimitrijevič Matvejev, 1913–2003 [dr. Sergej Dimitrijevič Matvejev, 1913–2003], 116: 5–6

GREGORI J.: Pogled na ornitološko delo dr. Sergeja D. Matvejeva (1913–2003) v Sloveniji [An overview of the ornithological work carried out by Dr Sergej D. Matvejev (1913–2003) in Slovenia], 116: 7–10

GREGORI J.: Prof. dr. Jozsef Mikuska, 1942–2006 [Prof dr Jozsef Mikuska, 1942–2006], 130/131: 121–122

TEKAVČIČ R.: Prof. dr. Andrej O. Župančič, 1916–2007 [Prof Dr Andrej O. Župančič, 1916–2007], 135: 139

STUMBERGER B.: dr. Martin Schneider-Jacoby, 1956–2012 [Dr Martin Schneider-Jacoby, 1956–2012], 150/151: 123–126

POVZETKI DIPLOMSKIH, MAGISTRSKIH IN DOKTORSKIH DEL

Thesis summaries

BEVK D. (2007): Upadanje populacije divjega petelina v Škofjeloškem, Cerkljanskem in Polhograjskem hribovju [The decline of Capercaillie population in the mountains of Škofja Loka, Cerkno and Polhograjski Gradec (central Slovenia)] – Graduation Thesis, University of Ljubljana, Biotechnical Faculty, Department of Biology, Ljubljana, 133: 77

BOŽIČ L. (2002): Primerjava združb in nekaterih populacijskih parametrov ptic v izbranih tipih nižinskih gozdov [Comparison of communities and some population parameters of birds in selected types of lowland riverine forests] – Graduation Thesis, University of Ljubljana, Biotechnical Faculty, Department of Biology, Ljubljana, 123: 218–219

DENAC D. (2001): Bela štorklja (*Ciconia ciconia*) v Sloveniji leta 1999 [White Stork (*Ciconia ciconia*) in Slovenia in year 1999] – Graduation Thesis, University of Maribor, Pedagogical Faculty, Department of Biology, Maribor, 121: 90

DENAC K. (2003): Smrtnost vretenčarjev na cestah Ljubljanskega barja [Road mortality of vertebrates on Ljubljansko barje (Slovenia)] – Graduation Thesis, University of Ljubljana, Biotechnical Faculty, Department of Biology, Ljubljana, 122: 158–160

KOCE U. (2005): Gnezditvena ekologija malega deževnika (*Charadrius dubius*) v Ljubljanski kotlini [Nesting ecology of Little Ringed Plover (*Charadrius dubius*) in Ljubljana Basin] – Graduation Thesis, University of Ljubljana, Biotechnical Faculty, Department of Biology, Ljubljana, 126: 156

KUHAR B. (2005): Prehrana lesne sove (*Strix aluco*) v Kozjanskem regijskem parku [Diet of the Tawny Owl (*Strix aluco*) in Kozjansko Regional Park] – Graduation Thesis, University of Maribor, Pedagogical Faculty, Department of Biology, Maribor, 128/129: 97–98

MIHELIČ T. (2002): Gnezditvene in prehranjevalne navade velike uharice (*Bubo bubo* L.) v jugozahodni Sloveniji [Nesting and diet habits of the Eagle Owl (*Bubo bubo* L.) in south-western Slovenia] – Graduation Thesis, University of Ljubljana,

- Biotechnical Faculty, Forestry Department, Ljubljana, 121: 91–92
- PETKOV N.** (2004): Comparative ecological studies on the Ferruginous Duck (*Aythya nyroca* Guldenstaedt, 1879) and Pochard (*Aythya ferina* Linnaeus, 1758) during breeding season in Bulgaria. – PhD Thesis, Central Laboratory of General Ecology (CLGE), Bulgarian Academy of Sciences, Sofia, 124: 45–46
- POLAK S.** (2004): Koncept območnega varstva ptic v Sloveniji [Concept of the bird site protection in Slovenia] – Master of Science Thesis, University of Ljubljana, Biotechnical faculty, Postgraduation study “Natural Heritage protection”, Ljubljana, 123: 220–221
- SACKL P.** (1985): Untersuchungen zur Habitatwahl und Nahrungsökologie des Weisstorchs (*Ciconia ciconia* L.) in der Steiermark [Habitat use and feeding ecology of the White Stork (*Ciconia ciconia* L.) in eastern Styria] – PhD Thesis, Karl-Franzens-Universität, Naturwissenschaftliche Fakultät, Institut für Zoologie, Graz, 123: 217–218
- SMOLE J.** (2005): Race iz rodu *Aythya* na ribnikih v Donjem Miholjcu v času gnezdenja [Ducks from the genus *Aythya* on Donji Miholjac fishponds (Croatia) during the breeding period] – Graduation Thesis, University of Ljubljana, Biotechnical Faculty, Department of Biology, Ljubljana, 130/131: 171
- TOME D.** (1995): Gnezditvena biologija in ekologija male uharice (*Asio otus*) [Breeding biology and ecology of the Long-eared Owl (*Asio otus*)] – PhD Thesis, University of Ljubljana, Biotechnical Faculty, Department of Biology, Ljubljana, 121: 89–90
- VREZEC A.** (2000): Vpliv nekaterih ekoloških dejavnikov na razširjenost izbranih vrst sov (Strigidae) na Krimu [The effects of some ecological factors on the distribution of selected owl species (Strigidae) on Krim Mountain] – Graduation Thesis, University of Ljubljana, Biotechnical Faculty, Department of Biology, Ljubljana, 122: 157–158
- VUKELIČ E.** (2005): Vpliv načinov gospodarjenja s travšči na ptice gnezditke Ljubljanskega barja [Effects of meadow management practices on the breeding birds of Ljubljansko barje] – Graduation Thesis, University of Ljubljana, Biotechnical Faculty, Department of Biology, Ljubljana, 125: 105–106
- CLEERE N., NURNEY D.** (1998): Nightjars: A Guide to Nightjars and Related Nightbirds. – Pica Press, Sussex. (VREZEC A.), 106/107: 133–134
- DEL HOYO J., ELLIOTT A., SARGATAL J.** (eds.) (2002): Handbook of the Birds of the World. Volume 7. Jacamars to Woodpeckers. – Lynx Edicions, Barcelona. (KMECL P.), 113/114: 158–159
- DELANY S., SCOTT D., DODMAN T., STROUD D.** (eds.) (2009): An Atlas of Wader Populations in Africa and Western Eurasia. – Wetlands International, Wageningen. (PETKOV N.), 140: 46–47
- FELDNER J., PETUTSCHNIG W., WAGNER S., PROBST R., MALLE G., BUSCHENREITER R. K.** (2008): Avifauna Kärntens 2. Die Gastvögel. – Naturwissenschaftlicher Verein für Kärnten, Klagenfurt. (GREGORI J.), 138/139: 195–196
- FELDNER J., RASS P., PETUTSCHNIG W., WAGNER S., MALLE G., BUSCHENREITER R. K., WIEDNER P., PROBST R.** (2006): Avifauna Kärntens 1. Die Brutvögel. – Naturwissenschaftlicher Verein für Kärnten, Klagenfurt. (GREGORI J.), 130/131: 183–184
- GOLOB Z.** (2011): Funkcionalna anatomija ptičev z osnovami ornitologije. – Univerza v Mariboru, Fakulteta za naravoslovje in matematiko. (GREGORI J.), 150/151: 241–242
- GREGORI J., ŠERE D.** (2005): Ptci Šaleških jezer in okolice. – Prirodoslovn muzej Slovenije, Ljubljana. (VREZEC A.), 126: 165–166
- HARDEY J., CRICK H., WERNHAM C., RILEY H., ETHERIDGE B., THOMPSON D.** (2009): Raptors, a Field Guide for Surveys and Monitoring. 2nd Edition. – The Stationery Office, Scottish Natural Heritage, Edinburgh. (VREZEC A.), 154/155: 325–326
- HEATH M. F., EVANS M. I.** (eds.) (2000): Important Bird Areas in Europe: Priority sites for conservation. 2 volumes. BirdLife Conservation series No. 8. – BirdLife International, Cambrige. (ŠTUMBERGER B.), 109: 242
- HEINE G., JACOBY H., LEUTZINGER H., STARK H.** (1999): Die Vögel des Bodenseegebites. Ornithologische Jahreshefte für Baden-Württemberg. Band 14/15. – Ornithologische Arbeitsgemeinschaft Bodensee, Konstanz. (ŠTUMBERGER B.), 102/103: 286–287
- HUNTLEY B., GREEN R. E., COLLINGHAM Y. C., WILLIS S. G.** (2007): A Climatic Atlas of European Breeding Birds. – Durham University, The RSPB & Lynx Edicions, Barcelona. (MIHELIČ T.), 128/129: 135–136
- IANKOV P.** (ed.) (2007): Atlas of Breeding Birds in Bulgaria. Conservation Series, Book 10. – Bulgarian Society for Protection of Birds, Sofia. (KMECL P.), 137: 125
- KNAUS P., GRAF R., GUÉLAT J., KELLER V., SCHMID H., ZBINDEN N.** (2011): Historischer Brutvogelatlas.

NOVE KNJIGE
New books

CICONIA – ornithological journal, published by Bird Protection and Study Society of Vojvodina. (TUCAKOV M.), 124: 65

- Die Verbreitung der schweizer Brutvögel seit 1950./Atlas historique des oiseaux nicheurs. La repartition des oiseaux nicheurs de Suisse depuis 1950. – Schweizerische Vogelwarte, Sempach / Station ornithologique suisse, Sempach. (ŠTUMBERGER, B.), 148/149: 114–115
- KÖNIG C., WEICK F., BECKING J. H. (1999): Owls: A Guide to the Owls of the World. – Pica Press, Sussex. (VREZEC A.), 100: 167–168
- KRYŠTUFEK B., JANŽEKOVİČ F. (1999): Ključ za določanje vretenčarjev Slovenije. – DZS, Ljubljana. (VREZEC A.), 104/105: 65
- LUKAČ G. (1998): List of Croatian Birds. / Popis ptica Hrvatske. Natura Croatica. Volume 7, Suppl. 3. – Croatian Natural History Museum, Zagreb. (ŠTUMBERGER B.), 108: 186
- LUKAČ G. (2010): Vodič za promatranje ptica: lokaliteti Paška blata i okolica Nina / Birdwatching Guide: Wetlands of the Islands of Pag and the Nin Area. – Zadar: Javna ustanova za upravljanje zaštićenim dijelovima prirode na području Zadarske županije/ Zadar: Public Institute for the Management of Protected Natural Areas in Zadar County. (ŠERE D.), 150/151: 242–243
- LUKAČ G. (2011): Atlas ptica Nacionalnog parka Paklenica. – Javna ustanova Nacionalni park Paklenica, Starigrad - Paklenica. (DENAC D.), 152/153: 136–137
- MARINKOVIĆ S., KARADŽIĆ B. (2008): Sup. Biblioteka Fond za zaštitu ptica grabljivica. Knjiga 1. – Institut za biološka istraživanja "Siniša Stanković", Beograd. (TUCAKOV M.), 136: 77
- MAUMARY L., VALLOTTON L., KNAUS P. (2007): Die Vögel der Schweiz. / Les oiseaux de Suisse. – Schweizerische Vogelwarte, Sempach & Nos Oiseaux, Montmollin / Station ornithologique suisse, Sempach & Nos Oiseaux, Montmollin. (ŠTUMBERGER B., Božič L.), 148/149: 113–114
- MEBS T. (2002): Greifvögel Europas – Biologie, Bestandsverhältnisse, Bestandsgefährdung. – Franckh-Kosmos Verlags-GmbH & Co., Stuttgart. (TOME D.), 115: 203
- MEBS T., SCHERZINGER W. (2000): Die Eulen Europas (Biologie, Kenzeichen, Bestände). – Franckh-Kosmos Verlags-GmbH & Co., Stuttgart. (TOME D.), 106/107: 134
- MICHEV T., SIMEONOV D., PROFIROV L. (2013): The Birds of the Balkan Peninsula: A Field Guide. 2nd Revised Edition. [Ptitsite na Balkanskiya Polustrov: Polevi Opredelitel] – Ekotan EOOD, Sofia. (PETKOV N.), 156/157: 137–138
- NEWTON I. (2003): The speciation & biogeography of birds. – Academic Press, London. (TOME D.), 120: 43–44
- PELZ P., MIKUSEK R., GWÓŹDŹ R. (2003): Sowy Europy. [Owls of Europe], Audio CD. – Influence, Dąbrowa Górnica. (VREZEC A.), 117: 83
- PUZOVIĆ S. (2000): Atlas ptica grabljivica Srbije – mape rasprostranjenja i procene populacija 1977–1996. – Zavod za zaštitu prirode Srbije, Beograd [Atlas of birds of prey of Serbia – their breeding distribution and abundance 1977–1996. – Institute for Protection of Nature of Serbia, Belgrade]. (TUCAKOV M.), 124: 63–64
- PUZOVIĆ S. (2000): Šumska šljuka *Scolopax rusticola* L. – populacije i lovni pritisak. – Zadužbina Andrejević, Beograd. (TUCAKOV M.), 125: 117
- PUZOVIĆ S. (ed.) (2009): Značajna područja za ptice u Srbiji. [Important Bird Areas in Serbia] – Ministarstvo životne sredine i prostornog planiranja, Zavod za zaštitu prirode Srbije & Pokrajinski Sekretarijat za zaštitu životne sredine i održivi razvoj, Beograd – Novi Sad. (TUCAKOV M.), 138/139: 197–198
- RADOVIĆ D., KRALJ J., TUTIŠ V., ĆIKOVIĆ D. (2003): Crvena knjiga ugroženih ptica Hrvatske. – Ministarstvo zaštite okoliša i prostornog uređenja, Zagreb. (RUBINIĆ B.), 119: 158
- RICHARZ K., BEZZEL E., HORMANN M. (2001): Taschenbuch für Vogelschutz. – AULA-Verlag, Wiebelsheim. (DENAC D.), 123: 239–240
- SAVELJIĆ D., VIZI A., VEŠOVIĆ DUBAK N., JOVIČEVIĆ M.: Područja od međunarodnog značaja za boravak ptica u Crnoj Gori. Monografija CZIP no. 1. – Centar za zaštitu i proučavanje ptica Crne gore. (TUCAKOV M.), 135: 179
- SCHÄFFER N. (1999): Habitatwahl und Partnerschaftssystem von Tüpfelralle *Porzana porzana* und Wachtelkönig *Crex crex*. – Ökologie der Vögel (Ecology of Birds) 21 (1). (ŠTUMBERGER B.), 109: 241–242
- SINGER D. (2004): Kateri ptič je to? Ptiči Evrope. (prevod T. Kern in J. Gregori) – Založba Narava, Olševek, Kranj. (VREZEC A.), 122: 179–180
- SLOVAK RAPTOR JOURNAL – Published by: Raptor Protection of Slovakia (RPS). ISSN: 337-3463. (VREZEC A.), 154/156: 326
- SOVINC A. (2003): Spoznajmo ptice Sečoveljskih solin. – Soline Pridelava soli d.o.o. in Univerza na Primorskem, Znanstveno-raziskovalno središče Republike Slovenije v Kopru s pomočjo Ministrstva za okolje, prostor in energijo RS, Koper. (TOME D.), 118: 120
- SPITZENBERGER F. (2001): Die Säugetiere Österreichs. – Grünne Reihe des Bundesministeriums für Land- und Forstwirtschaft, Umwelt und Wasserwirtschaft. Band 13, Graz. (KRYŠTUFEK B.), 116: 44

SYLVIA – Journal of Ornithology. Published by: Czech Society for Ornithology. ISSN: 0231-7796. (ANONIMUS), 110/111: 60

TOME D., SOVINC A., TRONTELJ P. (2005): Ptice Ljubljanskega barja. Monografija DOPPS št. 3. – DOPPS, Ljubljana. (MIHELIČ T.), 127: 205–206

TRILAR T. (1999): Ljubljansko barje – skrivnostni svet živalskega oglašanja [The Ljubljana Marsh – A Mysterious World of Animal Sounds], zvočni posnetek - CD. – Prirodoslovni muzej Slovenije, Ljubljana. (HUDOKLIN A.), 98/99: 99–100

TRILAR T. (2002): Forest Birds of Slovenia, 2 CDs. – Slovenian Museum of Natural History, Ljubljana [Gozdne ptice Slovenije, 2 CD-ja – Prirodoslovni muzej Slovenije, Ljubljana]. (VREZEC A.), 112: 110

TRILAR T., VREZEC A. (2004): Gozdne ptice Slovenije. – Mladinska knjiga, Ljubljana. (HUDOKLIN A.), 121: 104–105

WICHMANN G., DVORAK M., TEUFELBAUER N., BERG H.-M. (2009): Die Vogelwelt Wiens. Atlas der Brutvögel. – BirdLife Österreich & Naturhistorisches Museum Wien. (TUCAKOV M.), 138/139: 199

KAZALO / VSEBINA

Index / Contents

ANONIMUS: Kazalo avtorjev [Index of Authors], 101: 179–196

ANONIMUS: Kazalo letnika 21 (2000), št. 98/103, str. 1–296 [Index of Volume 21 (2000), No. 98/103, pp. 1–296], 102/103: 289–294

ANONIMUS: Kazalo letnika 22 (2001), št. 104–109, str. 1–250 [Index of Volume 22 (2001), No. 104–109, pp. 1–250], 109: 243–250

ANONIMUS: Kazalo letnika 23 (2002), št. 110–115, str. 1–212 [Index of Volume 23 (2002), No. 110–115, pp. 1–212], 115: 204–209

ANONIMUS: Kazalo letnika 31 (2010), št. 144–147, str. 1–301 [Index of Volume 31 (2010), No. 144–147, pp. 1–301], 147: 293–298

ANONIMUS: Kazalo letnika 32 (2011), št. 148–151, str. 1–253 [Index of Volume 32 (2011), No. 148–151, pp. 1–253], 150/151: 245–253

ANONIMUS: Kazalo letnika 33 (2012), št. 152–155, str. 1–336 [Index of Volume 33 (2012), No. 152–155, pp. 1–336], 154/155: 327–333

ANONIMUS: Kazalo ptic [Index of Birds], 101: 197–215

ANONIMUS: Vsebina letnika 26 (2005), št. 124–127, str. 1–212 [Contents of Volume 26 (2005), No. 124–127, pp. 1–212], 127: 207–209

ANONIMUS: Vsebina letnika 27 (2006), št. 128–131,

str. 1–192 [Contents of Volume 27 (2006), No. 128–131, pp. 1–192], 130/131: 185–187

ANONIMUS: Vsebina letnika 28 (2007), št. 132–135, str. 1–186 [Contents of Volume 28 (2007), No. 132–135, pp. 1–186], 135: 183–185

ANONIMUS: Vsebina letnika 29 (2008), št. 136–139, str. 1–206 [Contents of Volume 29 (2008), No. 136–139, pp. 1–206], 138/139: 201–203

ANONIMUS: Vsebina letnika 30 (2009), št. 140–143, str. 1–228 [Contents of Volume 30 (2009), No. 140–143, pp. 1–228], 141/142/143: 225–226

SURINA B.: Kazalo letnika 24 (2003), št. 116–119, str. 1–168 [Index of Volume 24 (2003), No. 116–119, pp. 1–168], 119: 159–164

SURINA B.: Kazalo letnika 25 (2004), št. 120–123, str. 1–252 [Index of Volume 25 (2004), No. 120–123, pp. 1–252], 123: 241–248

NAJAVE IN OBVESTILA

Announcements

ANONIMUS: Volunteers needed for the Strait of Messina raptor and anti-poaching watch, 113/114: 159

ANONIMUS: 24th International Ornithological Congress 2006, 13–19 August 2006, Hamburg, Germany – call for symposium proposals and pre-registration [24. mednarodni ornitološki kongres 2006, 13.–19. 8. 2006, Hamburg, Nemčija – vabilo za prijavo kongresnih prispevkov], 118: 121

BRAČKO F., ŠTUMBERGER B.: Zlatovranka *Coracias garrulus* [European Roller *Coracias garrulus*], 102/103: 287

DENAC D.: Nagrada Zlati legat 2007 [The Golden Bee-eater Award 2007], 137: 126–127

ISRAEL ORNITHOLOGICAL CENTER S.P.N.I.: Povabilo izkušenim opazovalcem ptic [Experienced birdwatchers required], 98/99: 100

KMECL P.: Nagrada Zlati legat 2005 [The Golden Bee-eater Award 2005], 132: 47

KMECL P.: Nagrada Zlati legat 2010 [The Golden Bee-eater Award 2010], 154/155: 138–139

KMECL P., ŠTUMBERGER B.: Nagrada Zlati legat 1999 [The Golden Bee-eater Award 1999], 102/103: 287–288

KOCE U.: Nagrada zlati legat 2008–2009 [The Golden Bee-eater Award 2008–2009], 145/146: 173–174

MAMMEN U.: Povabilo k sodelovanju pri evropskem monitoringu ujed in sov [An invitation to take part in the European monitoring of birds of prey and owls], 102/103: 287

MIHELIČ T.: Nagrada Zlati legat 2002 [The Golden Bee-eater Award 2002], 116: 45–46

MIHELIČ T.: Nagrada Zlati legat 2003 [The Golden Bee-eater Award 2003], 122: 180–181

RUBINIČ B.: "Slovenska ornitologija med znanostjo in aplikacijo" – Kongres ornitologov Slovenije ob 25. obletnici DOPPS. 4. december 2004, Grand Hotel Union, Ljubljana ["Slovene ornithology between science and application" – Slovene Ornithologists' Congress at the 25th anniversary of DOPPS (BirdLife Slovenia). December 4th, 2004, Grand Hotel Union, Ljubljana], 120: 44–45

SURINA B.: Nagrada Zlati legat 2001 [The Golden Bee-eater Award 2001], 110/111: 61

TRILAR T.: Nagrada Zlati legat 2000 [The Golden Bee-eater Award 2000], 108: 186–187

VREZEC A.: Koconogi čuk *Aegolius funereus* in mali skovik *Glaucidium passerinum* v Sloveniji [Tengmalm's Owl *Aegolius funereus* and Pygmy Owl *Glaucidium passerinum* in Slovenia], 102/103: 287

VREZEC A.: Nagrada Zlati legat 2006 [The Golden Bee-eater Award 2006], 135: 180–181

ZAVOD ZA ORNITOLOGIJU: Cenjeni kolegi ornitologi in ljubitelji ptic!, 104/105: 66

SEZNAM RECENZENTOV

The list of manuscript reviewers

Letnik / Volume 23 (2002), 115: 210

Letnik / Volume 24 (2003), 119: 165

Letnik / Volume 25 (2004), 123: 249

Letnik / Volume 26 (2005), 127: 210

Letnik / Volume 27 (2006), 130/131: 188

Letnik / Volume 28 (2007), 135: 187

Letnik / Volume 29 (2008), 138/139: 205

Letnik / Volume 30 (2009), 141/142/143: 227

Letnik / Volume 31 (2010), 147: 301

Letnik / Volume 32 (2011), 150/151: 253

Letnik / Volume 33 (2012), 154/155: 335

Index of Birds*Acanthis cannabina* → *Carduelis cannabina**Accipiter badius* 154/155: 289 (GE)*Accipiter brevipes* 106/107: 115, 122: 176 (TR), 127: 200 (HR), 147: 181 (MK), 148/149: 29 (BG), 150/151: 117, 154/155: 145, 154/155: 173 (BA), 154/155: 261 (SK), 154/155: 289 (GE), 154/155: 293 (GR), 154/155: 315 (RU)*Accipiter gentilis* 98/99: 9, 100: 107, 100: 135, 102/103: 223 (AT), 102/103: 241, 102/103: 249, 104/105: 56, 106/107: 115, 106/107: 130 (HR), 112: 81, 113/114: 151, 113/114: 155 (RS), 118: 110, 119: 153 (HR), 120: 15 (BG), 120: 41 (RS), 121: 106 (RS), 122: 119, 122: 176 (TR), 123: 229 (HR), 124: 49, 124: 55 (RS), 124: 56 (RS), 126: 147 (RS), 128/129: 45 (BA), 133: 69, 133: 84, 135: 165, 136: 13, 140: 38, 141/142/143: 55, 141/142/143: 181, 141/142/143: 195, 145/146: 77, 148/149: 29 (BG), 148/149: 45, 150/151: 143, 152/153: 5, 152/153: 25, 154/155: 145, 154/155: 159 (AT), 154/155: 173 (BA), 154/155: 191 (HR), 154/155: 203 (FI), 154/155: 217 (FR), 154/155: 225 (GB), 154/155: 233 (HU), 154/155: 239 (IE), 154/155: 247 (NO), 154/155: 255 (PL), 154/155: 261 (SK), 154/155: 277 (SE), 154/155: 285 (EE), 154/155: 289 (GE), 154/155: 297 (IT), 154/155: 301 (LV), 154/155: 309 (PT), 154/155: 315 (RU), 156/157: 49, 156/157: 75*Accipiter nisus* 98/99: 9, 100: 107, 100: 135, 100: 165, 102/103: 223 (AT), 102/103: 241, 102/103: 249, 106/107: 115, 109: 219, 110/111: 50, 110/111: 51, 112: 81, 112: 100, 112: 102, 113/114: 149, 113/114: 150, 118: 110, 119: 153 (HR), 120: 15 (BG), 120: 40 (HR), 122: 119, 122: 139 (TR), 123: 195, 124: 23 (BG), 124: 49, 124: 61 (BG), 125: 113 (RS), 128/129: 45 (BA), 128/129: 86, 132: 44 (HR), 133: 82, 134: 129, 134: 130, 134: 133 (HR), 136: 51, 136: 59 (AL), 138/139: 191 (ME), 141/142/143: 55, 141/142/143: 181, 141/142/143: 195, 145/146: 77, 148/149: 29 (BG), 150/151: 143, 150/151: 227, 150/151: 234 (HR), 150/151: 235 (RS), 152/153: 5, 152/153: 25, 154/155: 145, 154/155: 159 (AT), 154/155: 173 (BA), 154/155: 191 (HR), 154/155: 203 (FI), 154/155: 217 (FR), 154/155: 225 (GB), 154/155: 239 (IE), 154/155: 247 (NO), 154/155: 255 (PL), 154/155: 261 (SK), 154/155: 277 (SE), 154/155:

283 (BE), 154/155: 289 (GE), 154/155: 293 (GR), 154/155: 301 (LV), 154/155: 315 (RU), 156/157: 13 (DZ), 156/157: 49

Acridotheres tristis 150/151: 143*Acrocephalus agricola* 106/107: 115, 138/139: 188, 150/151: 117, 150/151: 143*Acrocephalus arundinaceus* 102/103: 249, 102/103: 285 (HR), 106/107: 115, 106/107: 128, 113/114: 149, 115: 200 (MK), 115: 201 (MK), 117: 80 (HR), 120: 15 (BG), 121: 93, 125: 81 (BG), 128/129: 45 (BA), 128/129: 110 (RS), 130/131: 139 (RO), 133: 79, 134: 133 (HR), 135: 170 (HR), 136: 59 (AL), 141/142/143: 165, 141/142/143: 181, 141/142/143: 195, 141/142/143: 199, 145/146: 115 (TR), 148/149: 1, 150/151: 143, 150/151: 233 (HR), 156/157: 49, 156/157: 129 (RS), 156/157: 130 (RS)*Acrocephalus dumetorum* 106/107: 115, 130/131: 174, 150/151: 117, 150/151: 143*Acrocephalus melanopogon* 102/103: 249, 106/107: 115, 116: 32, 120: 5, 120: 38 (HR), 123: 235, 128/129: 99, 136: 59 (AL), 141/142/143: 195, 148/149: 1, 150/151: 117, 150/151: 143, 150/151: 235 (RS), 156/157: 49*Acrocephalus paludicola* 106/107: 109, 106/107: 115, 106/107: 128, 147: 181 (MK), 150/151: 117, 150/151: 143*Acrocephalus palustris* 100: 107, 102/103: 249, 104/105: 29, 106/107: 115, 109: 219, 112: 75, 113/114: 149, 120: 15 (BG), 120: 27, 121: 93, 122: 175 (BG), 123: 213, 124: 52, 125: 81 (BG), 125: 105, 133: 79, 136: 68, 140: 3, 141/142/143: 165, 141/142/143: 181, 141/142/143: 195, 145/146: 156, 147: 181 (MK), 148/149: 101, 150/151: 143, 156/157: 49*Acrocephalus schoenobaenus* 100: 107, 102/103: 249, 102/103: 283, 104/105: 29, 106/107: 115, 117: 80 (HR), 119: 152 (HR), 120: 5, 120: 15 (BG), 123: 213, 125: 81 (BG), 128/129: 88 (BG), 128/129: 109 (BA), 133: 79, 140: 3, 141/142/143: 165, 141/142/143: 181, 141/142/143: 195, 147: 181 (MK), 148/149: 1, 148/149: 101, 150/151: 117, 150/151: 143, 150/151: 229, 152/153: 130, 156/157: 13 (DZ), 156/157: 49

Acrocephalus scirpaceus 102/103: 249, 104/105: 29, 106/107: 115, 106/107: 128, 113/114: 149, 115: 201 (MK), 120: 5, 122: 175 (BG), 123: 213, 124: 52, 125: 81 (BG), 128/129: 45 (BA), 128/129: 59 (BG), 133: 79, 141/142/143: 165, 141/142/143: 195, 145/146: 115 (TR), 147: 181 (MK), 148/149: 1, 148/149: 101, 150/151: 143, 150/151: 229, 156/157: 13 (DZ), 156/157: 49

Actitis hypoleucos 102/103: 249, 102/103: 271, 102/103: 271, 104/105: 35 (HR), 106/107: 115, 108: 171, 110/111: 43, 115: 201 (MK), 119: 152 (HR), 119: 154 (HR), 120: 15 (BG), 122: 139 (TR), 124: 23 (BG), 124: 54 (HR), 125: 99, 126: 123, 126: 151, 130/131: 139 (RO), 130/131: 160, 132: 23, 133: 79, 134: 133 (HR), 135: 141, 136: 39, 136: 59 (AL), 138/139: 169, 138/139: 193 (RS), 141/142/143: 55, 141/142/143: 195, 144: 27, 145/146: 115 (TR), 145/146: 131, 147: 181 (MK), 148/149: 1, 148/149: 67, 148/149: 94, 150/151: 143, 152/153: 25, 152/153: 109, 156/157: 49, 156/157: 93, 156/157: 128 (RS)

Aegithalos caudatus 100: 107, 102/103: 241, 102/103: 249, 104/105: 29, 106/107: 115, 120: 15 (BG), 123: 236 (BG), 123: 237 (TR), 124: 23 (BG), 124: 52, 128/129: 59 (BG), 136: 59 (AL), 138/139: 185 (BG), 141/142/143: 165, 141/142/143: 195, 145/146: 163, 150/151: 143, 156/157: 49

Aegithalos caudatus caudatus 123: 236 (BG)

Aegithalos caudatus europaeus 123: 236 (BG)

Aegithalos caudatus macedonicus 123: 236 (BG)

Aegithalos caudatus sibiricus 123: 236 (BG)

Aegolius funereus 98/99: 39, 98/99: 47, 98/99: 71, 98/99: 98, 98/99: 99, 102/103: 241, 102/103: 249, 102/103: 278, 106/107: 115, 106/107: 124, 108: 149 (HR), 108: 155, 108: 178, 112: 91, 113/114: 129, 115: 189 (HR), 115: 197, 119: 150, 120: 5, 122: 157, 127: 187 (HR), 127: 198, 128/129: 3 (CN), 128/129: 65 (BG), 128/129: 88 (BG), 134: 95 (BG), 134: 122 (BG), 136: 33, 148/149: 1, 148/149: 97, 150/151: 143, 154/155: 145, 154/155: 167 (BY), 154/155: 173 (BA), 154/155: 191 (HR), 154/155: 203 (FI), 154/155: 217 (FR), 154/155: 247 (NO), 154/155: 255 (PL), 154/155: 261 (SK), 154/155: 271, 154/155: 277 (SE), 154/155: 283 (BE), 154/155: 297 (IT), 154/155: 301 (LV), 156/157: 27 (RS), 156/157: 49

Aegolius funereus beickianus 128/129: 3 (CN)

Aegypius monachus 106/107: 115, 140: 38, 144:

59, 147: 181 (MK), 150/151: 143, 154/155: 145, 154/155: 173 (BA), 154/155: 181 (BG), 154/155: 217 (FR), 154/155: 261 (SK), 154/155: 289 (GE), 154/155: 293 (GR), 154/155: 297 (IT), 154/155: 309 (PT), 154/155: 315 (RU), 154/155: 321 (ES), 156/157: 83

Aix galericulata 102/103: 271, 106/107: 109, 106/107: 115, 108: 171, 110/111: 43, 117: 74, 120: 34, 121: 79, 125: 99, 126: 123, 130/131: 160, 132: 23, 136: 39, 138/139: 169, 145/146: 131, 148/149: 67, 150/151: 143, 152/153: 109, 156/157: 83, 156/157: 93

Aix sponsa 102/103: 271, 106/107: 109, 106/107: 115, 108: 171, 117: 74, 118: 110, 121: 79, 125: 99, 126: 123, 128/129: 105 (HR), 130/131: 175 (HR), 150/151: 143, 156/157: 83, 156/157: 93

Alauda arvensis 100: 107, 100: 135, 102/103: 249, 106/107: 115, 106/107: 122, 109: 219, 112: 75, 116: 35, 118: 112, 120: 15 (BG), 121: 100 (RS), 122: 139 (TR), 125: 81 (BG), 125: 105, 127: 199, 128/129: 45 (BA), 128/129: 59 (BG), 140: 3, 140: 41, 141/142/143: 165, 141/142/143: 181, 141/142/143: 195, 145/146: 159, 147: 181 (MK), 148/149: 1, 148/149: 99, 150/151: 143, 156/157: 13 (DZ)

Alca torda 106/107: 115, 150/151: 143

Alcedo atthis 98/99: 89 (HR), 100: 107, 100: 135, 102/103: 241, 102/103: 249, 102/103: 271, 102/103: 275, 106/107: 115, 108: 171, 110/111: 43, 110/111: 55, 110/111: 57 (HR), 118: 114 (HR), 118: 116 (ME), 120: 15 (BG), 121: 93, 123: 201, 124: 23 (BG), 125: 81 (BG), 125: 99, 126: 123, 128/129: 110 (RS), 130/131: 139 (RO), 130/131: 160, 132: 23, 135: 141, 135: 170 (HR), 136: 39, 136: 59 (AL), 138/139: 169, 141/142/143: 55, 141/142/143: 181, 141/142/143: 195, 144: 27, 144: 61, 145/146: 131, 147: 181 (MK), 148/149: 1, 148/149: 67, 150/151: 143, 152/153: 25, 152/153: 109, 156/157: 49, 156/157: 93, 156/157: 118

Alectoris barbara 156/157: 13 (DZ)

Alectoris chukar 106/107: 115, 110/111: 56 (HR), 120: 15 (BG), 122: 139 (TR), 128/129: 73, 128/129: 88 (BG), 128/129: 113 (TR), 150/151: 143

Alectoris graeca 102/103: 241, 102/103: 249, 106/107: 81, 106/107: 115, 112: 106 (BA), 116: 40 (BG), 119: 152 (HR), 123: 213, 124: 23 (BG), 128/129: 73, 128/129: 101, 130/131: 181 (ME), 133: 61 (IT), 134: 124, 135: 175, 136: 59 (AL), 136: 59 (AL)

136: 73 (HR), 138/139: 129, 147: 181 (MK), 148/149: 1, 150/151: 143

Alectoris rufa 106/107: 69, 106/107: 115, 128/129: 73, 150/151: 143, 154/155: 225 (GB), 156/157: 83

Allopochen aegyptiaca 148/149: 81, 150/151: 143, 156/157: 83

Amandava amandava 150/151: 143

Ammomanes deserti 122: 139 (TR)

Amphispiza belli → *Artemiosospiza belli*

Anas acuta 102/103: 271, 104/105: 56, 106/107: 115, 106/107: 123, 108: 171, 110/111: 43, 115: 163, 115: 194, 120: 5, 122: 169 (RS), 123: 195, 124: 56 (RS), 125: 99, 126: 123, 126: 151, 128/129: 45 (BA), 128/129: 45 (BA), 130/131: 160, 132: 23, 135: 141, 136: 39, 138/139: 169, 141/142/143: 55, 141/142/143: 181, 141/142/143: 195, 145/146: 131, 147: 181 (MK), 148/149: 67, 150/151: 143, 150/151: 215, 152/153: 25, 152/153: 109, 156/157: 93

Anas carolinensis 150/151: 143, 156/157: 83

Anas clypeata 102/103: 249, 102/103: 271, 106/107: 115, 108: 171, 109: 240 (HR), 110/111: 43, 116: 32, 117: 81 (RS), 119: 154 (HR), 122: 167 (RS), 122: 169 (RS), 122: 173 (BG), 123: 195, 125: 81 (BG), 125: 99, 126: 123, 126: 151, 128/129: 45 (BA), 130/131: 160, 132: 23, 135: 141, 135: 175, 136: 39, 138/139: 169, 138/139: 193 (RS), 141/142/143: 55, 141/142/143: 181, 141/142/143: 195, 145/146: 131, 147: 181 (MK), 148/149: 1, 148/149: 67, 148/149: 87, 150/151: 143, 150/151: 215, 152/153: 25, 152/153: 109, 156/157: 93, 156/157: 107

Anas crecca 102/103: 249, 102/103: 271, 106/107: 115, 108: 171, 109: 240 (HR), 110/111: 43, 113/114: 156 (RS), 117: 74, 117: 79 (HR), 118: 109, 119: 152 (HR), 120: 5, 121: 94, 123: 195, 125: 99, 126: 123, 126: 151, 128/129: 45 (BA), 128/129: 101, 130/131: 160, 132: 23, 135: 141, 136: 39, 138/139: 129, 138/139: 169, 141/142/143: 55, 141/142/143: 181, 141/142/143: 195, 145/146: 131, 147: 181 (MK), 148/149: 67, 150/151: 143, 150/151: 215, 152/153: 25, 152/153: 109, 156/157: 49, 156/157: 93, 156/157: 106

Anas formosa 150/151: 143

Anas hottentota 150/151: 143

Anas penelope 102/103: 271, 106/107: 115, 108: 171, 110/111: 43, 112: 81, 116: 39 (BG), 117: 81 (RS),

122: 167 (RS), 122: 169 (RS), 124: 54 (HR), 124: 56 (RS), 125: 99, 126: 123, 126: 151, 128/129: 45 (BA), 128/129: 110 (RS), 130/131: 160, 132: 23, 135: 141, 136: 39, 136: 73 (HR), 138/139: 169, 138/139: 193 (RS), 141/142/143: 55, 141/142/143: 195, 141/142/143: 212, 145/146: 131, 147: 181 (MK), 148/149: 67, 148/149: 85, 150/151: 143, 152/153: 25, 152/153: 109, 156/157: 93

Anas platyrhynchos 100: 107, 102/103: 241, 102/103: 249, 102/103: 265, 102/103: 271, 102/103: 275, 102/103: 276, 104/105: 29, 104/105: 54, 104/105: 55, 106/107: 115, 106/107: 121, 108: 171, 108: 176, 109: 237, 110/111: 43, 110/111: 49, 110/111: 53, 112: 81, 113/114: 155 (RS), 115: 194, 115: 201 (MK), 117: 74, 117: 79 (HR), 118: 87 (BG), 118: 109, 118: 110, 120: 5, 120: 15 (BG), 120: 34, 120: 38 (HR), 120: 40 (HR), 121: 93, 121: 94, 122: 161, 122: 169 (RS), 122: 175 (BG), 123: 195, 123: 224, 124: 52, 124: 54 (HR), 125: 81 (BG), 125: 99, 125: 111 (BA), 126: 123, 126: 151, 126: 157, 127: 198, 128/129: 45 (BA), 130/131: 139 (RO), 130/131: 160, 130/131: 174, 132: 17 (BG), 132: 23, 132: 39, 133: 79, 134: 128, 135: 141, 135: 170 (HR), 136: 39, 136: 67, 137: 111, 138/139: 129, 138/139: 169, 138/139: 193 (RS), 141/142/143: 55, 141/142/143: 165, 141/142/143: 181, 141/142/143: 195, 141/142/143: 216, 144: 57, 144: 61, 145/146: 115 (TR), 145/146: 131, 147: 181 (MK), 148/149: 67, 148/149: 81, 148/149: 85, 148/149: 87, 150/151: 143, 150/151: 215, 152/153: 25, 152/153: 109, 152/153: 122, 156/157: 13 (DZ), 156/157: 49, 156/157: 93, 156/157: 106

Anas querquedula 102/103: 249, 106/107: 115, 106/107: 121, 108: 176, 112: 81, 113/114: 155 (RS), 113/114: 156 (RS), 116: 32, 117: 73, 117: 81 (RS), 118: 87 (BG), 119: 152 (HR), 119: 154 (HR), 120: 5, 120: 15 (BG), 121: 94, 122: 111 (ME), 122: 169 (RS), 123: 195, 124: 54 (HR), 124: 56 (RS), 125: 81 (BG), 125: 111 (BA), 126: 123, 126: 151, 127: 197, 128/129: 45 (BA), 128/129: 110 (RS), 130/131: 139 (RO), 132: 39, 135: 141, 136: 1, 138/139: 129, 138/139: 169, 138/139: 193 (RS), 141/142/143: 55, 141/142/143: 181, 141/142/143: 195, 147: 181 (MK), 148/149: 1, 150/151: 143, 150/151: 215, 152/153: 25

Anas rubripes 106/107: 109

Anas sibilatrix 130/131: 160, 136: 39, 150/151: 143

Anas strepera 102/103: 249, 102/103: 271, 106/107: 115, 108: 171, 110/111: 43, 115: 200 (MK),

118: 87 (BG), 119: 152 (HR), 119: 154 (HR), 120: 5, 120: 15 (BG), 123: 195, 125: 81 (BG), 125: 99, 126: 123, 126: 151, 128/129: 45 (BA), 130/131: 160, 132: 23, 135: 141, 135: 175, 136: 39, 136: 59 (AL), 138/139: 169, 141/142/143: 55, 141/142/143: 181, 141/142/143: 195, 145/146: 131, 147: 181 (MK), 148/149: 1, 148/149: 67, 148/149: 88, 150/151: 143, 152/153: 25, 152/153: 109, 156/157: 93

Anser albifrons 104/105: 55, 106/107: 115, 110/111: 43, 117: 81 (RS), 120: 15 (BG), 120: 33, 122: 139 (TR), 122: 164 (HR), 122: 169 (RS), 125: 99, 126: 123, 130/131: 160, 132: 17 (BG), 132: 23, 136: 39, 138/139: 169, 141/142/143: 55, 141/142/143: 195, 145/146: 131, 145/146: 152, 148/149: 1, 148/149: 67, 150/151: 143, 152/153: 25, 152/153: 109, 152/153: 121, 156/157: 93, 156/157: 105

Anser albifrons albifrons 120: 33

Anser anser 106/107: 115, 109: 240 (HR), 110/111: 43, 115: 193, 118: 87 (BG), 120: 34, 122: 164 (HR), 123: 195, 125: 81 (BG), 125: 99, 126: 123, 126: 151, 128/129: 45 (BA), 128/129: 73, 130/131: 139 (RO), 130/131: 160, 132: 23, 135: 175, 136: 39, 136: 67, 138/139: 169, 141/142/143: 55, 141/142/143: 195, 144: 58, 145/146: 131, 148/149: 1, 148/149: 67, 148/149: 81, 150/151: 143, 152/153: 25, 152/153: 109, 152/153: 122, 156/157: 93

Anser brachyrhynchus 104/105: 55, 106/107: 109, 106/107: 115, 150/151: 143

Anser caerulescens 110/111: 43, 125: 99

Anser cygnoides 150/151: 143, 152/153: 109, 156/157: 83, 156/157: 93

Anser erythropus 145/146: 152, 147: 181 (MK), 150/151: 143, 156/157: 83, 156/157: 105

Anser fabalis 102/103: 271, 104/105: 55, 106/107: 115, 108: 171, 110/111: 43, 122: 164 (HR), 123: 195, 125: 99, 126: 123, 130/131: 160, 132: 23, 136: 39, 138/139: 169, 141/142/143: 55, 141/142/143: 195, 145/146: 131, 148/149: 67, 150/151: 143, 152/153: 25, 152/153: 109, 156/157: 93

Anser indicus 150/151: 143

Anthus campestris 102/103: 249, 104/105: 47, 106/107: 81, 106/107: 115, 112: 102, 119: 152 (HR), 120: 15 (BG), 120: 38 (HR), 122: 139 (TR), 124: 23 (BG), 128/129: 88 (BG), 128/129: 111 (RS), 130/131: 174, 132: 3, 136: 59 (AL), 144: 64, 145/146: 160, 147: 181 (MK), 148/149: 1, 150/151: 143

Anthus cervinus 106/107: 115, 119: 151, 123: 229 (HR), 130/131: 175 (HR), 141/142/143: 195, 141/142/143: 220, 144: 68 (HR), 145/146: 160, 145/146: 165 (HR), 148/149: 107 (ME), 150/151: 143, 150/151: 237 (RS), 156/157: 122

Anthus novaeseelandiae 125: 69

Anthus pratensis 100: 107, 102/103: 249, 106/107: 115, 120: 5, 120: 15 (BG), 123: 213, 128/129: 88 (BG), 137: 119, 140: 35, 141/142/143: 165, 141/142/143: 181, 141/142/143: 195, 150/151: 143, 156/157: 13 (DZ), 156/157: 49

Anthus richardi 125: 69, 140: 35, 150/151: 117, 150/151: 143, 156/157: 83

Anthus spinolettia 102/103: 249, 106/107: 115, 115: 194, 123: 213, 123: 236 (TR), 125: 110, 128/129: 110 (RS), 137: 117, 141/142/143: 195, 150/151: 143, 156/157: 49

Anthus trivialis 100: 107, 102/103: 249, 104/105: 29, 106/107: 115, 112: 75, 113/114: 150, 119: 152 (HR), 120: 15 (BG), 123: 213, 125: 105, 134: 95 (BG), 140: 3, 140: 41, 141/142/143: 165, 141/142/143: 195, 150/151: 143, 156/157: 13 (DZ), 156/157: 49

Apus apus 100: 107, 102/103: 249, 106/107: 115, 106/107: 131 (HR), 109: 229, 110/111: 55, 113/114: 153 (HR), 115: 197, 119: 145 (BG), 120: 15 (BG), 120: 36, 122: 139 (TR), 123: 213, 124: 55 (RS), 128/129: 103, 132: 43, 135: 170 (HR), 140: 40, 141/142/143: 195, 148/149: 98, 148/149: 107, 150/151: 143, 156/157: 13 (DZ), 156/157: 49

Apus melba 102/103: 241, 102/103: 249, 106/107: 115, 106/107: 131 (HR), 109: 234, 112: 107 (BA), 112: 108 (BA), 113/114: 153 (HR), 116: 41 (BG), 119: 155 (ME), 119: 156 (ME), 120: 5, 120: 39 (HR), 124: 23 (BG), 130/131: 168, 133: 82, 136: 59 (AL), 145/146: 159, 150/151: 143, 150/151: 236 (RS), 152/153: 131 (ME)

Apus pallidus 104/105: 3 (OM), 106/107: 115, 106/107: 131 (HR), 113/114: 153 (HR), 119: 145 (BG), 119: 152 (HR), 122: 149 (BA), 128/129: 88 (BG), 136: 59 (AL), 147: 181 (MK), 150/151: 143, 152/153: 133 (BG), 156/157: 13 (DZ), 156/157: 83

Aquila adalberti 154/155: 145, 154/155: 309 (PT), 154/155: 321 (ES)

Aquila chrysaetos 98/99: 87, 98/99: 88, 102/103: 241, 102/103: 249, 102/103: 278, 106/107: 115, 106/107: 122, 112: 106 (BA), 112: 107 (BA),

113/114: 149, 113/114: 150, 113/114: 155 (RS), 115: 194, 117: 74, 118: 110, 118: 116 (ME), 120: 5, 121: 106 (RS), 122: 111 (ME), 122: 119, 122: 139 (TR), 123: 236 (TR), 124: 23 (BG), 124: 51, 128/129: 86, 128/129: 108 (BA), 128/129: 109 (RS), 128/129: 113 (TR), 133: 84, 134: 133 (HR), 136: 13, 136: 53, 136: 59 (AL), 137: 124 (AL), 138/139: 191 (ME), 141/142/143: 55, 141/142/143: 195, 145/146: 77, 145/146: 156, 145/146: 167 (ME), 145/146: 168 (ME), 147: 181 (MK), 148/149: 1, 148/149: 29 (BG), 150/151: 143, 152/153: 5, 152/153: 25, 154/155: 145, 154/155: 159 (AT), 154/155: 167 (BY), 154/155: 173 (BA), 154/155: 191 (HR), 154/155: 203 (FI), 154/155: 217 (FR), 154/155: 225 (GB), 154/155: 233 (HU), 154/155: 239 (IE), 154/155: 247 (NO), 154/155: 255 (PL), 154/155: 261 (SK), 154/155: 271, 154/155: 277 (SE), 154/155: 285 (EE), 154/155: 289 (GE), 154/155: 297 (IT), 154/155: 301 (LV), 154/155: 309 (PT), 154/155: 315 (RU), 154/155: 321 (ES), 156/157: 13 (DZ)

Aquila clanga 104/105: 57, 106/107: 109, 106/107: 115, 106/107: 122, 110/111: 50, 133: 80, 136: 1, 141/142/143: 55, 141/142/143: 195, 147: 181 (MK), 150/151: 143, 152/153: 25, 154/155: 145, 154/155: 167 (BY), 154/155: 173 (BA), 154/155: 191 (HR), 154/155: 203 (FI), 154/155: 255 (PL), 154/155: 261 (SK), 154/155: 285 (EE), 154/155: 289 (GE), 154/155: 315 (RU)

Aquila fasciata 106/107: 109, 106/107: 115, 119: 153 (HR), 120: 38 (HR), 122: 170 (ME), 125: 69, 128/129: 90 (BG), 150/151: 143, 154/155: 145, 154/155: 173 (BA), 154/155: 217 (FR), 154/155: 289 (GE), 154/155: 297 (IT), 154/155: 309 (PT), 154/155: 321 (ES), 156/157: 13 (DZ)

Aquila heliaca 106/107: 105 (GR), 106/107: 109, 106/107: 115, 116: 40 (BG), 122: 111 (ME), 147: 181 (MK), 148/149: 29 (BG), 150/151: 143, 152/153: 25, 154/155: 145, 154/155: 159 (AT), 154/155: 173 (BA), 154/155: 181 (BG), 154/155: 233 (HU), 154/155: 261 (SK), 154/155: 289 (GE), 154/155: 315 (RU), 156/157: 83, 156/157: 112

Aquila nipalensis 147: 181 (MK), 154/155: 145, 154/155: 173 (BA), 154/155: 261 (SK), 154/155: 289 (GE), 154/155: 315 (RU)

Aquila pennata 100: 107, 100: 135, 100: 165, 102/103: 249, 106/107: 109, 106/107: 115, 106/107: 122, 108: 177, 109: 234, 110/111: 57 (MK), 120: 5, 122: 139 (TR), 122: 176 (TR), 124: 59 (BG), 125: 69, 126: 147 (RS), 128/129: 109

(RS), 135: 174, 138/139: 187, 141/142/143: 55, 141/142/143: 195, 145/146: 77, 147: 181 (MK), 148/149: 29 (BG), 150/151: 143, 150/151: 219, 154/155: 145, 154/155: 159 (AT), 154/155: 173 (BA), 154/155: 181 (BG), 154/155: 191 (HR), 154/155: 217 (FR), 154/155: 255 (PL), 154/155: 261 (SK), 154/155: 289 (GE), 154/155: 309 (PT), 154/155: 315 (RU)

Aquila pomarina 102/103: 249, 106/107: 109, 106/107: 115, 108: 176, 109: 191 (HR), 109: 219, 120: 5, 120: 15 (BG), 120: 40 (RS), 121: 97 (HR), 122: 139 (TR), 122: 176 (TR), 128/129: 45 (BA), 138/139: 191 (ME), 145/146: 143 (BG), 147: 181 (MK), 148/149: 1, 148/149: 29 (BG), 150/151: 143, 154/155: 145, 154/155: 167 (BY), 154/155: 173 (BA), 154/155: 181 (BG), 154/155: 191 (HR), 154/155: 217 (FR), 154/155: 233 (HU), 154/155: 255 (PL), 154/155: 261 (SK), 154/155: 271, 154/155: 285 (EE), 154/155: 289 (GE), 154/155: 301 (LV), 154/155: 315 (RU), 156/157: 83

Ardea alba 102/103: 271, 106/107: 115, 108: 171, 108: 176, 109: 191 (HR), 109: 239 (HR), 110/111: 43, 112: 99, 113/114: 155 (RS), 116: 32, 116: 42 (BG), 118: 110, 119: 152 (HR), 120: 15 (BG), 120: 38 (HR), 121: 71 (RS), 121: 94, 122: 161, 123: 231 (RS), 124: 37 (HR), 125: 81 (BG), 125: 99, 125: 113 (RS), 126: 123, 126: 151, 127: 191, 127: 197, 128/129: 101, 128/129: 108 (BA), 128/129: 110 (RS), 130/131: 160, 132: 23, 133: 79, 133: 85 (HR), 135: 173, 135: 175, 136: 39, 136: 73 (HR), 137: 114, 138/139: 169, 141/142/143: 49, 141/142/143: 55, 141/142/143: 181, 141/142/143: 195, 141/142/143: 209, 144: 61, 145/146: 131, 147: 181 (MK), 148/149: 1, 148/149: 67, 148/149: 81, 148/149: 86, 148/149: 87, 150/151: 143, 150/151: 216, 150/151: 230 (HR), 152/153: 25, 152/153: 109, 156/157: 49, 156/157: 93, 156/157: 115

Ardea cinerea 100: 107, 102/103: 241, 102/103: 249, 102/103: 271, 102/103: 275, 102/103: 276, 104/105: 29, 104/105: 45 (IT), 104/105: 54, 106/107: 81, 106/107: 115, 108: 171, 109: 191 (HR), 109: 233, 110/111: 43, 110/111: 52, 112: 67 (MK), 112: 81, 112: 97 (RS), 112: 99, 112: 100, 113/114: 147, 113/114: 155 (RS), 115: 200 (MK), 116: 32, 116: 42 (BG), 118: 110, 118: 114 (HR), 118: 115 (HR), 118: 116 (ME), 119: 149, 120: 5, 120: 15 (BG), 120: 38 (HR), 121: 71 (RS), 121: 94, 121: 102 (ME), 122: 161, 123: 195, 124: 37 (HR), 124: 41 (ME), 125: 81 (BG), 125: 99, 126: 123, 126: 151, 127: 181, 127: 191, 127:

197, 128/129: 45 (BA), 128/129: 100, 128/129: 107 (HR), 128/129: 108 (BA), 128/129: 110 (RS), 128/129: 112 (TR), 130/131: 123 (ME), 130/131: 160, 130/131: 174, 130/131: 179 (RS), 132: 23, 133: 79, 133: 85 (HR), 134: 127, 134: 132 (HR), 135: 141, 136: 39, 136: 73 (HR), 138/139: 169, 140: 37, 141/142/143: 55, 141/142/143: 181, 141/142/143: 195, 141/142/143: 209, 144: 61, 144: 66 (HR), 145/146: 131, 145/146: 156, 147: 181 (MK), 148/149: 67, 148/149: 81, 148/149: 85, 148/149: 87, 150/151: 143, 150/151: 216, 152/153: 25, 152/153: 109, 156/157: 93, 156/157: 115, 156/157: 128 (RS)

Ardea purpurea 104/105: 29, 106/107: 115, 108: 176, 108: 181 (HR), 109: 191 (HR), 112: 99, 115: 200 (MK), 116: 36 (HR), 117: 73, 121: 71 (RS), 121: 94, 123: 195, 124: 37 (HR), 125: 81 (BG), 128/129: 45 (BA), 128/129: 106 (HR), 128/129: 108 (BA), 134: 132 (HR), 141/142/143: 55, 141/142/143: 181, 141/142/143: 195, 141/142/143: 209, 147: 181 (MK), 148/149: 1, 150/151: 143, 152/153: 25

Ardeola ralloides 102/103: 249, 104/105: 29, 106/107: 115, 106/107: 121, 110/111: 49, 112: 97 (RS), 113/114: 147, 115: 200 (MK), 116: 36 (HR), 117: 76, 120: 5, 120: 15 (BG), 121: 71 (RS), 122: 111 (ME), 123: 229 (HR), 124: 54 (HR), 125: 81 (BG), 128/129: 45 (BA), 128/129: 106 (HR), 130/131: 123 (ME), 134: 133 (HR), 136: 59 (AL), 137: 120 (HR), 138/139: 188, 141/142/143: 55, 141/142/143: 195, 144: 21 (ME), 144: 66 (HR), 145/146: 151, 145/146: 165 (HR), 147: 181 (MK), 148/149: 1, 150/151: 143, 150/151: 217, 150/151: 223, 152/153: 25, 156/157: 125 (HR)

Arenaria interpres 102/103: 282, 106/107: 115, 118: 115 (HR), 120: 39 (HR), 123: 226, 141/142/143: 55, 141/142/143: 195, 148/149: 94, 150/151: 143, 152/153: 25, 156/157: 79 (ME), 156/157: 113, 156/157: 114

Artemiospiza belli 132: 3

Asio flammeus 98/99: 47, 106/107: 109, 106/107: 115, 116: 34, 117: 81 (RS), 120: 5, 121: 102 (ME), 130/131: 174, 137: 114, 137: 115, 137: 116, 141/142/143: 195, 141/142/143: 220, 145/146: 159, 145/146: 169 (ME), 148/149: 98, 150/151: 143, 150/151: 236 (RS), 152/153: 25, 154/155: 145, 154/155: 173 (BA), 154/155: 203 (FI), 154/155: 217 (FR), 154/155: 225 (GB), 154/155: 239 (IE), 154/155: 255 (PL), 154/155: 261 (SK), 154/155: 277 (SE), 154/155: 301 (LV), 156/157: 83, 156/157: 93, 156/157: 118

Asio otus 98/99: 3, 98/99: 35, 98/99: 43, 98/99: 47, 98/99: 67 (IT), 98/99: 75, 98/99: 85 (HR), 98/99: 94, 98/99: 96, 98/99: 97, 98/99: 98, 100: 107, 102/103: 241, 102/103: 249, 104/105: 62, 106/107: 115, 109: 219, 112: 81, 112: 101, 113/114: 129, 113/114: 157 (RS), 115: 201 (MK), 119: 150, 120: 27, 121: 89, 122: 139 (TR), 123: 213, 124: 50, 124: 54 (HR), 127: 198, 130/131: 139 (RO), 137: 114, 140: 39, 141/142/143: 195, 145/146: 158, 148/149: 97, 150/151: 143, 150/151: 235 (RS), 150/151: 236 (RS), 152/153: 5, 154/155: 145, 154/155: 173 (BA), 154/155: 191 (HR), 154/155: 203 (FI), 154/155: 217 (FR), 154/155: 225 (GB), 154/155: 233 (HU), 154/155: 239 (IE), 154/155: 255 (PL), 154/155: 261 (SK), 154/155: 271, 154/155: 277 (SE), 154/155: 283 (BE), 154/155: 301 (LV), 154/155: 309 (PT), 156/157: 13 (DZ), 156/157: 49

Athene noctua 98/99: 1, 98/99: 35, 98/99: 39, 98/99: 43, 98/99: 47, 98/99: 67 (IT), 98/99: 71, 98/99: 85 (HR), 98/99: 89, 98/99: 89 (HR), 98/99: 90, 98/99: 91, 100: 107, 100: 135, 102/103: 241, 102/103: 249, 106/107: 69, 106/107: 115, 112: 81, 112: 91, 112: 101, 112: 102, 115: 196, 118: 115 (HR), 120: 15 (BG), 122: 139 (TR), 125: 109, 128/129: 3 (CN), 128/129: 59 (BG), 130/131: 181 (ME), 136: 23, 136: 59 (AL), 137: 105 (IL), 137: 116, 140: 40, 141/142/143: 195, 144: 15 (HR), 145/146: 115 (TR), 147: 181 (MK), 148/149: 97, 150/151: 143, 154/155: 145, 154/155: 173 (BA), 154/155: 217 (FR), 154/155: 225 (GB), 154/155: 261 (SK), 154/155: 271, 154/155: 283 (BE), 154/155: 309 (PT), 154/155: 321 (ES), 156/157: 13 (DZ), 156/157: 49

Athene noctua impasta 128/129: 3 (CN)

Aythya ferina 102/103: 249, 102/103: 265, 102/103: 271, 106/107: 115, 108: 171, 110/111: 43, 115: 200 (MK), 117: 79 (HR), 118: 87 (BG), 118: 110, 119: 154 (HR), 120: 5, 123: 195, 123: 224, 124: 45, 125: 81 (BG), 125: 99, 125: 113 (RS), 126: 123, 126: 151, 128/129: 45 (BA), 130/131: 160, 130/131: 171, 132: 23, 132: 39, 135: 141, 136: 39, 137: 111, 137: 122 (RS), 138/139: 169, 138/139: 193 (RS), 141/142/143: 55, 141/142/143: 181, 141/142/143: 195, 144: 58, 145/146: 131, 147: 181 (MK), 148/149: 1, 148/149: 67, 148/149: 88, 150/151: 127 (BG), 150/151: 143, 152/153: 25, 152/153: 109, 156/157: 93, 156/157: 105, 156/157: 107

Aythya ferina × *A. nyroca* 132: 39, 136: 39, 138/139: 169, 145/146: 131, 148/149: 67, 150/151: 216, 152/153: 109, 156/157: 93

Aythya fuligula 102/103: 249, 102/103: 265, 102/103: 271, 106/107: 115, 108: 171, 110/111: 43, 117: 79 (HR), 121: 94, 122: 162, 123: 195, 125: 99, 126: 123, 126: 151, 130/131: 160, 132: 23, 135: 141, 135: 170 (HR), 136: 39, 136: 67, 137: 111, 138/139: 169, 141/142/143: 55, 141/142/143: 181, 141/142/143: 195, 144: 58, 145/146: 131, 147: 181 (MK), 148/149: 1, 148/149: 67, 148/149: 88, 150/151: 143, 152/153: 25, 152/153: 109, 156/157: 13 (DZ), 156/157: 93, 156/157: 107

Aythya marila 106/107: 115, 125: 69, 125: 99, 130/131: 160, 132: 23, 136: 39, 138/139: 169, 141/142/143: 55, 145/146: 131, 148/149: 67, 150/151: 143, 152/153: 25, 152/153: 109, 156/157: 107

Aythya marila marila 125: 69

Aythya nyroca 102/103: 249, 102/103: 276, 102/103: 285 (HR), 106/107: 115, 109: 240 (HR), 113/114: 155 (RS), 115: 200 (MK), 116: 31, 117: 79 (HR), 118: 87 (BG), 118: 110, 120: 5, 121: 71 (RS), 121: 98 (RS), 122: 169 (RS), 123: 185, 123: 195, 123: 232 (RS), 124: 45, 124: 56 (RS), 125: 81 (BG), 125: 99, 125: 111 (BA), 128/129: 37 (BG), 130/131: 139 (RO), 130/131: 160, 130/131: 171, 130/131: 174, 132: 23, 132: 39, 132: 41, 133: 80, 136: 1, 136: 39, 137: 111, 137: 122 (RS), 138/139: 129, 138/139: 169, 138/139: 193 (RS), 141/142/143: 49, 141/142/143: 55, 141/142/143: 181, 141/142/143: 195, 141/142/143: 217, 144: 58, 145/146: 131, 147: 181 (MK), 148/149: 1, 148/149: 67, 148/149: 88, 148/149: 89, 150/151: 127 (BG), 150/151: 143, 150/151: 215, 152/153: 1, 152/153: 25, 152/153: 109, 156/157: 93

Balaeniceps rex 102/103: 223 (AT)

Bombycilla garrulus 106/107: 115, 106/107: 126, 117: 78, 124: 61 (BG), 128/129: 103, 128/129: 109 (BA), 130/131: 179 (RS), 135: 178 (RS), 141/142/143: 195, 141/142/143: 221, 145/146: 161, 150/151: 143, 156/157: 122

Bonasa bonasia → **Tetrastes bonasia**

Botaurus stellaris 102/103: 249, 102/103: 271, 102/103: 275, 106/107: 115, 110/111: 43, 110/111: 49, 112: 99, 115: 201 (MK), 116: 21 (HR), 116: 31, 117: 73, 118: 87 (BG), 118: 109, 120: 5, 120: 33, 121: 93, 121: 98 (RS), 122: 139 (TR), 123: 195, 123: 231 (RS), 125: 99, 125: 113 (RS), 126: 123, 126: 151, 128/129: 45 (BA), 128/129: 99, 130/131: 160, 134: 132 (HR), 136:

39, 136: 73 (HR), 138/139: 169, 141/142/143: 55, 141/142/143: 181, 141/142/143: 195, 141/142/143: 195, 145/146: 131, 147: 181 (MK), 148/149: 1, 148/149: 67, 148/149: 85, 148/149: 86, 150/151: 143, 152/153: 25, 156/157: 93, 156/157: 108, 156/157: 109

Branta bernicla 106/107: 115, 120: 34, 150/151: 143

Branta bernicla bernicla 120: 34

Branta canadensis 106/107: 115, 144: 58, 145/146: 131, 148/149: 81, 150/151: 143, 150/151: 205 (GR), 152/153: 109, 156/157: 83

Branta canadensis interior 150/151: 205 (GR)

Branta canadensis maxima 150/151: 205 (GR)

Branta canadensis moffitti 150/151: 205 (GR)

Branta hutchinsii 150/151: 205 (GR)

Branta leucopsis 106/107: 115, 138/139: 169, 140: 37, 150/151: 143, 152/153: 25

Branta ruficollis 141/142/143: 55, 141/142/143: 195, 144: 53, 145/146: 152, 147: 181 (MK), 150/151: 143

Bubo bubo 98/99: 47, 98/99: 55, 98/99: 61, 98/99: 86 (HR), 98/99: 87, 98/99: 88, 102/103: 241, 102/103: 249, 106/107: 115, 112: 81, 112: 91, 113/114: 129, 113/114: 151, 115: 189 (HR), 115: 199 (HR), 116: 33, 117: 77, 119: 150, 120: 5, 120: 39 (HR), 121: 91, 122: 119, 122: 139 (TR), 127: 201 (HR), 128/129: 3 (CN), 130/131: 178 (RS), 130/131: 181 (ME), 134: 122 (BG), 134: 129, 135: 176, 135: 177 (HR), 136: 59 (AL), 147: 181 (MK), 148/149: 1, 148/149: 11, 148/149: 29 (BG), 148/149: 97, 150/151: 143, 152/153: 5, 154/155: 145, 154/155: 167 (BY), 154/155: 173 (BA), 154/155: 191 (HR), 154/155: 203 (FI), 154/155: 217 (FR), 154/155: 233 (HU), 154/155: 247 (NO), 154/155: 255 (PL), 154/155: 261 (SK), 154/155: 271, 154/155: 277 (SE), 154/155: 283 (BE), 154/155: 285 (EE), 154/155: 297 (IT), 154/155: 301 (LV), 154/155: 309 (PT), 156/157: 27 (RS)

Bubo bubo tibetanus 128/129: 3 (CN)

Bubo scandiacus 106/107: 115, 125: 69, 150/151: 143, 154/155: 145, 154/155: 203 (FI), 154/155: 239 (IE), 154/155: 247 (NO), 154/155: 261 (SK), 154/155: 277 (SE)

Bubo zeylonensis 124: 49

Bubulcus ibis 138/139: 169, 144: 68 (MK), 145/146: 151, 148/149: 86, 148/149: 103 (HR), 150/151:

143, 150/151: 217, 150/151: 230 (HR), 156/157: 13 (DZ), 156/157: 83, 156/157: 109, 156/157: 124 (HR)

Bucephala clangula 102/103: 271, 106/107: 115, 108: 171, 110/111: 43, 116: 31, 125: 99, 126: 123, 126: 151, 130/131: 160, 132: 23, 133: 80, 135: 141, 136: 39, 138/139: 169, 141/142/143: 55, 141/142/143: 195, 144: 58, 145/146: 131, 147: 181 (MK), 148/149: 1, 148/149: 67, 148/149: 88, 150/151: 143, 152/153: 25, 152/153: 109, 156/157: 93

Burhinus oedicnemus 106/107: 115, 108: 182 (HR), 110/111: 39 (ME), 110/111: 57 (MK), 120: 5, 121: 101 (ME), 136: 59 (AL), 144: 1, 147: 181 (MK), 150/151: 143

Buteo buteo 98/99: 9, 98/99: 92, 100: 107, 100: 165, 102/103: 241, 102/103: 249, 102/103: 278, 104/105: 56, 104/105: 57, 106/107: 115, 108: 181 (HR), 109: 219, 109: 233, 110/111: 50, 110/111: 53, 112: 81, 112: 100, 113/114: 149, 116: 31, 117: 74, 117: 75, 118: 110, 118: 112, 119: 153 (HR), 120: 15 (BG), 120: 27, 121: 97 (HR), 122: 119, 122: 139 (TR), 123: 213, 124: 23 (BG), 124: 48, 124: 49, 124: 55 (RS), 124: 56 (RS), 125: 107, 125: 108, 126: 147 (RS), 128/129: 45 (BA), 128/129: 86, 130/131: 139 (RO), 130/131: 179 (RS), 132: 40, 132: 43 (HR), 133: 79, 133: 84, 134: 119 (BG), 135: 170 (HR), 135: 174, 136: 51, 136: 59 (AL), 137: 111, 138/139: 191 (ME), 140: 38, 141/142/143: 55, 141/142/143: 165, 141/142/143: 181, 141/142/143: 195, 145/146: 77, 145/146: 115 (TR), 145/146: 154, 145/146: 156, 145/146: 167 (ME), 148/149: 29 (BG), 148/149: 45, 150/151: 143, 150/151: 218, 150/151: 219, 150/151: 227, 150/151: 233 (HR), 150/151: 235 (RS), 152/153: 25, 152/153: 127, 154/155: 145, 154/155: 159 (AT), 154/155: 167 (BY), 154/155: 173 (BA), 154/155: 181 (BG), 154/155: 191 (HR), 154/155: 203 (FI), 154/155: 217 (FR), 154/155: 225 (GB), 154/155: 233 (HU), 154/155: 239 (IE), 154/155: 255 (PL), 154/155: 261 (SK), 154/155: 271, 154/155: 277 (SE), 154/155: 285 (EE), 154/155: 289 (GE), 154/155: 297 (IT), 154/155: 301 (LV), 154/155: 309 (PT), 154/155: 315 (RU), 156/157: 13 (DZ), 156/157: 49, 156/157: 109, 156/157: 110, 115, 156/157: 116

Buteo buteo buteo 154/155: 289 (GE)

Buteo buteo vulpinus 121: 97 (HR), 152/153: 25, 154/155: 289 (GE)

Buteo lagopus 102/103: 278, 104/105: 56, 106/107:

115, 120: 15 (BG), 150/151: 143, 150/151: 219, 152/153: 25, 152/153: 127, 154/155: 145, 154/155: 173 (BA), 154/155: 191 (HR), 154/155: 203 (FI), 154/155: 233 (HU), 154/155: 261 (SK), 154/155: 277 (SE), 154/155: 285 (EE), 154/155: 289 (GE), 154/155: 315 (RU)

Buteo rufinus 106/107: 115, 108: 183 (MK), 122: 139 (TR), 122: 176 (TR), 123: 236 (TR), 124: 23 (BG), 125: 112 (BA), 128/129: 45 (BA), 145/146: 155, 147: 181 (MK), 148/149: 29 (BG), 150/151: 117, 150/151: 143, 150/151: 211 (BG), 152/153: 126, 154/155: 145, 154/155: 173 (BA), 154/155: 181 (BG), 154/155: 233 (HU), 154/155: 261 (SK), 154/155: 289 (GE), 154/155: 315 (RU), 156/157: 13 (DZ), 156/157: 83

Cairina moschata 113/114: 148, 121: 79, 125: 99, 130/131: 160, 132: 23, 136: 39, 138/139: 169, 141/142/143: 210, 145/146: 131, 148/149: 67, 150/151: 143, 152/153: 109, 156/157: 83, 156/157: 93

Calandrella brachydactyla 102/103: 249, 106/107: 109, 106/107: 115, 108: 179, 108: 180, 120: 5, 124: 23 (BG), 127: 199, 144: 64, 147: 181 (MK), 148/149: 99, 150/151: 143, 156/157: 13 (DZ)

Calandrella rufescens 122: 139 (TR), 156/157: 13 (DZ)

Calcarius lapponicus 106/107: 115, 137: 119, 150/151: 143

Calidris alba 106/107: 115, 115: 199 (HR), 118: 114 (HR), 119: 152 (HR), 150/151: 143, 150/151: 222, 152/153: 25, 156/157: 79 (ME), 156/157: 127 (HR)

Calidris alpina 102/103: 269, 102/103: 271, 106/107: 115, 108: 171, 110/111: 43, 119: 152 (HR), 120: 39 (HR), 122: 162, 125: 99, 125: 113 (RS), 126: 123, 128/129: 92 (BG), 130/131: 160, 132: 23, 133: 85 (HR), 135: 178 (RS), 136: 39, 138/139: 169, 141/142/143: 55, 141/142/143: 195, 145/146: 131, 148/149: 67, 148/149: 94, 150/151: 143, 150/151: 234 (HR), 152/153: 25, 152/153: 109, 156/157: 93

Calidris canutus 106/107: 109, 106/107: 115, 120: 39 (HR), 126: 161 (BG), 128/129: 107 (HR), 132: 41, 141/142/143: 55, 141/142/143: 195, 144: 62, 150/151: 143, 152/153: 25, 156/157: 127 (HR)

Calidris ferruginea 102/103: 269, 106/107: 115, 115: 199 (HR), 115: 200 (MK), 118: 115 (HR), 120: 39 (HR), 122: 162, 124: 54 (HR), 128/129: 92

(BG), 128/129: 107 (HR), 136: 1, 141/142/143: 55, 141/142/143: 195, 148/149: 93, 148/149: 105 (HR), 150/151: 143, 152/153: 25, 156/157: 128 (RS)

Calidris melanotos 102/103: 269, 106/107: 115, 148/149: 93, 150/151: 143

Calidris minuta 102/103: 269, 102/103: 271, 106/107: 115, 115: 199 (HR), 118: 115 (HR), 120: 39 (HR), 122: 162, 125: 99, 125: 113 (RS), 126: 161 (BG), 128/129: 92 (BG), 128/129: 107 (HR), 130/131: 160, 132: 41, 135: 178 (RS), 136: 39, 138/139: 169, 141/142/143: 55, 141/142/143: 195, 141/142/143: 216, 145/146: 131, 150/151: 143, 150/151: 223, 152/153: 25, 156/157: 49, 156/157: 93, 156/157: 114

Calidris temminckii 106/107: 115, 117: 76, 120: 39 (HR), 141/142/143: 55, 141/142/143: 195, 150/151: 143, 150/151: 234 (HR), 152/153: 25

Callonetta lucoprys 106/107: 115, 110/111: 43, 115: 194, 121: 79, 150/151: 143

Calonectris borealis 148/149: 79 (GR)

Calonectris diomedea 104/105: 9 (HR), 104/105: 63 (HR), 148/149: 79 (GR)

Caprimulgus europaeus 98/99: 39, 98/99: 85 (HR), 100: 107, 100: 135, 102/103: 241, 102/103: 249, 104/105: 47, 106/107: 115, 106/107: 125, 112: 102, 113/114: 151, 117: 80 (HR), 120: 15 (BG), 120: 35, 122: 139 (TR), 124: 23 (BG), 136: 59 (AL), 147: 181 (MK), 148/149: 1, 150/151: 143, 156/157: 49

Carduelis cabaret 150/151: 143

Carduelis cannabina 100: 107, 102/103: 249, 104/105: 29, 106/107: 115, 106/107: 122, 106/107: 132 (HR), 109: 219, 112: 102, 115: 202 (MK), 120: 15 (BG), 120: 27, 122: 139 (TR), 124: 23 (BG), 128/129: 45 (BA), 128/129: 59 (BG), 137: 114, 137: 119, 138/139: 192 (RS), 140: 3, 141/142/143: 165, 141/142/143: 181, 141/142/143: 195, 145/146: 159, 147: 181 (MK), 150/151: 143, 156/157: 13 (DZ), 156/157: 49

Carduelis cannabina mediterranea 156/157: 13 (DZ)

Carduelis carduelis 100: 107, 102/103: 241, 102/103: 249, 106/107: 115, 109: 219, 120: 15 (BG), 120: 27, 122: 139 (TR), 123: 213, 124: 23 (BG), 125: 81 (BG), 128/129: 45 (BA), 128/129: 59 (BG), 135: 170 (HR), 141/142/143: 165, 141/142/143: 195, 144: 7 (RS), 145/146: 115

(TR), 150/151: 143, 150/151: 236 (RS), 156/157: 13 (DZ), 156/157: 49

Carduelis carduelis niediecki 156/157: 13 (DZ)

Carduelis chloris → *Chloris chloris*

Carduelis citrinella 102/103: 249, 106/107: 109, 106/107: 115, 120: 5, 150/151: 143

Carduelis flammea 150/151: 143

Carduelis flammea compl. 102/103: 249, 106/107: 115, 120: 5, 125: 116 (RS), 127: 201 (HR), 128/129: 104, 140: 45 (BG), 141/142/143: 195, 156/157: 49

Carduelis flavirostris 106/107: 109, 106/107: 115, 150/151: 143, 150/151: 229

Carduelis spinus 100: 107, 102/103: 249, 106/107: 115, 112: 103, 120: 5, 125: 116 (RS), 138/139: 192 (RS), 140: 45 (BG), 141/142/143: 195, 145/146: 159, 147: 181 (MK), 150/151: 143, 156/157: 13 (DZ), 156/157: 49

Carpodacus erythrinus 102/103: 249, 104/105: 29, 106/107: 115, 108: 180, 120: 5, 128/129: 105, 136: 55 (BG), 140: 3, 140: 44 (HR), 148/149: 1, 150/151: 143, 152/153: 130, 156/157: 49

Carpospiza brachydactyla 122: 139 (TR)

Casmerodius albus → *Ardea alba*

Catharacta skua → *Stercorarius skua*

Cecropis daurica 102/103: 241, 102/103: 249, 102/103: 261, 102/103: 282, 106/107: 109, 106/107: 115, 110/111: 59 (MK), 112: 107 (BA), 119: 154 (HR), 120: 5, 120: 15 (BG), 121: 98 (HR), 122: 176 (TR), 124: 23 (BG), 125: 69, 126: 158 (HR), 130/131: 177 (BA), 130/131: 179 (RS), 133: 85 (HR), 136: 59 (AL), 141/142/143: 195, 145/146: 165 (HR), 148/149: 100, 150/151: 143

Cecropis daurica rufula 102/103: 261

Cephus grylle 106/107: 115, 150/151: 143

Cercotrichas galactotes 122: 139 (TR), 122: 149 (BA), 147: 181 (MK)

Certhia brachydactyla 100: 107, 100: 135, 102/103: 241, 102/103: 249, 106/107: 115, 123: 218, 130/131: 181 (ME), 136: 59 (AL), 141/142/143: 195, 147: 181 (MK), 150/151: 143, 156/157: 13 (DZ), 156/157: 49

Certhia familiaris 100: 107, 102/103: 241, 102/103: 249, 106/107: 115, 112: 103, 120: 15 (BG), 123:

- 218, 133: 82, 134: 95 (BG), 141/142/143: 195, 150/151: 143, 150/151: 237 (RS), 156/157: 49
- Cettia cetti** 102/103: 249, 106/107: 115, 112: 104 (HR), 112: 107 (BA), 113/114: 149, 115: 201 (MK), 120: 5, 128/129: 106 (HR), 134: 133 (HR), 135: 170 (HR), 145/146: 115 (TR), 148/149: 101, 148/149: 106 (ME), 150/151: 143, 156/157: 13 (DZ), 156/157: 49
- Charadrius alexandrinus** 102/103: 249, 102/103: 271, 106/107: 115, 108: 171, 110/111: 39 (ME), 110/111: 43, 117: 76, 119: 152 (HR), 120: 5, 120: 38 (HR), 122: 161, 125: 99, 126: 123, 128/129: 92 (BG), 136: 39, 138/139: 169, 141/142/143: 55, 141/142/143: 195, 145/146: 115 (TR), 148/149: 1, 150/151: 143, 150/151: 232 (HR), 152/153: 109, 156/157: 49, 156/157: 79 (ME), 156/157: 93, 156/157: 113
- Charadrius dubius** 102/103: 241, 102/103: 249, 104/105: 35 (HR), 106/107: 115, 106/107: 123, 116: 33, 117: 76, 118: 116 (ME), 120: 15 (BG), 121: 98 (RS), 122: 169 (RS), 124: 57 (RS), 125: 81 (BG), 126: 151, 126: 156, 128/129: 107 (HR), 141/142/143: 55, 141/142/143: 181, 141/142/143: 195, 144: 27, 145/146: 115 (TR), 148/149: 1, 150/151: 143, 150/151: 232 (HR), 150/151: 235 (RS), 152/153: 25, 156/157: 49, 156/157: 112, 156/157: 128 (RS)
- Charadrius hiaticula** 106/107: 115, 117: 76, 118: 115 (HR), 119: 152 (HR), 122: 169 (RS), 124: 54 (HR), 128/129: 92 (BG), 128/129: 107 (HR), 141/142/143: 55, 141/142/143: 195, 148/149: 94, 150/151: 143, 150/151: 223, 150/151: 232 (HR), 150/151: 234 (HR), 152/153: 25, 152/153: 109, 152/153: 132 (BG)
- Charadrius mongolus pamirensis** 152/153: 132 (BG)
- Charadrius morinellus** 106/107: 109, 106/107: 115, 106/107: 123, 116: 32, 134: 120 (BG), 144: 62, 148/149: 92, 150/151: 143, 150/151: 221, 150/151: 222, 152/153: 25, 152/153: 127, 156/157: 83
- Chenonetta jubata** 118: 110, 120: 31, 121: 79, 150/151: 143
- Chlamydotis macqueeni¹** 106/107: 115, 125: 69, 150/151: 143
- Chlidonias hybrida** 106/107: 115, 109: 239 (HR), 115: 200 (MK), 120: 5, 121: 102 (ME), 122: 111 (ME), 123: 233 (RS), 124: 54 (HR), 125: 69, 125: 81 (BG), 136: 59 (AL), 141/142/143: 55, 141/142/143: 195, 145/146: 169 (ME), 147: 181 (MK), 148/149: 1, 150/151: 143, 150/151: 235 (RS), 152/153: 25
- Chlidonias leucopterus** 106/107: 115, 122: 139 (TR), 125: 81 (BG), 135: 141, 141/142/143: 55, 141/142/143: 195, 145/146: 115 (TR), 150/151: 143, 152/153: 25
- Chlidonias niger** 102/103: 249, 102/103: 265, 104/105: 58, 106/107: 115, 106/107: 123, 115: 200 (MK), 120: 5, 124: 54 (HR), 125: 81 (BG), 126: 151, 128/129: 45 (BA), 133: 85 (HR), 135: 141, 141/142/143: 55, 141/142/143: 195, 145/146: 115 (TR), 147: 181 (MK), 148/149: 1, 148/149: 96, 150/151: 143, 152/153: 25
- Chloris chloris** 100: 107, 100: 135, 102/103: 241, 102/103: 249, 104/105: 29, 106/107: 115, 109: 219, 112: 81, 120: 15 (BG), 120: 27, 123: 213, 124: 23 (BG), 125: 81 (BG), 128/129: 45 (BA), 128/129: 59 (BG), 134: 95 (BG), 135: 170 (HR), 136: 53, 141/142/143: 165, 141/142/143: 181, 141/142/143: 195, 144: 7 (RS), 145/146: 115 (TR), 147: 181 (MK), 150/151: 143, 156/157: 13 (DZ), 156/157: 49
- Chloris chloris aurantiiventris** 156/157: 13 (DZ)
- Chroicocephalus genei** 106/107: 115, 110/111: 35 (HR), 119: 135 (HR), 122: 176 (TR), 123: 237 (TR), 124: 53 (HR), 148/149: 96, 150/151: 143, 156/157: 83
- Chroicocephalus philadelphia** 156/157: 83
- Chroicocephalus ridibundus** 100: 107, 102/103: 249, 102/103: 271, 102/103: 279, 102/103: 285 (HR), 104/105: 58, 106/107: 115, 106/107: 123, 106/107: 124, 108: 171, 109: 219, 109: 225, 109: 233, 109: 239 (HR), 110/111: 35 (HR), 110/111: 43, 112: 81, 112: 99, 112: 101, 115: 163, 115: 200 (MK), 116: 42 (BG), 118: 114 (HR), 118: 116 (ME), 119: 135 (HR), 120: 15 (BG), 120: 38 (HR), 121: 94, 121: 101, 122: 135, 122: 139 (TR), 122: 161, 122: 165 (HR), 122: 173 (ME), 123: 201, 123: 226, 123: 233 (RS), 124: 54 (HR), 125: 81 (BG), 125: 99, 125: 115 (RS), 126: 123, 126: 151, 127: 198, 128/129: 110 (RS), 130/131: 160, 132: 23, 132: 42, 135: 141, 135: 170 (HR), 136: 39, 138/139: 169, 138/139: 181, 141/142/143: 55, 141/142/143: 195, 141/142/143: 213, 141/142/143: 218, 141/142/143: 219, 144: 60, 145/146: 131, 147: 181 (MK), 148/149: 1, 148/149: 67, 148/149: 95, 148/149: 96, 150/151: 143, 150/151: 225, 152/153: 25, 152/153: 109,

156/157: 13 (DZ), 156/157: 43, 156/157: 49, 156/157: 79 (ME), 156/157: 93, 156/157: 109, 156/157: 115, 156/157: 128 (RS)

Ciconia abdimii 102/103: 223 (AT)

Ciconia ciconia 100: 161, 102/103: 223 (AT), 102/103: 249, 102/103: 271, 102/103: 276, 106/107: 89, 106/107: 115, 109: 191 (HR), 109: 219, 110/111: 43, 112: 67 (MK), 112: 97 (RS), 117: 73, 119: 147, 120: 15 (BG), 120: 33, 120: 38 (HR), 121: 90, 121: 94, 122: 139 (TR), 122: 169 (RS), 123: 195, 123: 213, 123: 217, 123: 228, 125: 81 (BG), 128/129: 13 (RS), 128/129: 108 (BA), 128/129: 112 (TR), 130/131: 160, 132: 23, 133: 85 (HR), 135: 173, 136: 1, 136: 23, 136: 39, 136: 59 (AL), 137: 110, 138/139: 143 (IT), 138/139: 169, 140: 25, 140: 37, 141/142/143: 55, 141/142/143: 195, 145/146: 101, 145/146: 115 (TR), 145/146: 131, 145/146: 153, 147: 181 (MK), 148/149: 1, 148/149: 29 (BG), 148/149: 67, 150/151: 143, 150/151: 207, 152/153: 25, 152/153: 109, 152/153: 125, 152/153: 131 (ME), 156/157: 13 (DZ), 156/157: 49, 156/157: 93, 115, 156/157: 116

Ciconia episcopus 102/103: 223 (AT)

Ciconia nigra 100: 135, 102/103: 223 (AT), 102/103: 241, 102/103: 249, 102/103: 276, 104/105: 54, 106/107: 115, 106/107: 121, 108: 181 (HR), 109: 233, 109: 239 (HR), 112: 97 (RS), 113/114: 145 (RS), 113/114: 147, 113/114: 154 (RS), 113/114: 155 (RS), 115: 179, 117: 73, 119: 152 (HR), 120: 5, 120: 15 (BG), 122: 161, 122: 169 (RS), 123: 223, 124: 53 (HR), 125: 107, 125: 113 (RS), 126: 151, 126: 157, 126: 158 (HR), 127: 197, 128/129: 105 (HR), 128/129: 112 (TR), 130/131: 169 (HR), 130/131: 180 (ME), 133: 79, 134: 127, 137: 112, 141/142/143: 55, 141/142/143: 181, 141/142/143: 195, 145/146: 143 (BG), 147: 181 (MK), 148/149: 1, 148/149: 29 (BG), 150/151: 143, 152/153: 25, 152/153: 124, 154/155: 301 (LV), 156/157: 13 (DZ), 115, 156/157: 116

Ciconia stormi 102/103: 223 (AT)

Cinclus cinclus 100: 107, 102/103: 241, 102/103: 249, 102/103: 271, 104/105: 57, 104/105: 61, 106/107: 115, 108: 171, 110/111: 43, 124: 23 (BG), 125: 99, 125: 112 (BA), 126: 123, 130/131: 160, 132: 23, 135: 141, 136: 39, 136: 59 (AL), 136: 70, 138/139: 169, 145/146: 131, 148/149: 67, 150/151: 143, 152/153: 109, 156/157: 49, 156/157: 93

Circaetus gallicus 102/103: 241, 102/103: 249, 106/107: 115, 110/111: 50, 113/114: 148, 115: 194, 117: 74, 117: 75, 117: 79 (HR), 119: 153 (HR), 120: 5, 120: 15 (BG), 120: 40 (HR), 121: 97, 121: 97 (HR), 122: 139 (TR), 122: 176 (TR), 124: 23 (BG), 124: 48, 124: 55 (RS), 125: 107, 126: 147 (RS), 128/129: 45 (BA), 134: 133 (HR), 135: 170 (HR), 136: 59 (AL), 137: 122 (RS), 138/139: 191 (ME), 140: 38, 145/146: 77, 147: 181 (MK), 148/149: 1, 148/149: 29 (BG), 148/149: 53, 148/149: 90, 150/151: 143, 152/153: 25, 154/155: 145, 154/155: 167 (BY), 154/155: 173 (BA), 154/155: 181 (BG), 154/155: 191 (HR), 154/155: 217 (FR), 154/155: 233 (HU), 154/155: 255 (PL), 154/155: 261 (SK), 154/155: 289 (GE), 154/155: 297 (IT), 154/155: 309 (PT), 154/155: 315 (RU)

Circus aeruginosus 100: 107, 102/103: 277, 106/107: 115, 106/107: 121, 108: 163, 112: 103 (HR), 117: 80 (HR), 118: 110, 119: 152 (HR), 119: 153 (HR), 120: 5, 120: 15 (BG), 120: 38 (HR), 120: 39 (HR), 121: 102 (ME), 122: 139 (TR), 122: 163, 123: 224, 124: 47, 124: 53 (HR), 125: 81 (BG), 125: 107, 125: 113 (RS), 126: 151, 128/129: 45 (BA), 128/129: 86, 128/129: 101, 128/129: 106 (HR), 133: 81, 133: 84, 134: 129, 134: 133 (HR), 136: 59 (AL), 141/142/143: 55, 141/142/143: 181, 141/142/143: 195, 141/142/143: 209, 141/142/143: 213, 144: 60, 145/146: 77, 145/146: 131, 145/146: 153, 145/146: 154, 148/149: 1, 148/149: 29 (BG), 148/149: 67, 148/149: 91, 148/149: 96, 148/149: 107 (ME), 150/151: 143, 152/153: 25, 152/153: 109, 152/153: 128, 154/155: 145, 154/155: 159 (AT), 154/155: 167 (BY), 154/155: 173 (BA), 154/155: 191 (HR), 154/155: 203 (FI), 154/155: 217 (FR), 154/155: 225 (GB), 154/155: 233 (HU), 154/155: 239 (IE), 154/155: 255 (PL), 154/155: 261 (SK), 154/155: 271, 154/155: 277 (SE), 154/155: 283 (BE), 154/155: 289 (GE), 154/155: 297 (IT), 154/155: 301 (LV), 154/155: 305 (MT), 154/155: 315 (RU), 156/157: 13 (DZ), 156/157: 33, 156/157: 110, 156/157: 111, 156/157: 124 (HR)

Circus cyaneus 102/103: 277, 106/107: 115, 118: 112, 119: 153 (HR), 120: 15 (BG), 122: 139 (TR), 127: 191, 128/129: 45 (BA), 134: 129, 141/142/143: 55, 141/142/143: 195, 145/146: 77, 148/149: 1, 148/149: 29 (BG), 148/149: 91, 150/151: 143, 152/153: 25, 154/155: 145, 154/155: 159 (AT), 154/155: 167 (BY), 154/155: 173 (BA), 154/155: 191 (HR), 154/155: 203 (FI), 154/155: 217 (FR), 154/155: 225 (GB), 154/155: 233 (HU), 154/155: 239 (IE), 154/155: 261 (SK),

154/155: 277 (SE), 154/155: 283 (BE), 154/155: 285 (EE), 154/155: 289 (GE), 154/155: 315 (RU), 156/157: 13 (DZ), 156/157: 111, 156/157: 118

Circus macrourus 106/107: 109, 106/107: 115, 119: 148, 121: 102 (ME), 140: 38, 144: 60, 144: 68 (MK), 145/146: 153, 145/146: 154, 147: 181 (MK), 148/149: 1, 148/149: 29 (BG), 148/149: 91, 150/151: 143, 152/153: 126, 154/155: 145, 154/155: 173 (BA), 154/155: 203 (FI), 154/155: 217 (FR), 154/155: 261 (SK), 154/155: 289 (GE), 154/155: 305 (MT), 154/155: 315 (RU), 156/157: 83, 156/157: 111

Circus pygargus 102/103: 277, 106/107: 115, 108: 163, 115: 194, 116: 37 (HR), 117: 78, 117: 81 (RS), 119: 153 (HR), 120: 5, 120: 15 (BG), 122: 139 (TR), 123: 224, 124: 53 (HR), 128/129: 45 (BA), 128/129: 88 (BG), 133: 84, 134: 129, 134: 133 (HR), 135: 177 (HR), 138/139: 191 (ME), 141/142/143: 55, 141/142/143: 195, 141/142/143: 214, 144: 60, 145/146: 77, 145/146: 153, 147: 181 (MK), 148/149: 1, 148/149: 29 (BG), 148/149: 91, 150/151: 143, 150/151: 231 (HR), 152/153: 25, 154/155: 145, 154/155: 159 (AT), 154/155: 167 (BY), 154/155: 173 (BA), 154/155: 191 (HR), 154/155: 203 (FI), 154/155: 217 (FR), 154/155: 225 (GB), 154/155: 233 (HU), 154/155: 255 (PL), 154/155: 261 (SK), 154/155: 277 (SE), 154/155: 283 (BE), 154/155: 289 (GE), 154/155: 297 (IT), 154/155: 305 (MT), 154/155: 315 (RU), 156/157: 49

Cisticola juncidis 102/103: 241, 102/103: 249, 106/107: 115, 119: 152 (HR), 120: 5, 122: 149 (BA), 137: 118, 140: 43 (HR), 145/146: 115 (TR), 148/149: 108 (ME), 150/151: 143, 156/157: 13 (DZ)

Clamator glandarius 106/107: 115, 123: 235 (BG), 133: 75 (BG), 145/146: 115 (TR), 148/149: 105 (HR), 150/151: 143, 150/151: 233 (HR)

Clangula hyemalis 106/107: 115, 115: 198, 125: 99, 126: 123, 132: 23, 136: 39, 138/139: 169, 150/151: 143, 152/153: 25, 156/157: 93, 156/157: 107

Coccothraustes coccothraustes 100: 107, 102/103: 241, 102/103: 249, 106/107: 115, 109: 219, 109: 239, 112: 81, 115: 202 (MK), 120: 15 (BG), 123: 213, 123: 230 (HR), 124: 23 (BG), 128/129: 45 (BA), 128/129: 59 (BG), 135: 170 (HR), 136: 51, 141/142/143: 165, 141/142/143: 195, 144: 7 (RS), 150/151: 143, 156/157: 49

Colinus virginianus 106/107: 115, 112: 104 (HR), 128/129: 73, 150/151: 143, 156/157: 83

Columba livia 102/103: 217, 102/103: 249, 104/105: 3 (OM), 106/107: 69, 106/107: 115, 112: 81, 112: 108 (BA), 116: 37 (HR), 120: 5, 120: 40 (HR), 122: 139 (TR), 136: 59 (AL), 150/151: 143, 152/153: 5, 156/157: 13 (DZ), 156/157: 71 (HR)

Columba livia domestica 102/103: 217, 106/107: 69, 112: 91, 112: 102, 116: 41 (BG), 120: 15 (BG), 123: 213, 125: 114 (RS), 128/129: 102, 135: 165, 137: 83 (IT), 141/142/143: 195, 144: 63, 150/151: 143, 156/157: 49

Columba oenas 100: 107, 100: 135, 102/103: 249, 106/107: 115, 109: 235, 113/114: 151, 113/114: 157 (RS), 120: 5, 120: 15 (BG), 123: 213, 123: 223, 123: 226, 125: 109, 127: 202 (BG), 128/129: 111 (RS), 141/142/143: 195, 144: 63, 145/146: 158, 147: 181 (MK), 148/149: 96, 150/151: 143, 150/151: 228, 150/151: 233 (HR), 150/151: 235 (RS), 152/153: 128, 156/157: 13 (DZ)

Columba palumbus 100: 107, 102/103: 249, 104/105: 45 (IT), 106/107: 115, 109: 219, 112: 81, 112: 100, 120: 15 (BG), 121: 99 (RS), 122: 139 (TR), 123: 223, 123: 226, 124: 23 (BG), 125: 81 (BG), 127: 202 (BG), 132: 42, 132: 43, 140: 41, 141/142/143: 165, 141/142/143: 195, 145/146: 153, 147: 181 (MK), 148/149: 96, 150/151: 143, 150/151: 228, 150/151: 233 (HR), 156/157: 13 (DZ), 156/157: 49

Coracias garrulus 100: 107, 100: 135, 102/103: 241, 102/103: 249, 106/107: 115, 108: 183 (MK), 110/111: 56 (HR), 115: 198, 117: 73, 119: 151, 120: 5, 121: 51 (AT), 121: 93, 121: 99 (RS), 122: 139 (TR), 122: 153, 125: 81 (BG), 126: 163 (TR), 128/129: 107 (HR), 130/131: 139 (RO), 136: 23, 136: 70, 137: 121 (HR), 138/139: 191 (ME), 140: 42 (HR), 144: 63, 145/146: 115 (TR), 147: 181 (MK), 148/149: 1, 150/151: 143, 156/157: 13 (DZ)

Corvus caurinus 150/151: 226

Corvus corax 100: 107, 102/103: 241, 102/103: 249, 106/107: 115, 108: 182 (HR), 110/111: 56 (HR), 112: 81, 112: 105 (HR), 113/114: 150, 113/114: 155 (RS), 118: 112, 118: 119 (ME), 120: 15 (BG), 120: 27, 120: 40 (RS), 121: 106 (RS), 122: 119, 124: 23 (BG), 124: 52, 126: 147 (RS), 126: 163 (TR), 128/129: 101, 128/129: 106 (HR), 128/129: 108 (BA), 130/131: 180 (RS), 133: 80, 133: 84, 134: 132, 135: 168 (BG), 135: 170 (HR), 136:

59 (AL), 137: 113, 138/139: 137, 138/139: 191 (ME), 140: 41, 141/142/143: 195, 141/142/143: 213, 145/146: 147, 145/146: 167 (ME), 145/146: 168 (ME), 148/149: 45, 148/149: 102, 150/151: 143, 150/151: 227, 150/151: 233 (HR), 152/153: 5, 152/153: 129, 154/155: 145, 156/157: 13 (DZ), 156/157: 49, 156/157: 75, 156/157: 109

Corvus corax tingitanus 156/157: 13 (DZ)

Corvus cornix 98/99: 94, 98/99: 97, 100: 107, 102/103: 249, 109: 219, 110/111: 53, 110/111: 56 (HR), 113/114: 149, 115: 195, 116: 34, 117: 75, 119: 152, 120: 5, 120: 15 (BG), 120: 27, 120: 40 (RS), 121: 89, 121: 100 (RS), 122: 111 (ME), 122: 135, 122: 139 (TR), 122: 165 (HR), 123: 213, 125: 69, 126: 157, 128/129: 45 (BA), 128/129: 69 (BA), 128/129: 102, 130/131: 175, 135: 165, 135: 170 (HR), 136: 59 (AL), 136: 71, 138/139: 187, 140: 42, 141/142/143: 195, 141/142/143: 213, 144: 7 (RS), 145/146: 93 (RS), 145/146: 115 (TR), 148/149: 45, 148/149: 93, 150/151: 143, 150/151: 226, 150/151: 233 (HR), 152/153: 5, 154/155: 315 (RU), 156/157: 49, 156/157: 75, 115, 156/157: 116, 156/157: 120, 156/157: 131 (ME)

Corvus corone 102/103: 249, 120: 5, 122: 135, 125: 69, 128/129: 3 (CN), 128/129: 83 (IT), 141/142/143: 195, 150/151: 143

Corvus corone compl. 104/105: 29, 106/107: 115, 112: 81, 124: 23 (BG), 130/131: 175

Corvus frugilegus 100: 107, 102/103: 249, 102/103: 285 (HR), 106/107: 115, 109: 219, 113/114: 154 (HR), 118: 113, 120: 15 (BG), 120: 38 (HR), 120: 41 (RS), 122: 139 (TR), 122: 170 (RS), 123: 195, 123: 232 (RS), 124: 33 (TR), 130/131: 175, 132: 35, 141/142/143: 195, 150/151: 143, 156/157: 120

Corvus monedula 100: 107, 102/103: 249, 106/107: 115, 109: 229, 110/111: 59 (MK), 115: 195, 116: 41 (BG), 117: 78, 120: 15 (BG), 124: 33 (TR), 124: 52, 128/129: 45 (BA), 128/129: 69 (BA), 130/131: 175, 138/139: 155 (BG), 138/139: 192 (RS), 141/142/143: 195, 145/146: 115 (TR), 147: 181 (MK), 150/151: 143, 152/153: 5, 156/157: 13 (DZ), 156/157: 49, 156/157: 71 (HR)

Coturnix coturnix 100: 107, 100: 135, 102/103: 241, 102/103: 249, 106/107: 115, 112: 75, 112: 81, 112: 99, 117: 78, 120: 15 (BG), 128/129: 45 (BA), 128/129: 59 (BG), 128/129: 102, 136: 23, 138/139: 129, 140: 3, 140: 41, 141/142/143: 165, 141/142/143: 181, 141/142/143: 195, 147: 181

(MK), 148/149: 1, 150/151: 143, 156/157: 13 (DZ), 156/157: 108

Crex crex 98/99: 86, 100: 107, 100: 135, 100: 165, 102/103: 241, 102/103: 249, 106/107: 115, 108: 139, 108: 184 (MK), 109: 191 (HR), 109: 219, 112: 75, 112: 100, 112: 104 (HR), 113/114: 141, 113/114: 150, 116: 21 (HR), 120: 5, 120: 15 (BG), 121: 59, 123: 185, 123: 232 (RS), 123: 234 (BG), 124: 3, 124: 23 (BG), 125: 81 (BG), 125: 108, 127: 171, 128/129: 45 (BA), 133: 61 (IT), 133: 81, 136: 23, 137: 123 (RS), 140: 3, 147: 181 (MK), 148/149: 1, 150/151: 143, 152/153: 1, 152/153: 25, 156/157: 1, 156/157: 33, 156/157: 49

Crithagra menachensis 104/105: 3 (OM)

Cuculus canorus 100: 107, 102/103: 241, 102/103: 249, 102/103: 281, 104/105: 59, 106/107: 115, 110/111: 59 (MK), 112: 81, 115: 202 (MK), 118: 117 (ME), 120: 15 (BG), 123: 213, 124: 23 (BG), 128/129: 21 (MN), 130/131: 139 (RO), 136: 59 (AL), 141/142/143: 165, 141/142/143: 195, 144: 7 (RS), 145/146: 115 (TR), 150/151: 143, 150/151: 233 (HR), 156/157: 13 (DZ), 156/157: 49, 156/157: 130 (RS)

Cuculus borsfieldii 128/129: 21 (MN)

Cursorius cursor 106/107: 115, 150/151: 143, 156/157: 83

Cyanistes caeruleus 100: 107, 102/103: 249, 102/103: 283, 104/105: 59, 106/107: 115, 109: 219, 120: 15 (BG), 123: 213, 123: 218, 123: 228, 123: 237 (TR), 124: 23 (BG), 125: 69, 125: 81 (BG), 126: 160 (ME), 128/129: 45 (BA), 128/129: 104, 130/131: 180 (RS), 133: 84, 136: 59 (AL), 141/142/143: 195, 141/142/143: 199, 147: 181 (MK), 150/151: 143, 156/157: 13 (DZ), 156/157: 49

Cygnus atratus 106/107: 115, 125: 111 (BA), 150/151: 143, 156/157: 83

Cygnus columbianus 106/107: 115, 116: 39 (BG), 122: 149 (BA), 122: 164 (HR), 125: 69, 150/151: 143, 152/153: 25, 156/157: 93

Cygnus columbianus bewickii 116: 39 (BG), 125: 69

Cygnus cygnus 106/107: 115, 109: 240 (HR), 110/111: 43, 116: 39 (BG), 117: 74, 117: 81 (RS), 120: 38 (HR), 123: 231 (RS), 138/139: 169, 145/146: 131, 150/151: 143, 152/153: 25, 156/157: 83, 156/157: 93

Cygnus olor 102/103: 249, 102/103: 271, 102/103: 285 (HR), 104/105: 55, 106/107: 69, 106/107: 115, 108: 171, 108: 176, 109: 234, 109: 240 (HR), 110/111: 43, 115: 200 (MK), 116: 39 (BG), 118: 87 (BG), 119: 147, 120: 34, 120: 38 (HR), 121: 93, 121: 97 (HR), 121: 98 (RS), 123: 195, 124: 52, 125: 81 (BG), 125: 99, 125: 111 (BA), 126: 123, 126: 151, 130/131: 160, 132: 23, 133: 57, 135: 141, 136: 39, 136: 67, 137: 111, 137: 122 (RS), 138/139: 161, 138/139: 169, 140: 37, 141/142/143: 55, 141/142/143: 181, 141/142/143: 195, 141/142/143: 210, 141/142/143: 219, 144: 53, 145/146: 131, 147: 181 (MK), 148/149: 67, 150/151: 143, 152/153: 25, 152/153: 109, 152/153: 121, 156/157: 49, 156/157: 93, 156/157: 105

Cygnus olor "immutabilis" 119: 147, 133: 57, 152/153: 121, 156/157: 105

Delichon urbicum 100: 107, 100: 135, 100: 153, 100: 161, 102/103: 241, 102/103: 249, 106/107: 115, 106/107: 126, 108: 183 (HR), 109: 219, 109: 229, 109: 236, 110/111: 55, 112: 102, 115: 197, 119: 154 (HR), 120: 15 (BG), 121: 95, 121: 98 (HR), 121: 100 (RS), 122: 175 (BG), 124: 23 (BG), 124: 52, 124: 55 (HR), 125: 69, 128/129: 59 (BG), 130/131: 139 (RO), 130/131: 179 (RS), 133: 82, 134: 130, 135: 170 (HR), 135: 176, 136: 59 (AL), 136: 74 (BG), 141/142/143: 195, 145/146: 115 (TR), 147: 181 (MK), 150/151: 143, 156/157: 13 (DZ), 156/157: 49

Dendrocopos leucotos 102/103: 249, 106/107: 109, 106/107: 115, 120: 5, 124: 50, 132: 32 (BA), 135: 176, 137: 81, 140: 44 (BG), 148/149: 1, 150/151: 143, 150/151: 237 (RS)

Dendrocopos leucotos lifordi 124: 50

Dendrocopos major 100: 107, 100: 166, 102/103: 241, 102/103: 249, 104/105: 56, 106/107: 115, 109: 219, 110/111: 55, 113/114: 151, 113/114: 152, 115: 199 (HR), 119: 151, 120: 15 (BG), 120: 27, 121: 95, 123: 213, 123: 218, 125: 81 (BG), 126: 157, 134: 95 (BG), 135: 170 (HR), 137: 117, 141/142/143: 165, 141/142/143: 195, 144: 47 (BA), 150/151: 143, 150/151: 227, 150/151: 233 (HR), 156/157: 49, 156/157: 109

Dendrocopos medius 100: 107, 100: 135, 102/103: 241, 102/103: 249, 106/107: 115, 115: 199 (HR), 120: 15 (BG), 121: 95, 123: 218, 124: 23 (BG), 125: 109, 126: 157, 128/129: 103, 130/131: 181 (ME), 133: 83, 137: 117, 140: 40, 147: 181 (MK), 148/149: 1, 148/149: 99, 150/151: 143, 150/151: 236 (RS), 156/157: 49

Dendrocopos minor 100: 107, 100: 135, 102/103: 241, 102/103: 249, 104/105: 59, 106/107: 115, 117: 77, 120: 15 (BG), 121: 95, 124: 55 (RS), 125: 81 (BG), 128/129: 59 (BG), 136: 59 (AL), 141/142/143: 195, 150/151: 143, 156/157: 13 (DZ), 156/157: 49

Dendrocopos syriacus 100: 107, 100: 135, 102/103: 249, 106/107: 109, 106/107: 115, 112: 107 (BA), 120: 5, 120: 15 (BG), 124: 23 (BG), 124: 60 (BG), 125: 81 (BG), 130/131: 139 (RO), 144: 7 (RS), 144: 47 (BA), 145/146: 115 (TR), 147: 181 (MK), 150/151: 143

Dendrocopos syriacus × D. major 144: 47 (BA)

Dendrocygna bicolor 150/151: 143

Dryocopus martius 100: 107, 100: 135, 102/103: 241, 102/103: 249, 106/107: 115, 106/107: 125, 112: 81, 112: 99, 113/114: 151, 120: 15 (BG), 121: 95, 122: 119, 126: 157, 130/131: 181 (ME), 134: 95 (BG), 136: 59 (AL), 136: 70, 137: 81, 137: 112, 137: 117, 138/139: 189 (HR), 141/142/143: 195, 148/149: 1, 150/151: 143, 154/155: 203 (FI), 156/157: 27 (RS), 156/157: 49

Egretta alba* → *Ardea alba

Egretta garzetta 102/103: 271, 106/107: 115, 108: 171, 110/111: 43, 110/111: 49, 112: 97 (RS), 112: 99, 113/114: 147, 115: 193, 116: 36 (HR), 118: 115 (HR), 118: 116 (ME), 119: 152 (HR), 120: 15 (BG), 120: 39 (HR), 121: 71 (RS), 121: 98 (RS), 122: 111 (ME), 123: 231 (RS), 124: 37 (HR), 124: 41 (ME), 124: 54 (HR), 125: 81 (BG), 125: 99, 126: 123, 126: 151, 128/129: 45 (BA), 128/129: 107 (HR), 130/131: 123 (ME), 130/131: 160, 132: 23, 134: 132 (HR), 136: 39, 136: 59 (AL), 138/139: 169, 141/142/143: 55, 141/142/143: 195, 144: 21 (ME), 145/146: 131, 147: 181 (MK), 148/149: 1, 148/149: 67, 148/149: 103 (HR), 150/151: 143, 152/153: 25, 152/153: 109, 156/157: 93, 156/157: 125 (HR)

Elanus caeruleus 126: 162 (TR), 154/155: 145, 154/155: 217 (FR), 154/155: 261 (SK), 154/155: 309 (PT), 156/157: 13 (DZ)

Emberiza bruniceps 150/151: 143

Emberiza cia 100: 107, 100: 135, 102/103: 241, 102/103: 249, 104/105: 47, 104/105: 62, 106/107: 115, 112: 102, 120: 15 (BG), 123: 213, 124: 23 (BG), 124: 58 (RS), 126: 160 (ME), 128/129: 59 (BG), 128/129: 113 (TR), 130/131: 181 (ME), 134: 95 (BG), 136: 70, 137: 108 (ME), 138/139: 192

(RS), 147: 181 (MK), 148/149: 1, 150/151: 143, 156/157: 49, 156/157: 123

Emberiza cineracea 122: 139 (TR)

Emberiza cirlus 100: 107, 102/103: 241, 102/103: 249, 104/105: 47, 106/107: 115, 110/111: 57 (HR), 120: 15 (BG), 124: 23 (BG), 125: 69, 128/129: 45 (BA), 128/129: 59 (BG), 135: 170 (HR), 136: 5, 136: 59 (AL), 137: 108 (ME), 138/139: 192 (RS), 141/142/143: 195, 144: 66, 145/146: 115 (TR), 147: 181 (MK), 150/151: 143, 156/157: 13 (DZ), 156/157: 49

Emberiza citrinella 100: 107, 102/103: 241, 102/103: 249, 104/105: 29, 104/105: 47, 106/107: 115, 109: 219, 120: 15 (BG), 122: 161, 128/129: 45 (BA), 128/129: 59 (BG), 136: 5, 140: 3, 140: 41, 141/142/143: 165, 141/142/143: 181, 141/142/143: 195, 147: 181 (MK), 150/151: 143, 150/151: 143, 150/151: 233 (HR), 156/157: 49

Emberiza hortulana 102/103: 241, 102/103: 249, 104/105: 47, 106/107: 81, 106/107: 115, 106/107: 122, 110/111: 58 (MK), 112: 99, 116: 35, 117: 79, 120: 15 (BG), 121: 96, 124: 23 (BG), 128/129: 110 (RS), 132: 3, 136: 59 (AL), 141/142/143: 195, 147: 181 (MK), 148/149: 1, 150/151: 143, 150/151: 229, 152/153: 130, 156/157: 49

Emberiza leucocephalos 106/107: 109, 106/107: 115, 123: 213, 125: 69, 150/151: 117, 150/151: 143

Emberiza melanocephala 102/103: 249, 106/107: 115, 106/107: 131 (HR), 110/111: 58 (MK), 112: 108 (BA), 120: 5, 120: 15 (BG), 121: 97, 122: 139 (TR), 124: 23 (BG), 126: 162 (BG), 128/129: 45 (BA), 136: 59 (AL), 145/146: 115 (TR), 145/146: 164, 147: 181 (MK), 150/151: 143

Emberiza pusilla 106/107: 109, 106/107: 115, 136: 72, 141/142/143: 195, 144: 66, 150/151: 143

Emberiza rustica 106/107: 115, 150/151: 143

Emberiza rutila 106/107: 115, 150/151: 143

Emberiza schoeniclus 102/103: 249, 104/105: 29, 106/107: 115, 109: 219, 120: 15 (BG), 122: 139 (TR), 128/129: 59 (BG), 128/129: 110 (RS), 130/131: 139 (RO), 133: 81, 135: 170 (HR), 137: 108 (ME), 140: 3, 141/142/143: 165, 141/142/143: 181, 141/142/143: 195, 141/142/143: 199, 150/151: 143, 156/157: 49

Eremophila alpestris 106/107: 115, 123: 236 (TR), 128/129: 113 (TR), 147: 181 (MK), 150/151: 143

Erythacus rubecula 100: 107, 102/103: 241, 102/103: 249, 106/107: 115, 119: 148, 120: 15 (BG), 120: 40 (HR), 122: 135, 122: 139 (TR), 122: 158, 123: 195, 123: 213, 123: 218, 124: 23 (BG), 125: 81 (BG), 133: 82, 134: 95 (BG), 135: 170 (HR), 141/142/143: 195, 141/142/143: 199, 147: 181 (MK), 150/151: 143, 150/151: 227, 156/157: 13 (DZ), 156/157: 49, 156/157: 131 (ME)

Erythacus rubecula witherbyi 156/157: 13 (DZ)

Estrilda astrild 106/107: 115, 150/151: 143

Euryapteryx gravis 118: 85

Falco biarmicus 106/107: 109, 106/107: 115, 108: 182 (HR), 122: 165 (HR), 122: 171 (ME), 126: 163 (TR), 136: 59 (AL), 144: 60, 147: 181 (MK), 150/151: 143, 152/153: 25, 154/155: 145, 154/155: 173 (BA), 154/155: 289 (GE), 154/155: 297 (IT)

Falco biarmicus feldwegii 154/155: 297 (IT)

Falco cherrug 106/107: 109, 106/107: 115, 112: 100, 116: 40 (BG), 118: 110, 122: 176 (TR), 123: 236 (TR), 127: 198, 127: 202 (BG), 141/142/143: 55, 141/142/143: 195, 141/142/143: 214, 147: 181 (MK), 150/151: 143, 150/151: 235 (RS), 154/155: 145, 154/155: 159 (AT), 154/155: 173 (BA), 154/155: 181 (BG), 154/155: 191 (HR), 154/155: 233 (HU), 154/155: 255 (PL), 154/155: 261 (SK), 154/155: 289 (GE), 154/155: 315 (RU)

Falco columbarius 104/105: 57, 106/107: 115, 112: 100, 115: 195, 116: 32, 122: 139 (TR), 128/129: 45 (BA), 128/129: 101, 134: 129, 135: 174, 137: 113, 140: 39, 141/142/143: 55, 141/142/143: 195, 148/149: 1, 150/151: 143, 152/153: 25, 154/155: 145, 154/155: 173 (BA), 154/155: 191 (HR), 154/155: 203 (FI), 154/155: 225 (GB), 154/155: 239 (IE), 154/155: 247 (NO), 154/155: 261 (SK), 154/155: 277 (SE), 154/155: 289 (GE), 154/155: 315 (RU), 156/157: 49

Falco eleonorae 106/107: 115, 108: 182 (HR), 110/111: 56 (HR), 112: 65, 112: 104 (HR), 121: 98 (HR), 122: 139 (TR), 122: 174 (BG), 124: 59 (BG), 132: 44 (HR), 136: 69, 148/149: 104 (HR), 150/151: 143, 152/153: 127, 154/155: 145, 154/155: 191 (HR), 154/155: 217 (FR), 154/155: 289 (GE), 154/155: 293 (GR), 154/155: 297 (IT), 154/155: 305 (MT), 156/157: 71 (HR), 156/157: 83

Falco naumanni 102/103: 241, 102/103: 249, 106/107: 115, 108: 183 (MK), 108: 184 (MK), 110/111: 51, 110/111: 52, 115: 202 (MK), 120: 5,

122: 139 (TR), 123: 229 (HR), 128/129: 106 (HR), 136: 23, 137: 83 (IT), 137: 112, 144: 1, 147: 175 (MK), 147: 181 (MK), 148/149: 1, 148/149: 91, 150/151: 143, 150/151: 219, 150/151: 230 (HR), 152/153: 5, 152/153: 25, 154/155: 145, 154/155: 173 (BA), 154/155: 181 (BG), 154/155: 191 (HR), 154/155: 217 (FR), 154/155: 261 (SK), 154/155: 289 (GE), 154/155: 293 (GR), 154/155: 297 (IT), 154/155: 305 (MT), 154/155: 309 (PT), 154/155: 315 (RU), 154/155: 321 (ES), 156/157: 13 (DZ), 156/157: 71 (HR), 156/157: 83

Falco peregrinus 100: 107, 100: 135, 102/103: 241, 102/103: 249, 104/105: 61, 106/107: 115, 110/111: 52, 110/111: 53, 112: 81, 112: 100, 112: 104 (HR), 112: 106 (BA), 113/114: 155 (RS), 115: 194, 115: 199 (HR), 116: 41 (BG), 117: 74, 119: 149, 119: 153 (HR), 120: 5, 120: 15 (BG), 121: 106 (RS), 122: 139 (TR), 124: 23 (BG), 124: 55 (RS), 125: 114 (RS), 127: 187 (HR), 127: 201 (HR), 128/129: 101, 128/129: 109 (RS), 133: 69, 133: 84, 135: 165, 135: 174, 136: 59 (AL), 138/139: 191 (ME), 141/142/143: 55, 141/142/143: 195, 141/142/143: 219, 145/146: 77, 145/146: 153, 145/146: 167 (ME), 147: 181 (MK), 148/149: 1, 148/149: 29 (BG), 150/151: 143, 152/153: 5, 152/153: 25, 154/155: 145, 154/155: 159 (AT), 154/155: 173 (BA), 154/155: 181 (BG), 154/155: 191 (HR), 154/155: 203 (FI), 154/155: 217 (FR), 154/155: 225 (GB), 154/155: 233 (HU), 154/155: 239 (IE), 154/155: 247 (NO), 154/155: 255 (PL), 154/155: 261 (SK), 154/155: 271, 154/155: 277 (SE), 154/155: 283 (BE), 154/155: 289 (GE), 154/155: 293 (GR), 154/155: 297 (IT), 154/155: 305 (MT), 154/155: 309 (PT), 154/155: 315 (RU), 156/157: 13 (DZ), 156/157: 71 (HR)

Falco rusticolus 150/151: 143, 154/155: 145, 154/155: 203 (FI), 154/155: 247 (NO), 154/155: 277 (SE), 154/155: 315 (RU)

Falco subbuteo 100: 107, 100: 135, 102/103: 241, 102/103: 249, 102/103: 277, 106/107: 115, 110/111: 56 (HR), 112: 99, 118: 110, 119: 152 (HR), 119: 153 (HR), 120: 15 (BG), 122: 162, 122: 176 (TR), 123: 225, 124: 56 (RS), 128/129: 45 (BA), 128/129: 103, 128/129: 106 (HR), 130/131: 139 (RO), 132: 43 (HR), 133: 81, 133: 84, 134: 129, 134: 133 (HR), 141/142/143: 55, 141/142/143: 181, 141/142/143: 195, 141/142/143: 214, 145/146: 77, 148/149: 29 (BG), 150/151: 143, 152/153: 5, 152/153: 25, 152/153: 191 (HR), 154/155: 173 (BA), 154/155: 181 (BG), 154/155: 191 (HR), 154/155: 203 (FI), 154/155: 225 (GB), 154/155: 261 (SK), 154/155: 271, 154/155: 285 (EE), 154/155: 289 (GE), 154/155: 305 (MT), 154/155: 315 (RU)

247 (NO), 154/155: 255 (PL), 154/155: 261 (SK), 154/155: 277 (SE), 154/155: 283 (BE), 154/155: 289 (GE), 154/155: 293 (GR), 154/155: 305 (MT), 154/155: 315 (RU), 156/157: 49

Falco tinnunculus 100: 107, 100: 135, 102/103: 241, 102/103: 249, 104/105: 29, 106/107: 115, 106/107: 122, 108: 177, 109: 219, 110/111: 53, 110/111: 56 (HR), 112: 81, 112: 91, 113/114: 155 (RS), 115: 202 (MK), 117: 78, 118: 110, 118: 112, 119: 153 (HR), 120: 15 (BG), 120: 27, 121: 95, 121: 106 (RS), 122: 139 (TR), 123: 213, 123: 225, 123: 229 (HR), 124: 23 (BG), 124: 49, 124: 53 (HR), 125: 81 (BG), 125: 107, 125: 114 (RS), 127: 201 (HR), 128/129: 45 (BA), 128/129: 86, 128/129: 106 (HR), 130/131: 139 (RO), 132: 43 (HR), 134: 122 (BG), 134: 133 (HR), 135: 170 (HR), 136: 59 (AL), 138/139: 149, 138/139: 191 (ME), 140: 41, 141/142/143: 55, 141/142/143: 181, 141/142/143: 195, 144: 7 (RS), 145/146: 77, 145/146: 115 (TR), 145/146: 167 (ME), 147: 181 (MK), 148/149: 29 (BG), 148/149: 91, 148/149: 98, 148/149: 104 (HR), 150/151: 143, 150/151: 235 (RS), 152/153: 5, 152/153: 25, 154/155: 145, 154/155: 159 (AT), 154/155: 167 (BY), 154/155: 173 (BA), 154/155: 181 (BG), 154/155: 191 (HR), 154/155: 203 (FI), 154/155: 217 (FR), 154/155: 225 (GB), 154/155: 239 (IE), 154/155: 247 (NO), 154/155: 255 (PL), 154/155: 261 (SK), 154/155: 271, 154/155: 277 (SE), 154/155: 289 (GE), 154/155: 297 (IT), 154/155: 305 (MT), 154/155: 309 (PT), 154/155: 315 (RU), 156/157: 13 (DZ), 156/157: 49, 156/157: 109

Falco vespertinus 100: 107, 100: 165, 106/107: 115, 106/107: 122, 110/111: 51, 112: 81, 117: 78, 120: 15 (BG), 120: 41 (RS), 121: 102 (ME), 122: 139 (TR), 123: 232 (RS), 124: 53 (HR), 126: 163 (TR), 128/129: 83 (IT), 128/129: 106 (HR), 128/129: 108 (BA), 128/129: 110 (RS), 132: 37 (BG), 132: 40, 133: 84, 134: 133 (HR), 136: 68, 141/142/143: 55, 141/142/143: 195, 141/142/143: 214, 144: 63, 145/146: 73, 145/146: 77, 145/146: 156, 147: 181 (MK), 148/149: 1, 148/149: 29 (BG), 148/149: 91, 150/151: 143, 150/151: 231 (HR), 152/153: 5, 152/153: 25, 152/153: 131 (ME), 154/155: 145, 154/155: 159 (AT), 154/155: 173 (BA), 154/155: 181 (BG), 154/155: 191 (HR), 154/155: 217 (FR), 154/155: 233 (HU), 154/155: 261 (SK), 154/155: 271, 154/155: 285 (EE), 154/155: 289 (GE), 154/155: 305 (MT), 154/155: 315 (RU)

Ficedula albicollis 100: 107, 100: 135, 102/103: 241, 102/103: 249, 104/105: 47, 106/107: 115,

120: 5, 120: 15 (BG), 123: 218, 125: 109, 132: 43, 136: 59 (AL), 141/142/143: 195, 147: 181 (MK), 148/149: 1, 150/151: 143, 156/157: 13 (DZ), 156/157: 49

Ficedula hypoleuca 102/103: 249, 106/107: 115, 120: 5, 120: 15 (BG), 123: 213, 134: 131, 135: 170 (HR), 136: 59 (AL), 141/142/143: 195, 150/151: 143, 156/157: 13 (DZ), 156/157: 49

Ficedula parva 102/103: 249, 106/107: 115, 120: 5, 120: 15 (BG), 123: 237 (TR), 124: 58 (RS), 141/142/143: 195, 141/142/143: 221, 148/149: 1, 150/151: 117, 150/151: 143

Ficedula semitorquata 147: 181 (MK)

Fratercula arctica 106/107: 115, 125: 69, 150/151: 143

Fringilla coelebs 100: 107, 100: 135, 102/103: 241, 102/103: 249, 106/107: 115, 109: 219, 110/111: 51, 110/111: 58 (MK), 112: 81, 113/114: 150, 119: 148, 120: 15 (BG), 121: 49, 122: 139 (TR), 123: 213, 123: 218, 124: 23 (BG), 124: 52, 125: 81 (BG), 128/129: 45 (BA), 128/129: 59 (BG), 132: 43, 134: 95 (BG), 135: 170 (HR), 136: 51, 136: 53, 136: 59 (AL), 141/142/143: 195, 144: 7 (RS), 145/146: 143 (BG), 145/146: 159, 147: 181 (MK), 150/151: 143, 150/151: 227, 150/151: 228, 150/151: 233 (HR), 156/157: 13 (DZ), 156/157: 49

Fringilla coelebs africana 156/157: 13 (DZ)

Fringilla montifringilla 100: 107, 102/103: 249, 106/107: 115, 112: 103, 120: 5, 120: 15 (BG), 123: 213, 123: 230 (HR), 136: 51, 136: 53, 138/139: 192 (RS), 141/142/143: 195, 145/146: 159, 150/151: 143, 156/157: 49

Fulica atra 102/103: 249, 102/103: 265, 102/103: 271, 102/103: 285 (HR), 104/105: 29, 104/105: 57, 106/107: 115, 106/107: 123, 108: 171, 108: 176, 109: 219, 110/111: 43, 110/111: 53, 112: 81, 113/114: 149, 115: 193, 115: 195, 115: 200 (MK), 116: 29 (HR), 116: 39 (BG), 117: 76, 118: 87 (BG), 119: 154 (HR), 120: 34, 120: 38 (HR), 123: 195, 123: 230 (RS), 123: 231 (RS), 124: 52, 124: 54 (HR), 125: 81 (BG), 125: 99, 125: 109, 125: 111 (BA), 126: 123, 126: 151, 126: 157, 127: 198, 128/129: 45 (BA), 128/129: 110 (RS), 130/131: 139 (RO), 130/131: 160, 132: 23, 132: 41, 133: 79, 134: 122 (BG), 134: 132 (HR), 135: 141, 135: 170 (HR), 136: 39, 136: 67, 136: 73 (HR), 137: 111, 137: 122 (RS), 138/139: 169, 141/142/143: 55, 141/142/143: 181, 141/142/143: 195, 141/142/143: 195, 141/142/143: 210, 141/142/143: 212, 144: 68

(MK), 145/146: 115 (TR), 145/146: 131, 147: 181 (MK), 148/149: 67, 148/149: 81, 148/149: 89, 150/151: 143, 152/153: 25, 152/153: 109, 156/157: 13 (DZ), 156/157: 93, 156/157: 105, 156/157: 107, 156/157: 132 (BG)

Fulmarus glacialis 106/107: 115, 150/151: 143

Galerida cristata 100: 107, 100: 135, 102/103: 249, 106/107: 115, 108: 180, 109: 219, 109: 235, 118: 112, 119: 152 (HR), 120: 15 (BG), 120: 27, 121: 100 (RS), 122: 139 (TR), 124: 23 (BG), 125: 81 (BG), 127: 199, 128/129: 45 (BA), 134: 132 (HR), 135: 174, 136: 59 (AL), 141/142/143: 195, 145/146: 115 (TR), 145/146: 159, 147: 181 (MK), 150/151: 143, 156/157: 13 (DZ)

Galerida theklae 156/157: 13 (DZ)

Gallinago gallinago 100: 135, 102/103: 249, 102/103: 271, 102/103: 278, 102/103: 279, 106/107: 115, 108: 171, 110/111: 43, 110/111: 49, 110/111: 53, 117: 76, 118: 112, 119: 149, 119: 151, 119: 152 (HR), 120: 5, 120: 15 (BG), 122: 139 (TR), 123: 187, 123: 195, 123: 213, 125: 99, 125: 113 (RS), 126: 123, 128/129: 45 (BA), 130/131: 160, 132: 23, 134: 129, 135: 141, 136: 39, 136: 73 (HR), 137: 118, 138/139: 129, 138/139: 169, 141/142/143: 55, 141/142/143: 165, 141/142/143: 181, 141/142/143: 195, 141/142/143: 218, 144: 61, 144: 62, 145/146: 131, 145/146: 157, 148/149: 1, 148/149: 67, 148/149: 94, 150/151: 143, 150/151: 224, 152/153: 1, 152/153: 25, 152/153: 109, 156/157: 49, 156/157: 93, 156/157: 128 (RS)

Gallinago media 106/107: 109, 106/107: 115, 117: 80 (HR), 119: 154 (HR), 122: 166 (HR), 138/139: 188, 141/142/143: 55, 141/142/143: 195, 145/146: 168 (ME), 147: 181 (MK), 150/151: 143, 152/153: 25

Gallinula chloropus 100: 107, 102/103: 249, 102/103: 271, 102/103: 285 (HR), 104/105: 29, 106/107: 115, 106/107: 123, 108: 171, 108: 178, 109: 219, 110/111: 43, 110/111: 53, 112: 81, 113/114: 149, 115: 200 (MK), 117: 80 (HR), 120: 15 (BG), 120: 34, 121: 93, 123: 195, 123: 230 (RS), 125: 81 (BG), 125: 99, 125: 111 (BA), 126: 123, 126: 151, 128/129: 88 (BG), 128/129: 108 (BA), 130/131: 160, 132: 23, 133: 82, 135: 170 (HR), 136: 39, 136: 59 (AL), 136: 73 (HR), 138/139: 169, 141/142/143: 55, 141/142/143: 181, 141/142/143: 195, 141/142/143: 215, 145/146: 115 (TR), 145/146: 131, 145/146: 154, 148/149: 67, 150/151: 143, 152/153: 25,

152/153: 109, 156/157: 13 (DZ), 156/157: 49, 156/157: 93

Garrulus glandarius 100: 107, 102/103: 241, 102/103: 249, 106/107: 115, 109: 219, 109: 238, 112: 81, 113/114: 151, 115: 202 (MK), 120: 5, 120: 15 (BG), 122: 119, 122: 170 (RS), 123: 213, 123: 227, 123: 237 (TR), 124: 23 (BG), 125: 81 (BG), 134: 131, 136: 23, 140: 41, 141/142/143: 165, 141/142/143: 195, 145/146: 115 (TR), 145/146: 163, 148/149: 45, 148/149: 106 (ME), 150/151: 143, 150/151: 233 (HR), 152/153: 5, 156/157: 49, 156/157: 131 (ME)

Gavia adamsii 106/107: 115, 118: 109, 122: 161, 125: 99, 150/151: 143

Gavia arctica 102/103: 271, 106/107: 115, 108: 171, 110/111: 43, 115: 193, 117: 79 (HR), 119: 147, 123: 195, 125: 99, 126: 123, 128/129: 99, 128/129: 105 (HR), 130/131: 160, 132: 23, 135: 141, 136: 39, 138/139: 169, 144: 68 (MK), 145/146: 131, 147: 181 (MK), 148/149: 1, 148/149: 67, 148/149: 103 (HR), 152/153: 25, 152/153: 109, 156/157: 93, 156/157: 108, 156/157: 109, 156/157: 128 (RS)

Gavia immer 106/107: 109, 106/107: 115, 150/151: 143

Gavia stellata 102/103: 271, 106/107: 115, 108: 171, 110/111: 43, 125: 69, 125: 99, 126: 123, 126: 158 (HR), 130/131: 160, 132: 23, 132: 39, 133: 85 (HR), 135: 173, 136: 39, 138/139: 169, 144: 57, 145/146: 131, 148/149: 1, 148/149: 67, 148/149: 85, 150/151: 143, 150/151: 216, 152/153: 25, 152/153: 109, 156/157: 93, 156/157: 109

Gelochelidon nilotica 104/105: 58, 106/107: 109, 106/107: 115, 109: 240 (HR), 113/114: 150, 116: 37 (HR), 118: 115 (HR), 124: 54 (HR), 125: 69, 137: 120 (HR), 138/139: 189 (HR), 141/142/143: 55, 141/142/143: 195, 148/149: 105 (HR), 150/151: 143, 152/153: 25, 156/157: 79 (ME), 156/157: 117

Geronticus calvus 106/107: 81

Geronticus eremita 106/107: 73 (AT), 106/107: 81, 150/151: 143

Glareola nordmanni 122: 139 (TR)

Glareola pratincola 106/107: 109, 106/107: 115, 110/111: 39 (ME), 141/142/143: 55, 141/142/143: 195, 145/146: 115 (TR), 150/151: 143, 150/151: 236 (RS), 152/153: 25, 156/157: 83, 156/157: 125 (HR)

Glaucomys brodiei 128/129: 3 (CN)

Glaucomys passerinum 98/99: 47, 98/99: 87, 98/99: 88, 98/99: 89, 98/99: 99, 102/103: 241, 102/103: 249, 106/107: 115, 106/107: 125, 108: 155, 113/114: 129, 113/114: 151, 117: 77, 120: 5, 122: 119, 128/129: 65 (BG), 133: 82, 135: 159 (BG), 137: 114, 148/149: 1, 148/149: 97, 150/151: 143, 154/155: 145, 154/155: 167 (BY), 154/155: 173 (BA), 154/155: 203 (FI), 154/155: 217 (FR), 154/155: 247 (NO), 154/155: 255 (PL), 154/155: 261 (SK), 154/155: 277 (SE), 156/157: 131 (ME)

Grus grus 106/107: 81, 106/107: 115, 112: 106 (BA), 117: 75, 117: 81 (RS), 118: 111, 118: 114 (HR), 122: 163, 122: 169 (RS), 122: 172 (ME), 123: 195, 126: 163 (TR), 128/129: 45 (BA), 132: 41, 135: 175, 135: 177 (HR), 136: 1, 136: 39, 137: 113, 138/139: 129, 138/139: 169, 138/139: 193 (RS), 140: 39, 141/142/143: 55, 141/142/143: 195, 141/142/143: 209, 144: 61, 144: 69 (MK), 145/146: 131, 148/149: 1, 148/149: 29 (BG), 148/149: 67, 148/149: 92, 150/151: 143, 150/151: 224, 150/151: 232 (HR), 152/153: 1, 152/153: 25, 156/157: 93, 156/157: 111, 156/157: 132 (BG)

Grus virgo 156/157: 132 (BG)

Gymnoris xanthocollis 122: 139 (TR)

Gypaetus barbatus 106/107: 115, 137: 110, 147: 181 (MK), 150/151: 143, 154/155: 145, 154/155: 159 (AT), 154/155: 173 (BA), 154/155: 181 (BG), 154/155: 217 (FR), 154/155: 289 (GE), 154/155: 293 (GR), 154/155: 297 (IT), 154/155: 315 (RU), 154/155: 321 (ES), 156/157: 49, 156/157: 83

Gyps fulvus 102/103: 217, 106/107: 81, 106/107: 115, 106/107: 129 (HR), 108: 181 (HR), 112: 87 (HR), 112: 100, 113/114: 148, 113/114: 153 (HR), 113/114: 155 (RS), 116: 37 (HR), 117: 51 (HR), 119: 155 (ME), 120: 5, 121: 95, 121: 97 (HR), 121: 106 (RS), 122: 139 (TR), 122: 149 (BA), 122: 163, 122: 170 (ME), 122: 174 (BG), 125: 73, 127: 187 (HR), 127: 195, 127: 199 (HR), 128/129: 86, 128/129: 94, 128/129: 101, 130/131: 170, 132: 39, 133: 80, 134: 89, 145/146: 77, 147: 181 (MK), 148/149: 1, 148/149: 29 (BG), 148/149: 45, 150/151: 143, 150/151: 218, 154/155: 145, 154/155: 159 (AT), 154/155: 173 (BA), 154/155: 181 (BG), 154/155: 191 (HR), 154/155: 217 (FR), 154/155: 261 (SK), 154/155: 271, 154/155: 289 (GE), 154/155: 293 (GR), 154/155: 297 (IT), 154/155: 309 (PT), 154/155: 315 (RU), 154/155: 321 (ES), 156/157: 75, 156/157: 110, 156/157: 111

Haematopus ostralegus 106/107: 115, 110/111: 39 (ME), 118: 115 (HR), 121: 102 (ME), 122: 170

(ME), 128/129: 45 (BA), 133: 85 (HR), 150/151: 143, 150/151: 220, 150/151: 225, 156/157: 127 (HR)

Halcyon smyrnensis 128/129: 113 (TR)

Haliaeetus albicilla 102/103: 249, 102/103: 271, 106/107: 115, 106/107: 129 (HR), 108: 171, 109: 239 (HR), 110/111: 43, 115: 193, 120: 5, 121: 98 (RS), 122: 111 (ME), 123: 231 (RS), 124: 56 (RS), 125: 99, 126: 123, 126: 151, 128/129: 45 (BA), 130/131: 160, 130/131: 174, 132: 17 (BG), 132: 23, 132: 41, 134: 128, 135: 178 (RS), 136: 39, 137: 111, 138/139: 169, 141/142/143: 55, 141/142/143: 181, 141/142/143: 195, 141/142/143: 217, 145/146: 131, 148/149: 1, 148/149: 29 (BG), 148/149: 67, 148/149: 90, 150/151: 143, 152/153: 25, 152/153: 109, 154/155: 145, 154/155: 159 (AT), 154/155: 167 (BY), 154/155: 173 (BA), 154/155: 181 (BG), 154/155: 191 (HR), 154/155: 203 (FI), 154/155: 217 (FR), 154/155: 225 (GB), 154/155: 233 (HU), 154/155: 239 (IE), 154/155: 247 (NO), 154/155: 255 (PL), 154/155: 261 (SK), 154/155: 271, 154/155: 277 (SE), 154/155: 285 (EE), 154/155: 289 (GE), 154/155: 301 (LV), 154/155: 315 (RU), 156/157: 93, 156/157: 110

Hieraetus fasciatus → *Aquila fasciata*

Hieraetus pennatus → *Aquila pennata*

Himantopus himantopus 102/103: 249, 102/103: 278, 106/107: 115, 106/107: 123, 109: 234, 110/111: 39 (ME), 113/114: 139 (HR), 113/114: 156 (RS), 118: 116 (ME), 120: 5, 120: 35, 122: 169 (RS), 124: 54 (HR), 125: 114 (RS), 133: 85 (HR), 141/142/143: 55, 141/142/143: 195, 141/142/143: 209, 144: 61, 145/146: 115 (TR), 148/149: 1, 150/151: 143, 150/151: 221, 150/151: 224, 150/151: 232 (HR), 152/153: 25, 156/157: 49, 156/157: 106, 156/157: 112

Hippolais caligata → *Iduna caligata*

Hippolais icterina 100: 107, 102/103: 249, 106/107: 115, 109: 237, 120: 5, 120: 15 (BG), 123: 213, 125: 81 (BG), 128/129: 104, 132: 42, 141/142/143: 195, 150/151: 143, 156/157: 49

Hippolais olivetorum 106/107: 131 (HR), 106/107: 132 (HR), 124: 23 (BG), 147: 181 (MK), 152/153: 105 (HR)

Hippolais pallida → *Iduna pallida*

Hippolais polyglotta 102/103: 241, 102/103: 249, 106/107: 115, 109: 219, 112: 103, 136: 70, 150/151: 143, 156/157: 49

Hirundo daurica → *Cecropis daurica*

Hirundo rupestris → *Ptyonoprogne rupestris*

Hirundo rustica 98/99: 86 (HR), 100: 107, 100: 135, 102/103: 231, 102/103: 241, 102/103: 249, 102/103: 261, 102/103: 276, 102/103: 282, 104/105: 61, 106/107: 115, 106/107: 126, 108: 178, 108: 179, 109: 213, 109: 219, 109: 236, 110/111: 55, 110/111: 59 (MK), 115: 197, 116: 38 (HR), 119: 154 (HR), 120: 5, 120: 15 (BG), 121: 98 (HR), 122: 139 (TR), 123: 213, 124: 23 (BG), 124: 52, 124: 57 (RS), 124: 60 (BG), 128/129: 45 (BA), 128/129: 59 (BG), 130/131: 139 (RO), 133: 79, 133: 85 (HR), 134: 130, 134: 133 (HR), 135: 170 (HR), 135: 176, 137: 89, 141/142/143: 195, 141/142/143: 199, 145/146: 115 (TR), 145/146: 165 (HR), 147: 181 (MK), 150/151: 143, 150/151: 233 (HR), 156/157: 13 (DZ), 156/157: 49

Hirundo rustica rustica 102/103: 231

Hirundo rustica × *Delichon urbica* 109: 236, 156/157: 49

Hydrobates pelagicus 104/105: 9 (HR), 106/107: 115, 150/151: 143

Hydrocoloeus minutus 106/107: 115, 108: 171, 110/111: 43, 113/114: 153 (HR), 113/114: 156 (RS), 115: 200 (MK), 119: 135 (HR), 125: 99, 126: 123, 135: 141, 136: 39, 136: 73 (HR), 141/142/143: 55, 141/142/143: 195, 145/146: 131, 148/149: 1, 150/151: 143, 152/153: 25, 156/157: 93, 156/157: 115

Hydropogone caspia 102/103: 265, 106/107: 115, 109: 240 (HR), 118: 115 (HR), 118: 116 (ME), 122: 176 (TR), 125: 69, 126: 151, 132: 41, 141/142/143: 55, 141/142/143: 195, 141/142/143: 218, 141/142/143: 219, 144: 66 (HR), 148/149: 96, 150/151: 143, 152/153: 25

Iduna caligata 106/107: 109, 106/107: 115, 150/151: 143

Iduna pallida 102/103: 249, 106/107: 109, 106/107: 115, 112: 108 (BA), 120: 5, 124: 23 (BG), 128/129: 59 (BG), 145/146: 115 (TR), 147: 181 (MK), 150/151: 143, 156/157: 13 (DZ)

Irania gutturalis 122: 139 (TR)

Ixobrychus minutus 102/103: 249, 102/103: 275, 106/107: 115, 112: 103 (HR), 113/114: 149, 115: 193, 115: 200 (MK), 115: 201 (MK), 117: 80 (HR), 120: 5, 120: 15 (BG), 120: 38 (HR), 121: 93, 122: 165 (HR), 123: 230 (RS), 125: 81 (BG),

128/129: 45 (BA), 128/129: 99, 133: 79, 134: 132 (HR), 141/142/143: 55, 141/142/143: 181, 141/142/143: 195, 145/146: 115 (TR), 147: 181 (MK), 148/149: 1, 150/151: 143, 152/153: 25, 152/153: 124, 156/157: 49

Jynx torquilla 100: 107, 100: 135, 102/103: 241, 102/103: 249, 104/105: 29, 106/107: 115, 110/111: 57 (HR), 115: 201 (MK), 120: 15 (BG), 120: 27, 123: 213, 135: 170 (HR), 136: 23, 136: 59 (AL), 141/142/143: 195, 147: 181 (MK), 148/149: 1, 150/151: 143, 150/151: 233 (HR), 156/157: 13 (DZ), 156/157: 49

Jynx torquilla mauretanica 156/157: 13 (DZ)

Lagopus lagopus 132: 3, 154/155: 225 (GB), 154/155: 247 (NO)

Lagopus lagopus scotica 132: 3, 154/155: 225 (GB)

Lagopus muta 102/103: 249, 106/107: 115, 118: 114, 120: 5, 125: 69, 148/149: 1, 150/151: 143, 154/155: 247 (NO)

Lanius collurio 100: 107, 100: 135, 100: 165, 102/103: 241, 102/103: 249, 104/105: 29, 104/105: 47, 106/107: 115, 106/107: 131 (HR), 109: 219, 110/111: 21 (BG), 112: 81, 115: 202 (MK), 117: 82 (RS), 118: 97, 118: 113, 118: 117 (ME), 119: 152 (HR), 120: 15 (BG), 120: 27, 122: 139 (TR), 123: 213, 124: 23 (BG), 124: 55 (RS), 125: 81 (BG), 128/129: 45 (BA), 128/129: 59 (BG), 130/131: 139 (RO), 136: 59 (AL), 137: 118, 140: 3, 140: 41, 141/142/143: 165, 141/142/143: 181, 141/142/143: 195, 144: 7 (RS), 145/146: 115 (TR), 145/146: 163, 147: 181 (MK), 148/149: 1, 150/151: 143, 150/151: 226, 154/155: 173 (BA), 154/155: 271, 156/157: 49

Lanius excubitor 100: 107, 104/105: 41, 104/105: 55, 106/107: 115, 108: 180, 112: 103, 113/114: 135, 118: 110, 118: 113, 119: 151, 119: 152 (HR), 120: 5, 120: 15 (BG), 120: 37, 123: 231 (RS), 127: 191, 127: 203 (BG), 128/129: 45 (BA), 133: 81, 136: 71, 137: 118, 138/139: 185 (BG), 141/142/143: 195, 141/142/143: 199, 145/146: 158, 150/151: 143, 152/153: 5, 154/155: 173 (BA), 154/155: 271, 156/157: 49, 156/157: 105, 156/157: 119

Lanius meridionalis 156/157: 13 (DZ)

Lanius minor 100: 107, 100: 135, 100: 167, 102/103: 249, 104/105: 1, 104/105: 29, 104/105: 64 (HR), 106/107: 115, 106/107: 128, 108: 183 (MK), 110/111: 51, 110/111: 57 (HR), 116: 35,

118: 117 (ME), 120: 15 (BG), 122: 139 (TR), 122: 175 (BG), 123: 228, 123: 236 (TR), 124: 23 (BG), 124: 55 (HR), 124: 61 (BG), 125: 81 (BG), 127: 203 (BG), 128/129: 45 (BA), 130/131: 176 (HR), 136: 23, 136: 59 (AL), 136: 72, 137: 118, 138/139: 190 (HR), 138/139: 192 (RS), 145/146: 115 (TR), 147: 181 (MK), 148/149: 1, 150/151: 143, 154/155: 173 (BA), 154/155: 271

Lanius nubicus 108: 159 (MK), 110/111: 58 (MK), 122: 139 (TR), 124: 23 (BG), 137: 99 (BG), 147: 181 (MK)

Lanius senator 102/103: 249, 104/105: 29, 106/107: 115, 106/107: 131 (HR), 108: 183 (MK), 110/111: 57 (HR), 115: 202 (MK), 120: 5, 120: 15 (BG), 121: 96, 122: 139 (TR), 122: 175 (BG), 124: 23 (BG), 124: 52, 124: 61 (BG), 128/129: 59 (BG), 135: 170 (HR), 136: 59 (AL), 145/146: 115 (TR), 147: 181 (MK), 148/149: 102, 150/151: 143, 154/155: 173 (BA), 156/157: 13 (DZ)

Larus argentatus 102/103: 271, 106/107: 115, 109: 227, 125: 69, 126: 123, 136: 39, 141/142/143: 55, 141/142/143: 195, 145/146: 131, 148/149: 67, 150/151: 143

Larus armenicus 122: 139 (TR), 122: 177 (TR)

Larus audouinii 102/103: 219 (HR), 106/107: 115, 106/107: 130 (HR), 119: 135 (HR), 150/151: 143, 156/157: 13 (DZ)

Larus brunnicephalus 115: 185 (KZ)

Larus cachinnans 141/142/143: 55, 141/142/143: 195, 145/146: 131, 148/149: 67, 150/151: 143, 152/153: 109, 156/157: 49, 156/157: 83, 156/157: 93, 156/157: 115

Larus cachinnans mongolicus 115: 185 (KZ)

Larus canus 102/103: 271, 106/107: 115, 108: 171, 110/111: 43, 119: 135 (HR), 125: 99, 126: 123, 128/129: 110 (RS), 128/129: 111 (RS), 130/131: 160, 132: 23, 135: 141, 136: 39, 138/139: 169, 141/142/143: 55, 141/142/143: 195, 141/142/143: 218, 145/146: 131, 148/149: 1, 148/149: 67, 150/151: 143, 152/153: 25, 152/153: 109, 156/157: 93, 156/157: 115

Larus fuscus 106/107: 115, 110/111: 54, 119: 135 (HR), 128/129: 45 (BA), 128/129: 111 (RS), 141/142/143: 55, 141/142/143: 195, 141/142/143: 218, 150/151: 143, 150/151: 224, 152/153: 25, 152/153: 109, 156/157: 13 (DZ), 156/157: 93, 156/157: 115

Larus fuscus fuscus 119: 135 (HR), 128/129: 45 (BA), 141/142/143: 218, 150/151: 224

Larus fuscus graellsii 119: 135 (HR), 128/129: 45 (BA), 148/149: 103 (HR)

Larus fuscus graellsii / intermedium 119: 135 (HR), 150/151: 224

Larus genei → *Chroicocephalus genei*

Larus heuglini 119: 135 (HR)

Larus heuglini heuglini 119: 135 (HR)

Larus heuglini taimyrensis 119: 135 (HR)

Larus hyperboreus 106/107: 115, 150/151: 143

Larus ichthyaetus 102/103: 279, 106/107: 109, 106/107: 115, 115: 185 (KZ), 116: 42 (BG), 126: 161 (BG), 122: 111 (ME), 144: 69 (MK), 147: 181 (MK), 150/151: 143, 156/157: 83, 156/157: 115

Larus marinus 104/105: 58, 106/107: 109, 106/107: 115, 119: 135 (HR), 140: 44 (BG), 148/149: 67, 150/151: 143, 115, 156/157: 117

Larus melanocephalus 102/103: 271, 104/105: 58, 104/105: 63 (HR), 106/107: 115, 106/107: 124, 108: 171, 109: 225, 110/111: 35 (HR), 110/111: 43, 115: 185 (KZ), 119: 135 (HR), 125: 99, 125: 115 (RS), 126: 123, 127: 198, 130/131: 160, 132: 23, 136: 39, 138/139: 169, 138/139: 181, 140: 31 (BG), 141/142/143: 55, 141/142/143: 195, 145/146: 131, 148/149: 1, 148/149: 67, 148/149: 103 (HR), 148/149: 107 (ME), 150/151: 143, 152/153: 25, 152/153: 109, 156/157: 43, 156/157: 49, 156/157: 79 (ME), 156/157: 93, 156/157: 115

Larus michahellis 102/103: 219 (HR), 102/103: 249, 108: 182 (HR), 109: 227, 112: 104 (HR), 116: 37 (HR), 119: 135 (HR), 120: 5, 125: 69, 128/129: 102, 141/142/143: 55, 141/142/143: 195, 145/146: 131, 148/149: 1, 148/149: 67, 150/151: 143, 152/153: 5, 152/153: 109, 156/157: 13 (DZ), 156/157: 43, 156/157: 49, 156/157: 79 (ME), 156/157: 93, 156/157: 109, 156/157: 115, 156/157: 116, 156/157: 117, 156/157: 125 (HR)

Larus michahellis / cachinnans 102/103: 271, 104/105: 58, 104/105: 63 (HR), 106/107: 115, 106/107: 123, 106/107: 130 (HR), 108: 171, 108: 181 (HR), 110/111: 35 (HR), 110/111: 43, 112: 105 (HR), 113/114: 153 (HR), 115: 195, 116: 42 (BG), 118: 114 (HR), 118: 115 (HR), 118: 116 (ME), 120: 15 (BG), 120: 33, 120: 40 (HR), 121: 94, 121: 102 (ME), 122: 111 (ME), 122: 161, 122: 165 (HR), 122: 173 (ME), 123: 195, 123: 237

(TR), 124: 54 (HR), 125: 81 (BG), 125: 99, 126: 123, 126: 151, 126: 161 (BG), 128/129: 45 (BA), 128/129: 110 (RS), 128/129: 111 (RS), 130/131: 139 (RO), 130/131: 160, 132: 23, 132: 44 (HR), 133: 69, 133: 83, 135: 141, 135: 170 (HR), 136: 39, 138/139: 169, 138/139: 181, 140: 31 (BG), 140: 44 (BG), 141/142/143: 55, 144: 53, 144: 66 (HR), 144: 69 (MK), 145/146: 115 (TR), 145/146: 131, 145/146: 153, 147: 181 (MK), 148/149: 67, 152/153: 25, 152/153: 109, 152/153: 123, 156/157: 93

Larus minutus → *Hydrocoloeus minutus*

Larus relictus 115: 185 (KZ)

Larus ridibundus → *Chroicocephalus ridibundus*

Larus smithsonianus 125: 69

Leiothrix lutea 106/107: 69, 106/107: 115, 150/151: 143

Limicola falcinellus 106/107: 109, 106/107: 115, 113/114: 156 (RS), 115: 199 (HR), 122: 139 (TR), 128/129: 92 (BG), 148/149: 105 (HR), 150/151: 143, 150/151: 223, 156/157: 83, 156/157: 127 (HR)

Limosa lapponica 106/107: 115, 119: 149, 120: 33, 121: 102 (ME), 141/142/143: 55, 141/142/143: 195, 150/151: 143, 152/153: 25

Limosa limosa 102/103: 249, 106/107: 115, 106/107: 123, 115: 195, 120: 5, 122: 169 (RS), 124: 54 (HR), 128/129: 106 (HR), 130/131: 139 (RO), 130/131: 173 (TN), 136: 1, 138/139: 193 (RS), 141/142/143: 55, 141/142/143: 195, 147: 181 (MK), 148/149: 1, 148/149: 94, 150/151: 143, 150/151: 224, 152/153: 25, 156/157: 126 (HR)

Locustella fluviatilis 100: 135, 102/103: 241, 102/103: 249, 104/105: 29, 106/107: 115, 120: 15 (BG), 121: 96, 123: 213, 125: 81 (BG), 140: 3, 141/142/143: 165, 141/142/143: 195, 150/151: 143, 156/157: 49

Locustella lusciniooides 100: 135, 102/103: 249, 102/103: 283, 106/107: 115, 125: 81 (BG), 128/129: 59 (BG), 141/142/143: 165, 141/142/143: 181, 141/142/143: 195, 147: 181 (MK), 148/149: 1, 148/149: 101, 148/149: 107 (ME), 150/151: 143, 156/157: 13 (DZ), 156/157: 49, 156/157: 129 (RS)

Locustella naevia 100: 107, 102/103: 249, 106/107: 115, 106/107: 128, 140: 3, 141/142/143: 165, 141/142/143: 181, 141/142/143: 195,

- 141/142/143: 199, 148/149: 1, 150/151: 143, 150/151: 229, 156/157: 49
- Lonchura punctulata*** 106/107: 115, 150/151: 143
- Lophodytes cucullatus*** 150/151: 143
- Lophophanes cristatus*** 100: 107, 100: 135, 102/103: 241, 102/103: 249, 106/107: 115, 109: 238, 112: 103, 117: 78, 122: 164, 123: 213, 123: 228, 124: 51, 125: 69, 134: 95 (BG), 136: 59 (AL), 141/142/143: 195, 147: 181 (MK), 150/151: 143, 156/157: 49
- Loxia curvirostra*** 100: 107, 102/103: 241, 102/103: 249, 106/107: 115, 109: 238, 110/111: 57 (HR), 123: 229, 125: 108, 125: 110, 126: 159 (HR), 134: 95 (BG), 134: 130, 141/142/143: 195, 150/151: 143, 156/157: 13 (DZ), 156/157: 49
- Loxia curvirostra poliogyna*** 156/157: 13 (DZ)
- Loxia leucoptera*** 106/107: 115, 150/151: 143
- Loxia pytyopsittacus*** 106/107: 115, 150/151: 143
- Lullula arborea*** 100: 107, 100: 135, 100: 166, 102/103: 249, 106/107: 115, 112: 102, 112: 104 (HR), 113/114: 149, 115: 202 (MK), 118: 112, 119: 155 (HR), 120: 5 (BG), 123: 213, 124: 23 (BG), 127: 199, 128/129: 45 (BA), 140: 41, 145/146: 159, 147: 181 (MK), 148/149: 1, 150/151: 143, 156/157: 13 (DZ), 156/157: 49
- Luscinia luscinia*** 106/107: 115, 120: 15 (BG), 123: 213, 141/142/143: 195, 141/142/143: 221, 150/151: 143, 156/157: 49
- Luscinia megarhynchos*** 98/99: 85 (HR), 100: 107, 102/103: 249, 104/105: 29, 104/105: 62, 106/107: 115, 108: 180, 109: 219, 120: 15 (BG), 123: 213, 124: 23 (BG), 125: 81 (BG), 128/129: 45 (BA), 135: 170 (HR), 136: 59 (AL), 141/142/143: 195, 144: 7 (RS), 147: 181 (MK), 148/149: 106 (ME), 150/151: 143, 150/151: 233 (HR), 156/157: 13 (DZ), 156/157: 49
- Luscinia svecica*** 102/103: 282, 106/107: 115, 109: 236, 119: 152 (HR), 120: 5, 122: 139 (TR), 123: 234 (RS), 124: 57 (RS), 141/142/143: 195, 141/142/143: 199, 150/151: 143, 150/151: 229, 152/153: 134 (BG), 156/157: 13 (DZ), 156/157: 49
- Luscinia svecica cyanecula*** 102/103: 282
- Luscinia svecica svecica*** 102/103: 282
- Lymnocryptes minimus*** 104/105: 29, 106/107: 115, 125: 99, 132: 23, 141/142/143: 55, 141/142/143: 195, 141/142/143: 217, 145/146: 157, 148/149: 94, 150/151: 143, 150/151: 223, 152/153: 25, 156/157: 113
- Marmaronetta angustirostris*** 122: 139 (TR), 147: 181 (MK)
- Melanitta fusca*** 102/103: 271, 106/107: 115, 110/111: 43, 115: 198, 116: 39 (BG), 122: 161, 125: 99, 126: 123, 128/129: 100, 130/131: 160, 132: 23, 133: 85 (HR), 136: 39, 138/139: 169, 141/142/143: 55, 145/146: 131, 148/149: 67, 148/149: 103 (HR), 150/151: 143, 152/153: 25, 152/153: 109, 156/157: 93
- Melanitta nigra*** 102/103: 271, 106/107: 115, 110/111: 43, 118: 114 (HR), 136: 39, 138/139: 169, 141/142/143: 55, 141/142/143: 195, 141/142/143: 212, 145/146: 131, 150/151: 143, 152/153: 25
- Melanocorypha bimaculata*** 122: 139 (TR)
- Melanocorypha calandra*** 102/103: 249, 106/107: 115, 120: 5, 122: 139 (TR), 140: 41, 144: 67 (HR), 145/146: 115 (TR), 147: 181 (MK), 156/157: 13 (DZ)
- Melopsittacus undulatus*** 106/107: 69, 150/151: 143
- Mergellus albellus*** 102/103: 271, 106/107: 115, 108: 171, 110/111: 43, 110/111: 52, 122: 139 (TR), 123: 195, 125: 99, 126: 123, 128/129: 100, 128/129: 101, 130/131: 160, 132: 23, 136: 39, 138/139: 169, 141/142/143: 55, 141/142/143: 195, 141/142/143: 212, 145/146: 131, 147: 181 (MK), 148/149: 1, 148/149: 67, 150/151: 143, 152/153: 25, 152/153: 109, 156/157: 93
- Mergus merganser*** 102/103: 249, 102/103: 271, 106/107: 115, 106/107: 121, 108: 171, 110/111: 43, 118: 110, 120: 5, 121: 106 (RS), 123: 195, 124: 48, 125: 99, 126: 123, 126: 151, 130/131: 160, 132: 23, 134: 128, 136: 39, 136: 67, 136: 68, 138/139: 169, 141/142/143: 55, 141/142/143: 195, 145/146: 131, 147: 181 (MK), 148/149: 1, 148/149: 67, 148/149: 89, 150/151: 143, 150/151: 216, 152/153: 25, 152/153: 109, 152/153: 122, 156/157: 93
- Mergus serrator*** 102/103: 271, 106/107: 115, 108: 171, 110/111: 43, 113/114: 155 (RS), 119: 151, 120: 34, 121: 106 (RS), 122: 161, 123: 195, 125: 99, 126: 123, 128/129: 100, 130/131: 160, 132: 23, 135: 141, 136: 39, 138/139: 169, 141/142/143: 55, 141/142/143: 195, 145/146: 131, 148/149: 67, 148/149: 89, 150/151: 143, 152/153: 25, 152/153: 109, 152/153: 122, 156/157: 93

Merops apiaster 98/99: 89 (HR), 100: 107, 100: 135, 100: 165, 102/103: 249, 102/103: 285 (HR), 104/105: 59, 106/107: 115, 106/107: 125, 106/107: 131 (HR), 108: 178, 108: 179, 110/111: 59 (MK), 119: 154 (HR), 120: 15 (BG), 120: 40 (HR), 123: 213, 123: 227, 123: 230 (RS), 124: 54 (HR), 125: 116 (RS), 126: 158 (HR), 128/129: 45 (BA), 128/129: 109 (RS), 133: 82, 136: 59 (AL), 141/142/143: 195, 141/142/143: 220, 147: 181 (MK), 148/149: 1, 148/149: 29 (BG), 148/149: 99, 150/151: 143, 150/151: 233 (HR), 152/153: 131 (ME), 156/157: 13 (DZ), 156/157: 49

Merops persicus 130/131: 173 (TN)

Miliaria calandra 100: 107, 100: 135, 100: 165, 102/103: 249, 104/105: 47, 104/105: 62, 106/107: 115, 109: 219, 110/111: 57 (HR), 112: 75, 112: 108 (BA), 112: 109 (BA), 115: 202 (MK), 116: 35, 119: 152 (HR), 120: 15 (BG), 121: 100 (RS), 122: 139 (TR), 122: 175 (BG), 124: 23 (BG), 124: 52, 125: 81 (BG), 128/129: 45 (BA), 128/129: 59 (BG), 128/129: 110 (RS), 134: 132 (HR), 135: 170 (HR), 136: 23, 136: 59 (AL), 138/139: 192 (RS), 140: 3, 141/142/143: 165, 141/142/143: 181, 141/142/143: 195, 144: 7 (RS), 145/146: 115 (TR), 147: 181 (MK), 148/149: 1, 150/151: 143, 156/157: 13 (DZ), 156/157: 49

Milvus migrans 102/103: 249, 102/103: 277, 104/105: 56, 106/107: 115, 110/111: 50, 117: 79 (HR), 119: 148, 120: 5, 120: 15 (BG), 120: 39 (HR), 122: 139 (TR), 122: 162, 125: 81 (BG), 125: 107, 125: 109, 128/129: 45 (BA), 130/131: 139 (RO), 134: 129, 134: 133 (HR), 136: 74 (BG), 141/142/143: 55, 141/142/143: 181, 141/142/143: 195, 141/142/143: 212, 141/142/143: 213, 141/142/143: 217, 145/146: 77, 147: 181 (MK), 148/149: 1, 148/149: 29 (BG), 150/151: 143, 152/153: 25, 154/155: 145, 154/155: 159 (AT), 154/155: 173 (BA), 154/155: 191 (HR), 154/155: 203 (FI), 154/155: 217 (FR), 154/155: 233 (HU), 154/155: 255 (PL), 154/155: 261 (SK), 154/155: 277 (SE), 154/155: 289 (GE), 154/155: 297 (IT), 154/155: 305 (MT), 154/155: 309 (PT), 154/155: 315 (RU), 156/157: 13 (DZ)

Milvus milvus 102/103: 249, 104/105: 56, 106/107: 115, 110/111: 50, 113/114: 148, 115: 194, 116: 31, 119: 148, 120: 5, 120: 39 (HR), 123: 213, 123: 224, 124: 48, 124: 56 (RS), 132: 40, 140: 38, 141/142/143: 55, 141/142/143: 195, 145/146: 77, 147: 181 (MK), 148/149: 90, 150/151: 143, 150/151: 218, 152/153: 25, 154/155: 145, 154/155: 159 (AT), 154/155: 173 (BA), 154/155:

191 (HR), 154/155: 217 (FR), 154/155: 225 (GB), 154/155: 233 (HU), 154/155: 239 (IE), 154/155: 255 (PL), 154/155: 261 (SK), 154/155: 277 (SE), 154/155: 283 (BE), 154/155: 289 (GE), 154/155: 297 (IT), 154/155: 315 (RU), 156/157: 13 (DZ), 156/157: 109

Monticola saxatilis 102/103: 241, 102/103: 249, 104/105: 47, 106/107: 115, 120: 5, 120: 15 (BG), 124: 23 (BG), 133: 84, 147: 181 (MK), 148/149: 1, 150/151: 143

Monticola solitarius 102/103: 249, 104/105: 64 (HR), 106/107: 115, 108: 182 (HR), 108: 185 (MK), 110/111: 56 (HR), 110/111: 59 (MK), 112: 108 (BA), 115: 198, 120: 37, 124: 23 (BG), 127: 201 (HR), 128/129: 106 (HR), 136: 59 (AL), 147: 181 (MK), 148/149: 1, 150/151: 143, 150/151: 234 (HR), 156/157: 13 (DZ)

Montifringilla nivalis 102/103: 241, 102/103: 249, 106/107: 115, 110/111: 55, 115: 194, 115: 202 (MK), 118: 114, 125: 110, 128/129: 113 (TR), 147: 181 (MK), 148/149: 1, 150/151: 143

Morus bassanus 138/139: 181, 140: 31 (BG), 150/151: 143, 152/153: 123, 156/157: 83

Motacilla alba 100: 107, 102/103: 249, 104/105: 29, 106/107: 115, 109: 219, 115: 201 (MK), 122: 139 (TR), 122: 161, 122: 167 (HR), 122: 171 (ME), 124: 23 (BG), 127: 199, 128/129: 45 (BA), 128/129: 59 (BG), 132: 42, 133: 79, 137: 119, 141/142/143: 165, 141/142/143: 181, 141/142/143: 195, 144: 7 (RS), 150/151: 143, 150/151: 233 (HR), 156/157: 13 (DZ), 156/157: 49

Motacilla alba yarrellii 132: 42, 141/142/143: 195

Motacilla cinerea 100: 107, 102/103: 241, 102/103: 249, 106/107: 115, 115: 197, 118: 114 (HR), 120: 15 (BG), 122: 139 (TR), 123: 213, 124: 23 (BG), 126: 157, 128/129: 110 (RS), 128/129: 113 (TR), 133: 79, 134: 95 (BG), 135: 141, 136: 59 (AL), 141/142/143: 195, 150/151: 143, 156/157: 13 (DZ), 156/157: 49, 156/157: 131 (ME)

Motacilla citreola 106/107: 115, 130/131: 176 (HR), 145/146: 160, 145/146: 161, 145/146: 166 (HR), 150/151: 143, 150/151: 234 (HR), 152/153: 129, 156/157: 83

Motacilla flava 102/103: 249, 104/105: 23, 106/107: 115, 115: 201 (MK), 117: 76, 120: 15 (BG), 121: 100 (RS), 122: 139 (TR), 123: 229 (HR), 125: 81 (BG), 127: 199, 128/129: 45 (BA), 128/129: 59 (BG), 128/129: 110 (RS), 130/131: 139 (RO),

130/131: 176 (HR), 133: 81, 133: 85 (HR), 134: 130, 134: 133 (HR), 135: 170 (HR), 136: 59 (AL), 137: 117, 141/142/143: 165, 141/142/143: 181, 141/142/143: 195, 144: 68 (HR), 145/146: 115 (TR), 145/146: 160, 145/146: 166 (HR), 148/149: 107 (ME), 150/151: 143, 150/151: 234 (HR), 152/153: 129, 156/157: 13 (DZ), 156/157: 49

Motacilla flava beema 104/105: 23, 134: 130

Motacilla flava cinereocapilla 104/105: 23, 128/129: 45 (BA), 134: 130, 141/142/143: 195

Motacilla flava feldegg 104/105: 23, 115: 201 (MK), 128/129: 110 (RS), 134: 130, 135: 170 (HR), 136: 59 (AL), 141/142/143: 195

Motacilla flava flava 104/105: 23, 117: 76, 134: 130, 135: 170 (HR), 141/142/143: 195

Motacilla flava thunbergi 104/105: 23, 134: 130, 148/149: 107 (ME)

Muscicapa striata 100: 107, 102/103: 241, 102/103: 249, 102/103: 283, 102/103: 285 (HR), 106/107: 115, 120: 27, 122: 139 (TR), 124: 23 (BG), 125: 81 (BG), 141/142/143: 195, 144: 7 (RS), 145/146: 115 (TR), 147: 181 (MK), 150/151: 143, 156/157: 13 (DZ), 156/157: 49

Neophron percnopterus 104/105: 63 (HR), 106/107: 115, 122: 139 (TR), 122: 176 (TR), 136: 59 (AL), 147: 175 (MK), 147: 181 (MK), 148/149: 29 (BG), 150/151: 143, 150/151: 211 (BG), 154/155: 145, 154/155: 173 (BA), 154/155: 181 (BG), 154/155: 217 (FR), 154/155: 261 (SK), 154/155: 289 (GE), 154/155: 293 (GR), 154/155: 297 (IT), 154/155: 309 (PT), 154/155: 315 (RU), 154/155: 321 (ES)

Netta peposaca 121: 79, 126: 123

Netta peposaca × Aythya ferina 123: 224

Netta rufina 102/103: 271, 106/107: 115, 109: 240 (HR), 110/111: 43, 116: 39 (BG), 117: 74, 120: 5, 121: 94, 125: 81 (BG), 125: 99, 126: 123, 130/131: 139 (RO), 130/131: 160, 132: 23, 133: 80, 135: 141, 135: 173, 136: 39, 137: 122 (RS), 141/142/143: 55, 141/142/143: 195, 145/146: 131, 147: 181 (MK), 148/149: 67, 148/149: 88, 150/151: 143, 152/153: 25, 152/153: 109, 156/157: 93, 156/157: 107

Nucifraga caryocatactes 102/103: 241, 102/103: 249, 106/107: 115, 113/114: 150, 113/114: 151, 113/114: 155 (RS), 116: 36, 119: 152, 121: 106 (RS), 123: 213, 125: 110, 128/129: 3 (CN), 134: 95 (BG), 134: 130, 134: 131, 141/142/143:

195, 150/151: 143, 156/157: 49, 156/157: 121, 156/157: 131 (ME)

Nucifraga caryocatactes macella 128/129: 3 (CN)

Numenius arquata 102/103: 249, 102/103: 271, 102/103: 279, 104/105: 57, 104/105: 58, 106/107: 115, 106/107: 123, 108: 171, 109: 234, 110/111: 43, 115: 195, 116: 29 (HR), 116: 34, 118: 114 (HR), 119: 149, 119: 152, 119: 154 (HR), 120: 5, 122: 169 (RS), 123: 185, 123: 213, 124: 47, 124: 54 (HR), 125: 99, 126: 123, 127: 200 (HR), 128/129: 45 (BA), 130/131: 131, 130/131: 160, 132: 23, 133: 81, 133: 85 (HR), 136: 39, 138/139: 169, 140: 3, 141/142/143: 55, 141/142/143: 195, 141/142/143: 216, 141/142/143: 217, 141/142/143: 218, 145/146: 131, 145/146: 158, 147: 181 (MK), 148/149: 1, 148/149: 67, 148/149: 94, 150/151: 143, 150/151: 224, 152/153: 25, 152/153: 109, 152/153: 128, 156/157: 1, 156/157: 33, 156/157: 93

Numenius phaeopus 106/107: 115, 116: 37 (HR), 119: 149, 122: 169 (RS), 130/131: 139 (RO), 130/131: 175 (HR), 141/142/143: 55, 141/142/143: 195, 141/142/143: 217, 145/146: 158, 148/149: 94, 150/151: 143, 152/153: 25, 152/153: 128, 156/157: 125 (HR)

Numenius tenuirostris 106/107: 115, 136: 1, 147: 181 (MK), 150/151: 143

Numida meleagris 128/129: 73

Nyctea scandiaca → **Bubo scandiacus**

Nycticorax nycticorax 100: 107, 100: 135, 100: 165, 102/103: 249, 106/107: 115, 106/107: 131 (HR), 108: 175, 108: 181 (HR), 112: 97 (RS), 113/114: 147, 115: 193, 115: 201 (MK), 117: 73, 120: 5, 120: 15 (BG), 121: 71 (RS), 123: 195, 124: 37 (HR), 125: 81 (BG), 128/129: 45 (BA), 130/131: 123 (ME), 132: 39, 135: 170 (HR), 136: 59 (AL), 137: 119 (HR), 141/142/143: 55, 141/142/143: 195, 141/142/143: 209, 144: 21 (ME), 147: 181 (MK), 148/149: 1, 150/151: 143, 152/153: 25, 156/157: 13 (DZ), 156/157: 124 (HR)

Nymphaicus hollandicus 150/151: 143

Oenanthe deserti 104/105: 53 (BG)

Oenanthe deserti atrogularis 104/105: 53 (BG)

Oenanthe finschii 122: 139 (TR)

Oenanthe hispanica 102/103: 249, 106/107: 109, 106/107: 115, 106/107: 126, 110/111: 59 (MK), 112: 108 (BA), 116: 34, 118: 117 (ME), 120: 5, 120: 15 (BG), 122: 139 (TR), 124: 23 (BG), 127:

201 (HR), 128/129: 45 (BA), 135: 177 (HR), 136: 59 (AL), 147: 181 (MK), 148/149: 101, 150/151: 143

Oenanthe hispanica hispanica 106/107: 126, 118: 117 (ME)

Oenanthe hispanica melanoleuca 106/107: 126, 116: 34, 118: 117 (ME), 127: 201 (HR), 136: 59 (AL)

Oenanthe isabellina 122: 139 (TR)

Oenanthe oenanthe 102/103: 249, 102/103: 282, 104/105: 47, 106/107: 115, 110/111: 59 (MK), 112: 108 (BA), 113/114: 152, 115: 194, 115: 202 (MK), 118: 114, 119: 152 (HR), 119: 155 (HR), 120: 15 (BG), 120: 38 (HR), 120: 42 (RS), 121: 100 (RS), 122: 139 (TR), 122: 175 (BG), 123: 213, 124: 52, 125: 110, 128/129: 45 (BA), 128/129: 108 (BA), 128/129: 112 (RS), 134: 129, 136: 59 (AL), 141/142/143: 195, 147: 181 (MK), 148/149: 1, 148/149: 101, 150/151: 143, 156/157: 13 (DZ), 156/157: 49

Oenanthe pleschanka 122: 139 (TR)

Onychognathus tristramii 104/105: 3 (OM)

Oriolus oriolus 100: 107, 100: 165, 102/103: 241, 102/103: 249, 104/105: 29, 106/107: 115, 106/107: 127, 106/107: 131 (HR), 109: 219, 110/111: 57 (HR), 120: 15 (BG), 122: 139 (TR), 124: 23 (BG), 125: 81 (BG), 128/129: 45 (BA), 130/131: 139 (RO), 136: 59 (AL), 141/142/143: 165, 141/142/143: 195, 144: 7 (RS), 150/151: 143, 150/151: 233 (HR), 156/157: 13 (DZ), 156/157: 49

Otis tarda 106/107: 115, 120: 5, 145/146: 168 (ME), 147: 181 (MK), 150/151: 143

Otus scops 98/99: 23, 98/99: 35, 98/99: 39, 98/99: 47, 98/99: 84, 98/99: 85, 98/99: 85 (HR), 98/99: 86, 98/99: 88, 98/99: 90, 100: 107, 100: 135, 102/103: 241, 102/103: 249, 106/107: 115, 106/107: 131 (HR), 108: 149 (HR), 108: 178, 112: 81, 112: 91, 112: 102, 112: 105 (HR), 113/114: 129, 115: 195, 118: 115 (HR), 119: 127, 120: 15 (BG), 120: 36, 122: 139 (TR), 122: 153, 122: 163, 124: 52, 125: 109, 127: 199, 127: 201 (HR), 135: 177 (HR), 136: 23, 136: 33, 136: 59 (AL), 136: 73 (HR), 137: 116, 144: 15 (HR), 144: 67 (HR), 147: 181 (MK), 148/149: 1, 148/149: 11, 150/151: 143, 152/153: 129, 154/155: 145, 154/155: 173 (BA), 154/155: 191 (HR), 154/155: 217 (FR), 154/155: 261 (SK), 154/155: 271, 154/155: 309 (PT), 156/157: 13 (DZ), 156/157: 49

Oxyura jamaicensis 104/105: 57, 106/107: 69, 106/107: 109, 106/107: 115, 113/114: 148, 121: 79, 141/142/143: 55, 141/142/143: 195, 150/151: 117, 150/151: 143

Oxyura leucocephala 106/107: 69, 147: 181 (MK), 150/151: 117

Pandion haliaetus 106/107: 115, 120: 15 (BG), 120: 38 (HR), 122: 176 (TR), 123: 236 (TR), 125: 107, 125: 114 (RS), 126: 151, 127: 202 (BG), 128/129: 45 (BA), 128/129: 86, 128/129: 88 (BG), 128/129: 106 (HR), 130/131: 117, 133: 85 (HR), 134: 129, 134: 133 (HR), 137: 112, 138/139: 187, 141/142/143: 55, 141/142/143: 195, 141/142/143: 209, 145/146: 153, 145/146: 165 (HR), 148/149: 1, 148/149: 29 (BG), 148/149: 87, 150/151: 143, 150/151: 235 (RS), 152/153: 25, 154/155: 145, 154/155: 167 (BY), 154/155: 173 (BA), 154/155: 191 (HR), 154/155: 203 (FI), 154/155: 217 (FR), 154/155: 225 (GB), 154/155: 239 (IE), 154/155: 247 (NO), 154/155: 255 (PL), 154/155: 261 (SK), 154/155: 271, 154/155: 277 (SE), 154/155: 285 (EE), 154/155: 289 (GE), 154/155: 301 (LV), 154/155: 305 (MT), 154/155: 309 (PT), 154/155: 315 (RU), 156/157: 111

Panurus biarmicus 106/107: 115, 115: 198, 118: 87 (BG), 119: 151, 122: 139 (TR), 141/142/143: 195, 141/142/143: 222, 150/151: 143

Parus ater → *Periparus ater*

Parus caeruleus → *Cyanistes caeruleus*

Parus cristatus → *Lophophanes cristatus*

Parus lugubris → *Poecile lugubris*

Parus major 100: 107, 100: 166, 102/103: 241, 102/103: 249, 102/103: 261, 104/105: 29, 104/105: 59, 106/107: 115, 109: 219, 112: 102, 119: 156 (ME), 120: 15 (BG), 122: 135, 122: 139 (TR), 123: 213, 123: 218, 124: 23 (BG), 125: 81 (BG), 128/129: 45 (BA), 128/129: 59 (BG), 135: 170 (HR), 136: 59 (AL), 141/142/143: 165, 141/142/143: 181, 141/142/143: 195, 144: 7 (RS), 145/146: 115 (TR), 148/149: 106 (ME), 150/151: 143, 150/151: 233 (HR), 156/157: 13 (DZ), 156/157: 49, 156/157: 114, 156/157: 120

Parus montanus → *Poecile montana*

Parus palustris → *Poecile palustris*

Passer domesticus 100: 107, 100: 153, 100: 161, 102/103: 241, 102/103: 249, 106/107: 115, 106/107: 132 (HR), 108: 183 (HR), 109: 207 (HR),

109: 219, 110/111: 55, 117: 78, 120: 15 (BG), 120: 27, 121: 90, 121: 100 (RS), 122: 139 (TR), 122: 158, 123: 230 (HR), 124: 52, 124: 60 (BG), 128/129: 45 (BA), 128/129: 59 (BG), 128/129: 59 (BG), 128/129: 85 (HR), 128/129: 109 (BA), 130/131: 139 (RO), 132: 44 (HR), 133: 86 (HR), 135: 170 (HR), 141/142/143: 195, 145/146: 115 (TR), 147: 181 (MK), 150/151: 143, 150/151: 233 (HR), 152/153: 5, 156/157: 13 (DZ), 156/157: 49

Passer domesticus × *P. hispaniolensis* 156/157: 13 (DZ)

Passer hispaniolensis 100: 107, 100: 135, 100: 153, 100: 161, 104/105: 64 (HR), 106/107: 109, 106/107: 115, 106/107: 132 (HR), 108: 183 (HR), 109: 207 (HR), 112: 105 (HR), 112: 107 (BA), 115: 199 (HR), 118: 115 (HR), 120: 5, 121: 98 (HR), 121: 100 (RS), 122: 139 (TR), 122: 149 (BA), 122: 167 (HR), 128/129: 45 (BA), 128/129: 85 (HR), 130/131: 176 (HR), 132: 44 (HR), 133: 86 (HR), 136: 59 (AL), 145/146: 115 (TR), 150/151: 143, 156/157: 13 (DZ)

Passer italiae 100: 161, 102/103: 249, 109: 207 (HR), 123: 230 (HR), 150/151: 143, 156/157: 49

Passer luteus 106/107: 115, 150/151: 143

Passer montanus 98/99: 89 (HR), 100: 107, 100: 161, 102/103: 241, 102/103: 249, 106/107: 115, 108: 183 (HR), 109: 207 (HR), 109: 219, 120: 15 (BG), 120: 27, 121: 90, 122: 158, 122: 161, 122: 175 (BG), 124: 23 (BG), 125: 81 (BG), 128/129: 45 (BA), 128/129: 59 (BG), 128/129: 85 (HR), 133: 79, 135: 174, 136: 59 (AL), 137: 113, 141/142/143: 195, 144: 7 (RS), 147: 181 (MK), 150/151: 143, 150/151: 233 (HR), 152/153: 5, 156/157: 13 (DZ), 156/157: 49, 156/157: 133 (BG)

Pastor roseus 102/103: 241, 106/107: 109, 106/107: 115, 108: 183 (HR), 116: 36, 120: 37, 122: 139 (TR), 127: 203 (BG), 128/129: 45 (BA), 128/129: 104, 136: 74 (HR), 145/146: 143 (BG), 150/151: 143, 156/157: 83

Pelecanus crispus 116: 39 (BG), 118: 116 (ME), 122: 111 (ME), 122: 149 (BA), 122: 172 (ME), 123: 185, 124: 41 (ME), 125: 81 (BG), 126: 160 (ME), 130/131: 123 (ME), 130/131: 139 (RO), 136: 59 (AL), 137: 123 (AL), 145/146: 115 (TR), 147: 181 (MK), 150/151: 143, 150/151: 216

Pelecanus onocrotalus 106/107: 115, 116: 38 (BG), 122: 176 (TR), 123: 195, 123: 237 (TR), 130/131: 139 (RO), 136: 39, 137: 123 (AL), 141/142/143: 55, 141/142/143: 195, 144: 57, 147: 181 (MK), 148/149: 29 (BG), 150/151: 143

Perdix perdix 100: 107, 100: 135, 102/103: 249, 106/107: 115, 109: 219, 118: 111, 120: 15 (BG), 125: 81 (BG), 128/129: 45 (BA), 128/129: 73, 132: 3, 136: 23, 138/139: 129, 147: 181 (MK), 150/151: 117, 150/151: 143, 154/155: 225 (GB)

Periparus ater 100: 107, 102/103: 241, 102/103: 249, 106/107: 115, 109: 219, 109: 238, 117: 82 (RS), 119: 155 (HR), 120: 15 (BG), 123: 237 (TR), 125: 69, 128/129: 104, 134: 95 (BG), 136: 59 (AL), 138/139: 192 (RS), 141/142/143: 195, 150/151: 143, 150/151: 236 (RS), 150/151: 237 (RS), 156/157: 49, 156/157: 131 (ME)

Pernis apivorus 98/99: 9, 100: 107, 100: 135, 102/103: 241, 102/103: 249, 106/107: 115, 108: 163, 112: 81, 112: 99, 113/114: 149, 117: 74, 117: 77, 119: 153 (HR), 120: 15 (BG), 121: 97 (HR), 122: 139 (TR), 122: 163, 122: 176 (TR), 123: 224, 124: 23 (BG), 124: 48, 128/129: 45 (BA), 128/129: 86, 132: 40, 132: 41, 133: 84, 134: 133 (HR), 135: 174, 136: 68, 140: 38, 140: 41, 141/142/143: 55, 141/142/143: 181, 141/142/143: 195, 141/142/143: 209, 145/146: 73, 145/146: 77, 145/146: 153, 145/146: 154, 147: 181 (MK), 148/149: 1, 148/149: 29 (BG), 148/149: 91, 148/149: 104 (HR), 148/149: 107 (ME), 150/151: 143, 152/153: 25, 152/153: 125, 154/155: 145, 154/155: 159 (AT), 154/155: 173 (BA), 154/155: 191 (HR), 154/155: 203 (FI), 154/155: 217 (FR), 154/155: 225 (GB), 154/155: 247 (NO), 154/155: 255 (PL), 154/155: 261 (SK), 154/155: 271, 154/155: 277 (SE), 154/155: 283 (BE), 154/155: 289 (GE), 154/155: 297 (IT), 154/155: 301 (LV), 154/155: 305 (MT), 154/155: 309 (PT), 154/155: 315 (RU), 156/157: 110, 156/157: 111

Pernis ptilorhynchus 154/155: 289 (GE)

Petronia brachydactyla → *Carpospiza brachydactyla*

Petronia petronia 106/107: 115, 110/111: 59 (MK), 122: 139 (TR), 128/129: 113 (TR), 136: 59 (AL), 150/151: 143

Petronia xanthocollis → *Gymnoris xanthocollis*

Phalacrocorax aristotelis 102/103: 271, 104/105: 63 (HR), 106/107: 81, 106/107: 115, 108: 171, 108: 181 (HR), 108: 182 (HR), 110/111: 43, 116: 37 (HR), 120: 33, 125: 99, 126: 123, 130/131: 117, 130/131: 160, 132: 23, 132: 44 (HR), 136: 39, 138/139: 169, 138/139: 181, 144: 66 (HR), 145/146: 131, 148/149: 1, 148/149: 67, 148/149: 103 (HR), 150/151: 143, 152/153: 109, 156/157: 5, 156/157: 49, 156/157: 93

- Phalacrocorax aristotelis desmarestii*** 130/131: 117, 156/157: 5
- Phalacrocorax aristotelis riggenbachi*** 156/157: 5
- Phalacrocorax carbo*** 102/103: 265, 102/103: 271, 104/105: 54, 106/107: 115, 108: 171, 109: 191 (HR), 109: 233, 109: 239 (HR), 110/111: 5, 110/111: 43, 110/111: 50, 113/114: 148, 115: 169, 116: 11, 118: 110, 120: 15 (BG), 121: 71 (RS), 122: 111 (ME), 122: 161, 123: 195, 123: 207 (RS), 123: 223, 124: 41 (ME), 124: 52, 125: 81 (BG), 125: 99, 125: 111 (BA), 126: 123, 126: 151, 128/129: 45 (BA), 128/129: 108 (BA), 130/131: 123 (ME), 130/131: 160, 132: 23, 135: 141, 136: 39, 136: 59 (AL), 136: 73 (HR), 138/139: 169, 140: 17 (IT), 140: 31 (BG), 141/142/143: 55, 141/142/143: 195, 144: 21 (ME), 144: 53, 145/146: 131, 147: 181 (MK), 148/149: 67, 148/149: 86, 148/149: 87, 150/151: 143, 150/151: 216, 152/153: 25, 152/153: 109, 152/153: 132 (BG), 156/157: 49, 156/157: 93, 156/157: 115, 156/157: 128 (RS)
- Phalacrocorax pygmeus*** 102/103: 271, 102/103: 275, 102/103: 284 (HR), 104/105: 54, 106/107: 109, 106/107: 115, 108: 171, 108: 175, 109: 233, 110/111: 43, 110/111: 49, 115: 199 (HR), 117: 79 (HR), 117: 80 (RS), 118: 116 (ME), 119: 152 (HR), 120: 38 (HR), 120: 39 (HR), 122: 111 (ME), 122: 139 (TR), 122: 167 (RS), 123: 185, 123: 207 (RS), 123: 223, 124: 41 (ME), 124: 47, 125: 81 (BG), 126: 123, 128/129: 107 (HR), 128/129: 110 (RS), 130/131: 117, 130/131: 123 (ME), 130/131: 160, 134: 132 (HR), 135: 170 (HR), 136: 39, 136: 59 (AL), 136: 67, 138/139: 169, 138/139: 187, 141/142/143: 55, 141/142/143: 195, 144: 21 (ME), 144: 63, 145/146: 115 (TR), 145/146: 131, 147: 181 (MK), 148/149: 1, 148/149: 67, 150/151: 143, 150/151: 216, 150/151: 235 (RS), 152/153: 25, 152/153: 109, 156/157: 93, 156/157: 132 (BG)
- Phalaropus fulicarius*** 106/107: 115, 150/151: 143
- Phalaropus lobatus*** 102/103: 279, 104/105: 58, 106/107: 109, 106/107: 115, 109: 234, 122: 169 (RS), 124: 60 (BG), 135: 178 (RS), 144: 62, 150/151: 143, 152/153: 25, 156/157: 83
- Phasianus colchicus*** 100: 107, 102/103: 249, 106/107: 69, 106/107: 115, 109: 219, 112: 81, 113/114: 149, 119: 152 (HR), 120: 5, 120: 15 (BG), 123: 213, 125: 81 (BG), 128/129: 73, 130/131: 139 (RO), 133: 86 (HR), 141/142/143: 165, 141/142/143: 181, 141/142/143: 195, 150/151: 117, 150/151: 143, 150/151: 233 (HR), 154/155: 225 (GB)
- Phasianus colchicus colchicus*** 106/107: 69, 113/114: 149
- Phasianus colchicus mongolicus*** 106/107: 69, 113/114: 149
- Phasianus colchicus torquatus*** 106/107: 69, 113/114: 149
- Phasianus colchicus f. tenebrosus*** 106/107: 69, 113/114: 149
- Phasianus versicolor*** 113/114: 149
- Pheucticus ludovicianus*** 106/107: 115, 150/151: 143
- Philomachus pugnax*** 102/103: 269, 106/107: 115, 106/107: 123, 116: 32, 117: 76, 119: 151, 119: 152 (HR), 119: 154 (HR), 120: 35, 120: 39 (HR), 122: 169 (RS), 127: 197, 130/131: 139 (RO), 133: 80, 141/142/143: 55, 141/142/143: 195, 141/142/143: 210, 148/149: 1, 148/149: 94, 150/151: 143, 150/151: 224, 152/153: 25, 156/157: 49
- Phoenicopterus chilensis*** 127: 191
- Phoenicopterus minor*** 127: 191
- Phoenicopterus roseus***² 106/107: 109, 106/107: 115, 121: 101 (ME), 122: 176 (TR), 123: 237 (TR), 125: 69, 127: 191, 136: 39, 141/142/143: 55, 141/142/143: 195, 145/146: 167 (ME), 148/149: 1, 150/151: 143, 156/157: 13 (DZ), 156/157: 83
- Phoenicopterus ruber*** 127: 191
- Phoenicurus ochruros*** 98/99: 89 (HR), 100: 107, 102/103: 241, 102/103: 249, 102/103: 281, 104/105: 61, 106/107: 115, 109: 213, 109: 219, 109: 236, 113/114: 150, 115: 202 (MK), 120: 15 (BG), 121: 96, 122: 139 (TR), 123: 213, 124: 23 (BG), 125: 110, 133: 79, 134: 95 (BG), 134: 129, 135: 170 (HR), 135: 177, 136: 59 (AL), 137: 117, 140: 41, 141/142/143: 195, 148/149: 100, 150/151: 143, 156/157: 13 (DZ), 156/157: 49
- Phoenicurus ochruros × P. phoenicurus*** 156/157: 49
- Phoenicurus ochruros phoenicurooides*** 121: 96
- Phoenicurus moussieri*** 156/157: 13 (DZ)
- Phoenicurus phoenicurus*** 100: 107, 100: 135, 102/103: 249, 106/107: 115, 109: 219, 109: 236, 117: 78, 120: 15 (BG), 120: 36, 121: 96, 122: 139 (TR), 122: 176 (BG), 123: 213, 124: 51, 125: 81 (BG), 125: 109, 128/129: 59 (BG), 132: 43, 134: 95 (BG), 141/142/143: 195, 147: 181 (MK), 148/149: 1, 150/151: 143, 156/157: 13 (DZ), 156/157: 49

Phylloscopus bonelli 102/103: 249, 102/103: 283, 106/107: 115, 117: 78, 120: 5, 123: 237 (TR), 133: 84, 147: 181 (MK), 148/149: 1, 150/151: 143, 156/157: 13 (DZ), 156/157: 49

Phylloscopus borealis 128/129: 21 (MN)

Phylloscopus collybita 100: 107, 102/103: 241, 102/103: 249, 102/103: 284, 104/105: 29, 106/107: 115, 106/107: 127, 109: 219, 120: 15 (BG), 122: 139 (TR), 123: 213, 124: 23 (BG), 125: 81 (BG), 128/129: 59 (BG), 133: 79, 134: 95 (BG), 135: 170 (HR), 141/142/143: 165, 141/142/143: 195, 141/142/143: 199, 150/151: 143, 156/157: 13 (DZ), 156/157: 49

Phylloscopus fuscatus 128/129: 21 (MN), 150/151: 143

Phylloscopus humei 128/129: 21 (MN)

Phylloscopus humei humei 128/129: 21 (MN)

Phylloscopus humei mandellei 128/129: 21 (MN)

Phylloscopus inornatus 106/107: 115, 128/129: 21 (MN), 136: 71, 144: 64, 150/151: 143, 156/157: 49, 156/157: 83

Phylloscopus proregulus 106/107: 109, 106/107: 115, 128/129: 21 (MN), 150/151: 117, 150/151: 143

Phylloscopus sibilatrix 100: 107, 102/103: 249, 102/103: 285 (HR), 104/105: 62, 106/107: 115, 120: 15 (BG), 128/129: 21 (MN), 136: 59 (AL), 141/142/143: 195, 144: 65, 150/151: 143, 156/157: 49, 156/157: 114

Phylloscopus trochiloides 128/129: 21 (MN), 150/151: 117

Phylloscopus trochilus 100: 107, 102/103: 249, 106/107: 115, 109: 219, 117: 77, 120: 5, 120: 15 (BG), 123: 213, 128/129: 21 (MN), 128/129: 59 (BG), 128/129: 104, 134: 95 (BG), 141/142/143: 195, 141/142/143: 199, 145/146: 162, 148/149: 1, 150/151: 143, 156/157: 13 (DZ), 156/157: 49

Pica pica 98/99: 35, 98/99: 97, 100: 107, 102/103: 249, 104/105: 29, 106/107: 115, 110/111: 51, 110/111: 56 (HR), 112: 81, 116: 41 (BG), 116: 42 (BG), 120: 5, 120: 15 (BG), 120: 27, 121: 89, 122: 139 (TR), 123: 213, 123: 235 (BG), 125: 81 (BG), 128/129: 45 (BA), 128/129: 83 (IT), 128/129: 102, 133: 75 (BG), 136: 23, 138/139: 155 (BG), 141/142/143: 195, 144: 7 (RS), 145/146: 93 (RS), 145/146: 115 (TR), 150/151: 143, 150/151: 233 (HR), 152/153: 5, 154/155: 315 (RU), 156/157: 49

Picoides tridactylus 102/103: 241, 102/103: 249, 102/103: 281, 104/105: 60, 106/107: 115, 109: 235, 113/114: 152, 119: 151, 120: 5, 122: 119, 122: 164, 123: 227, 124: 50, 134: 130, 135: 176, 138/139: 189 (HR), 148/149: 1, 150/151: 143

Picus canus 100: 107, 100: 135, 102/103: 241, 102/103: 249, 106/107: 115, 113/114: 151, 119: 148, 120: 15 (BG), 120: 41 (RS), 121: 51 (AT), 121: 95, 122: 119, 125: 81 (BG), 130/131: 179 (RS), 137: 117, 141/142/143: 195, 147: 181 (MK), 148/149: 1, 150/151: 143, 156/157: 49, 156/157: 131 (ME)

Picus vaillantii 156/157: 13 (DZ)

Picus viridis 100: 107, 100: 135, 102/103: 241, 102/103: 249, 106/107: 115, 108: 180, 110/111: 55, 112: 101, 112: 102, 119: 148, 120: 15 (BG), 121: 51 (AT), 121: 95, 124: 23 (BG), 125: 81 (BG), 130/131: 179 (RS), 136: 59 (AL), 136: 70, 137: 117, 141/142/143: 195, 144: 7 (RS), 147: 181 (MK), 150/151: 143, 156/157: 49

Pinicola enucleator 106/107: 115, 150/151: 143

Platalea alba 130/131: 159 (HR)

Platalea leucorodia 104/105: 54, 106/107: 115, 108: 176, 109: 191 (HR), 113/114: 153 (HR), 113/114: 155 (RS), 121: 71 (RS), 121: 94, 121: 98 (RS), 122: 168 (RS), 125: 81 (BG), 125: 99, 125: 113 (RS), 128/129: 45 (BA), 128/129: 106 (HR), 130/131: 123 (ME), 130/131: 139 (RO), 130/131: 159 (HR), 133: 85 (HR), 136: 1, 141/142/143: 55, 141/142/143: 195, 141/142/143: 199, 144: 57, 147: 181 (MK), 150/151: 135 (HR), 150/151: 143, 152/153: 25

Platycercus elegans 156/157: 83

Plectrophenax nivalis 106/107: 115, 110/111: 55, 116: 36, 137: 119, 144: 65, 150/151: 143

Plegadis falcinellus 102/103: 276, 106/107: 109, 106/107: 115, 110/111: 50, 116: 36 (HR), 122: 168 (RS), 123: 229 (HR), 124: 47, 124: 54 (HR), 125: 81 (BG), 125: 113 (RS), 128/129: 37 (BG), 128/129: 45 (BA), 141/142/143: 55, 141/142/143: 195, 141/142/143: 210, 144: 21 (ME), 144: 57, 147: 181 (MK), 148/149: 1, 150/151: 143, 150/151: 230 (HR), 152/153: 25, 152/153: 125

Pluvialis apricaria 106/107: 115, 109: 234, 119: 154 (HR), 133: 80, 141/142/143: 55, 141/142/143: 195, 148/149: 1, 150/151: 143, 152/153: 25, 156/157: 126 (HR), 156/157: 127 (HR)

Pluvialis dominica 156/157: 125 (HR)

Pluvialis fulva 106/107: 109, 106/107: 115, 150/151: 143

Pluvialis squatarola 102/103: 271, 104/105: 57, 104/105: 63 (HR), 106/107: 115, 108: 171, 119: 152 (HR), 125: 99, 126: 123, 130/131: 160, 133: 85 (HR), 136: 39, 137: 120 (HR), 138/139: 169, 141/142/143: 55, 141/142/143: 195, 141/142/143: 218, 145/146: 131, 148/149: 67, 148/149: 94, 150/151: 143, 150/151: 236 (RS), 152/153: 25, 152/153: 109, 156/157: 79 (ME), 156/157: 93, 156/157: 125 (HR)

Podiceps auritus 102/103: 275, 106/107: 115, 110/111: 43, 115: 193, 125: 99, 126: 123, 135: 141, 135: 177 (HR), 141/142/143: 55, 145/146: 131, 148/149: 67, 148/149: 85, 150/151: 143, 152/153: 25

Podiceps cristatus 102/103: 249, 102/103: 265, 102/103: 271, 106/107: 115, 108: 171, 108: 175, 110/111: 43, 112: 81, 112: 106 (BA), 115: 193, 115: 200 (MK), 116: 32, 117: 76, 117: 79 (HR), 118: 87 (BG), 118: 110, 118: 116 (ME), 119: 154 (HR), 120: 33, 120: 34, 120: 40 (RS), 121: 98 (RS), 122: 161, 123: 230 (RS), 125: 81 (BG), 125: 99, 125: 111 (BA), 126: 123, 126: 151, 128/129: 45 (BA), 128/129: 110 (RS), 130/131: 160, 132: 23, 133: 79, 134: 132 (HR), 135: 141, 135: 170 (HR), 135: 173, 136: 39, 136: 59 (AL), 137: 111, 137: 122 (RS), 138/139: 169, 141/142/143: 55, 141/142/143: 181, 141/142/143: 195, 144: 68 (MK), 145/146: 131, 145/146: 151, 147: 181 (MK), 148/149: 67, 148/149: 85, 150/151: 143, 150/151: 218, 152/153: 25, 152/153: 109, 156/157: 93, 156/157: 105

Podiceps grisegena 102/103: 249, 106/107: 115, 108: 171, 110/111: 43, 116: 32, 120: 5, 120: 40 (RS), 122: 161, 122: 167 (RS), 125: 81 (BG), 125: 99, 126: 123, 127: 197, 130/131: 160, 132: 23, 135: 141, 136: 39, 138/139: 169, 141/142/143: 55, 141/142/143: 195, 148/149: 1, 148/149: 67, 150/151: 143, 150/151: 218, 152/153: 25, 152/153: 109, 156/157: 93

Podiceps nigricollis 102/103: 249, 102/103: 271, 106/107: 115, 108: 171, 109: 233, 109: 239 (HR), 110/111: 43, 113/114: 147, 113/114: 156 (RS), 115: 163, 116: 39 (BG), 117: 79 (HR), 118: 116 (ME), 119: 152 (HR), 120: 5, 122: 161, 122: 167 (RS), 123: 195, 125: 81 (BG), 125: 99, 126: 123, 126: 151, 126: 158 (HR), 130/131: 160, 132: 23, 132: 41, 133: 85 (HR), 135: 141, 136: 39, 136: 59 (AL),

138/139: 169, 141/142/143: 55, 141/142/143: 181, 141/142/143: 195, 145/146: 131, 147: 181 (MK), 148/149: 67, 150/151: 143, 152/153: 25, 152/153: 109, 152/153: 122, 156/157: 93

Poecile lugubris 102/103: 241, 102/103: 249, 104/105: 59, 106/107: 115, 119: 156 (ME), 120: 15 (BG), 123: 228, 123: 237 (TR), 124: 23 (BG), 126: 139 (RS, ME), 126: 160 (ME), 127: 201 (HR), 128/129: 59 (BG), 147: 181 (MK), 150/151: 143

Poecile montana 100: 107, 102/103: 241, 102/103: 249, 106/107: 115, 109: 238, 113/114: 151, 123: 213, 124: 23 (BG), 124: 52, 125: 69, 132: 43, 134: 95 (BG), 150/151: 143, 150/151: 237 (RS), 156/157: 49, 156/157: 121

Poecile palustris 100: 107, 102/103: 241, 102/103: 249, 104/105: 59, 106/107: 115, 120: 15 (BG), 124: 23 (BG), 125: 69, 125: 81 (BG), 126: 157, 130/131: 180 (RS), 130/131: 181 (ME), 132: 43, 141/142/143: 195, 147: 181 (MK), 150/151: 143, 150/151: 233 (HR), 156/157: 49, 156/157: 121

Porphyrio porphyrio 116: 21 (HR)

Porzana parva 102/103: 249, 106/107: 115, 116: 21 (HR), 116: 32, 118: 111, 119: 153 (HR), 120: 5, 122: 166 (HR), 128/129: 45 (BA), 128/129: 59 (BG), 128/129: 106 (HR), 141/142/143: 55, 141/142/143: 181, 141/142/143: 195, 141/142/143: 214, 141/142/143: 215, 145/146: 156, 148/149: 1, 148/149: 106 (ME), 150/151: 143, 152/153: 25, 156/157: 49

Porzana porzana 102/103: 249, 106/107: 115, 106/107: 122, 110/111: 53, 113/114: 150, 116: 21 (HR), 120: 5, 122: 166 (HR), 125: 81 (BG), 125: 114 (RS), 141/142/143: 55, 141/142/143: 181, 141/142/143: 195, 148/149: 1, 150/151: 143, 150/151: 220, 152/153: 25, 156/157: 49

Porzana pusilla 106/107: 115, 116: 21 (HR), 120: 5, 120: 15 (BG), 122: 166 (HR), 123: 185, 125: 81 (BG), 128/129: 59 (BG), 148/149: 106 (ME), 150/151: 117, 150/151: 143

Porzana pusilla intermedia 116: 21 (HR)

Porzana pusilla pusilla 116: 21 (HR)

Prunella collaris 102/103: 241, 102/103: 249, 106/107: 115, 115: 194, 120: 5, 124: 51, 134: 131, 136: 70, 147: 181 (MK), 148/149: 1, 150/151: 143, 152/153: 5

Prunella modularis 100: 107, 102/103: 241, 102/103: 249, 104/105: 61, 106/107: 115, 109: 229, 120: 15

(BG), 123: 213, 128/129: 59 (BG), 128/129: 110 (RS), 134: 95 (BG), 136: 71, 136: 72, 138/139: 192 (RS), 141/142/143: 195, 147: 181 (MK), 150/151: 143, 156/157: 49, 156/157: 131 (ME)

Psittacula krameri 106/107: 69, 106/107: 115, 150/151: 143, 156/157: 13 (DZ)

Pterocles alchata 122: 139 (TR)

Pterocles orientalis 156/157: 13 (DZ)

Ptyonoprogne fuligula 104/105: 3 (OM)

Ptyonoprogne rupestris 102/103: 249, 106/107: 115, 106/107: 126, 108: 179, 112: 102, 119: 154 (HR), 120: 15 (BG), 120: 36, 120: 40 (HR), 124: 23 (BG), 125: 69, 130/131: 179 (RS), 133: 83, 136: 59 (AL), 137: 117, 150/151: 143, 150/151: 227, 156/157: 49

Puffinus mauretanicus 104/105: 9 (HR)

Puffinus yelkouan 104/105: 9 (HR), 104/105: 63 (HR), 106/107: 115, 128/129: 91 (BG), 130/131: 117, 133: 79, 138/139: 181, 148/149: 1, 148/149: 103 (HR), 150/151: 143, 152/153: 123

Pycnonotus barbatus 156/157: 13 (DZ)

Pyrrhocorax graculus 102/103: 241, 102/103: 249, 106/107: 115, 109: 238, 112: 108 (BA), 115: 198, 115: 200 (HR), 115: 202 (MK), 116: 42 (BG), 117: 78, 118: 118 (ME), 121: 85 (BA), 121: 103 (ME), 125: 110, 125: 112 (BA), 128/129: 113 (TR), 130/131: 177 (BA), 130/131: 178 (BA), 147: 181 (MK), 148/149: 1, 150/151: 143, 156/157: 49

Pyrrhocorax pyrrhocorax 106/107: 115, 120: 5, 128/129: 113 (TR), 147: 181 (MK), 150/151: 143

Pyrrhula pyrrhula 100: 107, 102/103: 241, 102/103: 249, 106/107: 115, 112: 81, 120: 15 (BG), 123: 213, 125: 110, 134: 95 (BG), 138/139: 192 (RS), 141/142/143: 195, 150/151: 143, 156/157: 49

Pyrrhula pyrrhula pyrrhula 125: 110

Rallus aquaticus 100: 107, 100: 135, 102/103: 249, 102/103: 271, 106/107: 115, 108: 171, 109: 219, 110/111: 27, 110/111: 43, 110/111: 53, 116: 21 (HR), 116: 32, 121: 93, 123: 195, 125: 81 (BG), 125: 99, 125: 113 (RS), 126: 123, 130/131: 160, 132: 23, 136: 39, 138/139: 169, 141/142/143: 55, 141/142/143: 181, 141/142/143: 195, 141/142/143: 214, 144: 61, 145/146: 131, 145/146: 156, 148/149: 1, 148/149: 67, 150/151: 143, 152/153: 25, 152/153: 109, 156/157: 49, 156/157: 93

Raphus cucullatus 118: 85

Recurvirostra avosetta 106/107: 115, 108: 178, 110/111: 39 (ME), 113/114: 139 (HR), 115: 200 (MK), 120: 5, 120: 35, 122: 169 (RS), 123: 237 (TR), 128/129: 92 (BG), 130/131: 173 (TN), 141/142/143: 55, 141/142/143: 195, 141/142/143: 216, 148/149: 1, 150/151: 143, 152/153: 25, 156/157: 49, 156/157: 112

Regulus ignicapilla 98/99: 89, 100: 107, 100: 135, 102/103: 241, 102/103: 249, 104/105: 59, 106/107: 115, 109: 219, 116: 35, 120: 15 (BG), 125: 69, 130/131: 180 (RS), 134: 95 (BG), 138/139: 191 (HR), 141/142/143: 195, 147: 181 (MK), 150/151: 143, 156/157: 13 (DZ), 156/157: 49

Regulus regulus 98/99: 47, 98/99: 94, 100: 107, 100: 135, 102/103: 241, 102/103: 249, 106/107: 115, 109: 219, 112: 103, 116: 35, 120: 15 (BG), 123: 213, 126: 159 (HR), 133: 82, 134: 95 (BG), 137: 121 (HR), 138/139: 187, 138/139: 190 (HR), 138/139: 191 (HR), 138/139: 192 (RS), 141/142/143: 195, 141/142/143: 199, 147: 181 (MK), 150/151: 143, 156/157: 49, 156/157: 131 (ME)

Remiz pendulinus 102/103: 241, 102/103: 249, 104/105: 29, 106/107: 115, 108: 183 (HR), 115: 201 (MK), 117: 73, 120: 5, 125: 81 (BG), 125: 113 (RS), 128/129: 59 (BG), 141/142/143: 195, 141/142/143: 199, 145/146: 115 (TR), 147: 181 (MK), 148/149: 1, 150/151: 143, 156/157: 49

Rhodospiza obsoleta 122: 139 (TR)

Riparia paludicola 124: 60 (BG)

Riparia riparia 98/99: 89 (HR), 100: 107, 100: 135, 102/103: 231, 102/103: 249, 102/103: 281, 102/103: 282, 106/107: 115, 106/107: 126, 119: 154 (HR), 120: 5, 120: 15 (BG), 120: 42 (RS), 122: 175 (BG), 123: 213, 123: 230 (RS), 123: 233 (RS), 125: 110, 133: 85 (HR), 134: 133 (HR), 135: 170 (HR), 135: 176, 141/142/143: 195, 147: 181 (MK), 148/149: 1, 150/151: 143, 156/157: 13 (DZ), 156/157: 49

Rissa tridactyla 106/107: 115, 119: 135 (HR), 123: 234 (BG), 125: 69, 138/139: 181, 150/151: 143, 152/153: 25

Rissa tridactyla tridactyla 125: 69

Saxicola rubetra 100: 107, 102/103: 241, 102/103: 249, 102/103: 282, 104/105: 29, 104/105: 47, 106/107: 115, 109: 219, 112: 75, 112: 102, 117: 78, 117: 80 (HR), 119: 152 (HR), 120: 15 (BG), 120: 38 (HR), 123: 213, 124: 51, 125: 105, 126:

158 (HR), 128/129: 45 (BA), 128/129: 110 (RS), 133: 51, 135: 170 (HR), 136: 59 (AL), 140: 3, 140: 41, 141/142/143: 195, 147: 181 (MK), 148/149: 1, 150/151: 143, 156/157: 13 (DZ), 156/157: 33, 156/157: 49

Saxicola torquatus 100: 107, 100: 135, 100: 165, 102/103: 241, 102/103: 249, 104/105: 29, 104/105: 47, 106/107: 115, 109: 219, 109: 236, 109: 237, 112: 75, 115: 202 (MK), 119: 152 (HR), 120: 15 (BG), 120: 27, 123: 213, 125: 69, 126: 162 (BG), 128/129: 45 (BA), 128/129: 59 (BG), 128/129: 103, 128/129: 112 (RS), 136: 59 (AL), 140: 3, 141/142/143: 165, 141/142/143: 181, 141/142/143: 195, 145/146: 115 (TR), 150/151: 143, 150/151: 233 (HR), 156/157: 13 (DZ), 156/157: 49

Saxicola torquata maura 126: 162 (BG), 141/142/143: 195

Scolopax rusticola 102/103: 249, 102/103: 278, 104/105: 29, 106/107: 115, 108: 171, 110/111: 53, 112: 81, 112: 101, 118: 111, 120: 15 (BG), 120: 35, 122: 174 (BG), 125: 109, 126: 123, 126: 151, 127: 198, 130/131: 139 (RO), 130/131: 160, 132: 23, 135: 175, 136: 39, 138/139: 129, 138/139: 169, 145/146: 131, 147: 181 (MK), 148/149: 1, 148/149: 105 (HR), 150/151: 143, 150/151: 213 (BG), 152/153: 25, 156/157: 13 (DZ), 156/157: 113

Serinus citrinella → *Carduelis citrinella*

Serinus menachensis → *Crithagra menachensis*

Serinus pusillus 123: 236 (TR), 128/129: 113 (TR)

Serinus serinus 100: 107, 102/103: 241, 102/103: 249, 106/107: 115, 109: 219, 119: 154 (HR), 120: 15 (BG), 120: 27, 126: 159 (HR), 133: 86 (HR), 134: 95 (BG), 135: 170 (HR), 138/139: 192 (RS), 141/142/143: 195, 147: 181 (MK), 150/151: 143, 150/151: 233 (HR), 156/157: 13 (DZ), 156/157: 49

Sitta europaea 100: 107, 102/103: 241, 102/103: 249, 106/107: 115, 110/111: 53, 110/111: 57 (HR), 112: 103, 120: 15 (BG), 123: 213, 124: 23 (BG), 130/131: 181 (ME), 134: 95 (BG), 136: 59 (AL), 141/142/143: 195, 150/151: 143, 150/151: 233 (HR), 150/151: 237 (RS), 156/157: 49, 156/157: 130 (RS)

Sitta krueperi 123: 237 (TR)

Sitta neumayer 106/107: 115, 112: 108 (BA), 117: 51 (HR), 122: 139 (TR), 124: 23 (BG), 127: 201 (HR), 130/131: 181 (ME), 136: 59 (AL), 147: 181 (MK), 150/151: 143

Somateria mollissima 106/107: 115, 108: 171, 119: 151, 120: 34, 121: 102 (ME), 128/129: 100, 128/129: 106 (HR), 150/151: 143, 152/153: 25, 152/153: 121

Stercorarius longicaudus 102/103: 265, 106/107: 115, 125: 69, 150/151: 143

Stercorarius longicaudus longicaudus 102/103: 265, 125: 69

Stercorarius parasiticus 102/103: 265, 106/107: 109, 106/107: 115, 108: 178, 119: 155 (ME), 126: 161 (BG), 148/149: 95, 150/151: 143, 156/157: 83, 156/157: 114

Stercorarius pomarinus 102/103: 265, 106/107: 109, 106/107: 115, 150/151: 143

Stercorarius skua 102/103: 265, 106/107: 115, 125: 69, 150/151: 143

Sterna albifrons → *Sternula albifrons*

Sterna bengalensis 106/107: 115, 130/131: 117, 150/151: 143

Sterna caspia → *Hydroprogne caspia*

Sterna hirundo 102/103: 249, 102/103: 279, 104/105: 35 (HR), 104/105: 51, 104/105: 56, 106/107: 115, 106/107: 123, 106/107: 130 (HR), 108: 176, 108: 178, 109: 234, 110/111: 39 (ME), 112: 101, 115: 163, 117: 61, 117: 76, 118: 116 (ME), 119: 149, 120: 5, 122: 111 (ME), 122: 176 (TR), 123: 201, 124: 49, 125: 81 (BG), 125: 115 (RS), 132: 44 (HR), 141/142/143: 55, 141/142/143: 195, 147: 181 (MK), 148/149: 1, 148/149: 103 (HR), 150/151: 143, 152/153: 5, 152/153: 25, 156/157: 43, 156/157: 49

Sterna sandvicensis 102/103: 271, 106/107: 115, 108: 171, 110/111: 35 (HR), 110/111: 43, 125: 99, 126: 123, 130/131: 117, 130/131: 160, 132: 23, 133: 85 (HR), 136: 39, 138/139: 169, 138/139: 181, 144: 63, 145/146: 131, 148/149: 1, 148/149: 67, 150/151: 143, 150/151: 225, 152/153: 25, 152/153: 109, 156/157: 49, 156/157: 79 (ME), 156/157: 93, 156/157: 118

Sternula albifrons 102/103: 249, 104/105: 35 (HR), 106/107: 115, 106/107: 130 (HR), 110/111: 39 (ME), 116: 37 (HR), 120: 5, 121: 98 (RS), 130/131: 117, 132: 44 (HR), 141/142/143: 55, 141/142/143: 195, 144: 67 (HR), 147: 181 (MK), 148/149: 1, 150/151: 143, 156/157: 49, 156/157: 79 (ME), 156/157: 117

Streptopelia decaocto 100: 107, 102/103: 241, 102/103: 249, 106/107: 115, 109: 219, 109: 235, 116: 41 (BG), 120: 15 (BG), 120: 27, 122: 139 (TR), 123: 236 (TR), 124: 52, 128/129: 102, 136: 69, 136: 74 (HR), 141/142/143: 195, 144: 7 (RS), 145/146: 115 (TR), 150/151: 143, 150/151: 233 (HR), 152/153: 133 (BG), 156/157: 13 (DZ), 156/157: 49

Streptopelia roseogrisea 156/157: 13 (DZ)

Streptopelia senegalensis 122: 139 (TR), 150/151: 143, 156/157: 13 (DZ)

Streptopelia turtur 100: 107, 100: 135, 102/103: 249, 104/105: 29, 106/107: 115, 110/111: 53, 110/111: 57 (HR), 115: 202 (MK), 120: 15 (BG), 122: 139 (TR), 124: 23 (BG), 125: 81 (BG), 136: 59 (AL), 137: 114, 140: 42 (HR), 141/142/143: 165, 141/142/143: 181, 141/142/143: 195, 145/146: 115 (TR), 147: 181 (MK), 148/149: 107 (ME), 150/151: 143, 150/151: 233 (HR), 156/157: 13 (DZ), 156/157: 49

Strix aluco 98/99: 35, 98/99: 39, 98/99: 43, 98/99: 47, 98/99: 55, 98/99: 81, 98/99: 87, 98/99: 88, 98/99: 91, 98/99: 92, 98/99: 94, 98/99: 95, 100: 107, 102/103: 241, 102/103: 249, 102/103: 280, 106/107: 115, 106/107: 124, 108: 149 (HR), 108: 155, 110/111: 52, 112: 81, 112: 91, 112: 102, 113/114: 129, 115: 199 (HR), 118: 103, 118: 116 (ME), 119: 150, 120: 15 (BG), 122: 157, 123: 213, 124: 49, 127: 187 (HR), 127: 198, 127: 201 (HR), 128/129: 3 (CN), 128/129: 84, 128/129: 97, 130/131: 139 (RO), 130/131: 147, 134: 95 (BG), 136: 33, 136: 59 (AL), 141/142/143: 195, 144: 67 (HR), 147: 181 (MK), 148/149: 11, 148/149: 97, 150/151: 143, 152/153: 5, 152/153: 129, 154/155: 145, 154/155: 167 (BY), 154/155: 173 (BA), 154/155: 191 (HR), 154/155: 203 (FI), 154/155: 217 (FR), 154/155: 225 (GB), 154/155: 247 (NO), 154/155: 255 (PL), 154/155: 261 (SK), 154/155: 271, 154/155: 277 (SE), 154/155: 285 (EE), 154/155: 301 (LV), 156/157: 13 (DZ), 156/157: 27 (RS), 156/157: 49

Strix aluco nivicola 128/129: 3 (CN)

Strix nebulosa 98/99: 79, 106/107: 115, 148/149: 45, 150/151: 143, 154/155: 145, 154/155: 167 (BY), 154/155: 203 (FI), 154/155: 277 (SE)

Strix uralensis 98/99: 9, 98/99: 39, 98/99: 47, 98/99: 77, 98/99: 79, 98/99: 93, 98/99: 93 (HR), 98/99: 94, 98/99: 95, 98/99: 96, 100: 107, 100: 135, 100: 166, 102/103: 241, 102/103: 249, 104/105:

59, 106/107: 115, 106/107: 124, 108: 155, 108: 167, 108: 178, 110/111: 51, 110/111: 54, 112: 81, 112: 91, 113/114: 129, 113/114: 151, 113/114: 152, 115: 179, 115: 189 (HR), 115: 196, 117: 77, 118: 112, 122: 157, 123: 185, 123: 227, 124: 49, 124: 51, 127: 187 (HR), 127: 198, 128/129: 3 (CN), 128/129: 102, 134: 132, 135: 175, 136: 33, 138/139: 187, 140: 39, 148/149: 1, 148/149: 45, 148/149: 97, 150/151: 143, 154/155: 145, 154/155: 167 (BY), 154/155: 173 (BA), 154/155: 191 (HR), 154/155: 203 (FI), 154/155: 247 (NO), 154/155: 255 (PL), 154/155: 261 (SK), 154/155: 271, 154/155: 277 (SE), 154/155: 301 (LV), 156/157: 27 (RS), 156/157: 49

Strix uralensis davidi 98/99: 9, 128/129: 3 (CN)

Strix uralensis fuscescens 128/129: 3 (CN)

Strix uralensis hondoensis 128/129: 3 (CN)

Strix uralensis japonica 128/129: 3 (CN)

Strix uralensis liturata 98/99: 9, 102/103: 241, 128/129: 3 (CN)

Strix uralensis macroura 98/99: 9, 98/99: 77, 102/103: 241, 104/105: 59, 108: 167, 115: 179, 128/129: 3 (CN)

Strix uralensis nikolskii 128/129: 3 (CN)

Strix uralensis uralensis 98/99: 9, 128/129: 3 (CN)

Strix uralensis yenissensis 128/129: 3 (CN)

Sturnus roseus → *Pastor roseus*

Sturnus unicolor 156/157: 13 (DZ)

Sturnus vulgaris 100: 107, 102/103: 241, 102/103: 249, 104/105: 61, 106/107: 115, 112: 81, 113/114: 152, 119: 127, 120: 15 (BG), 120: 27, 122: 139 (TR), 122: 169 (RS), 123: 195, 123: 213, 123: 218, 124: 23 (BG), 125: 81 (BG), 126: 147 (RS), 128/129: 45 (BA), 128/129: 59 (BG), 128/129: 69 (BA), 130/131: 139 (RO), 132: 43, 135: 170 (HR), 141/142/143: 195, 141/142/143: 199, 144: 7 (RS), 147: 181 (MK), 150/151: 143, 150/151: 233 (HR), 152/153: 5, 156/157: 13 (DZ), 156/157: 49

Surnia ulula 106/107: 115, 150/151: 143, 154/155: 145, 154/155: 173 (BA), 154/155: 203 (FI), 154/155: 261 (SK), 154/155: 277 (SE), 154/155: 285 (EE), 156/157: 83

Sylvia atricapilla 100: 107, 100: 135, 102/103: 241, 102/103: 249, 104/105: 29, 106/107: 115, 109: 219, 120: 5, 120: 15 (BG), 121: 97 (HR), 122: 139 (TR), 123: 213, 123: 218, 124: 23 (BG),

125: 81 (BG), 128/129: 45 (BA), 133: 79, 134: 95 (BG), 135: 170 (HR), 136: 59 (AL), 141/142/143: 165, 141/142/143: 181, 141/142/143: 195, 141/142/143: 199, 144: 7 (RS), 147: 181 (MK), 148/149: 106 (ME), 150/151: 143, 150/151: 233 (HR), 156/157: 13 (DZ), 156/157: 49, 156/157: 131 (ME)

Sylvia borin 100: 107, 102/103: 249, 106/107: 115, 109: 219, 120: 15 (BG), 121: 97 (HR), 123: 213, 128/129: 104, 128/129: 110 (RS), 133: 79, 133: 82, 141/142/143: 195, 141/142/143: 199, 147: 181 (MK), 150/151: 143, 156/157: 13 (DZ), 156/157: 49

Sylvia cantillans 102/103: 241, 102/103: 249, 106/107: 115, 106/107: 127, 110/111: 56 (HR), 119: 155 (HR), 120: 5, 124: 23 (BG), 135: 170 (HR), 136: 59 (AL), 136: 74 (HR), 141/142/143: 195, 145/146: 162, 147: 181 (MK), 148/149: 106 (ME), 150/151: 143, 156/157: 13 (DZ)

Sylvia communis 100: 107, 100: 135, 102/103: 249, 104/105: 29, 106/107: 115, 106/107: 122, 109: 219, 112: 75, 113/114: 150, 117: 78, 117: 80 (HR), 119: 155 (HR), 120: 15 (BG), 122: 139 (TR), 123: 213, 124: 23 (BG), 125: 81 (BG), 125: 105, 128/129: 45 (BA), 128/129: 108 (BA), 135: 170 (HR), 136: 59 (AL), 140: 3, 141/142/143: 165, 141/142/143: 181, 141/142/143: 195, 141/142/143: 199, 144: 7 (RS), 147: 181 (MK), 150/151: 143, 156/157: 13 (DZ), 156/157: 49

Sylvia conspicillata 122: 139 (TR), 156/157: 13 (DZ)

Sylvia crassirostris³ 102/103: 249, 106/107: 115, 106/107: 131 (HR), 108: 185 (MK), 110/111: 58 (MK), 120: 5, 124: 23 (BG), 128/129: 45 (BA), 136: 59 (AL), 147: 181 (MK), 150/151: 143

Sylvia curruca 100: 107, 102/103: 249, 106/107: 115, 106/107: 127, 109: 219, 109: 229, 120: 5, 120: 15 (BG), 123: 213, 124: 23 (BG), 125: 81 (BG), 136: 59 (AL), 141/142/143: 195, 141/142/143: 199, 150/151: 143, 156/157: 49

Sylvia melanocephala 102/103: 249, 106/107: 115, 119: 152 (HR), 119: 155 (HR), 120: 5, 124: 23 (BG), 132: 3, 147: 181 (MK), 150/151: 143, 156/157: 13 (DZ), 156/157: 49

Sylvia nisoria 102/103: 241, 102/103: 249, 106/107: 115, 123: 213, 125: 81 (BG), 128/129: 45 (BA), 136: 23, 141/142/143: 165, 141/142/143: 181, 141/142/143: 195, 141/142/143: 221, 147: 181 (MK), 148/149: 1, 150/151: 143, 156/157: 49

Sylvia undata 132: 3

Syrrhaptes paradoxus 106/107: 115, 150/151: 143

Tachybaptus ruficollis 100: 107, 102/103: 241, 102/103: 249, 102/103: 271, 102/103: 285 (HR), 104/105: 29, 106/107: 115, 108: 171, 108: 176, 108: 178, 110/111: 43, 110/111: 53, 113/114: 149, 113/114: 156 (RS), 115: 200 (MK), 116: 32, 117: 73, 118: 87 (BG), 119: 152 (HR), 120: 15 (BG), 120: 34, 123: 195, 125: 81 (BG), 125: 99, 125: 111 (BA), 126: 123, 126: 151, 126: 157, 128/129: 45 (BA), 128/129: 106 (HR), 128/129: 110 (RS), 130/131: 160, 132: 23, 133: 79, 135: 141, 135: 170 (HR), 136: 39, 136: 59 (AL), 136: 73 (HR), 137: 111, 138/139: 169, 141/142/143: 55, 141/142/143: 181, 141/142/143: 195, 145/146: 131, 147: 181 (MK), 148/149: 67, 150/151: 143, 150/151: 218, 152/153: 25, 152/153: 109, 156/157: 93

Tachycineta bicolor 124: 60

Tachymarptis melba → *Apus melba*

Tadorna ferruginea 106/107: 115, 126: 123, 132: 23, 141/142/143: 55, 141/142/143: 195, 141/142/143: 210, 145/146: 115 (TR), 150/151: 143, 152/153: 25, 156/157: 106

Tadorna tadorna 106/107: 115, 106/107: 123, 108: 171, 108: 181 (HR), 113/114: 155 (RS), 115: 195, 115: 200 (MK), 117: 74, 118: 109, 120: 31, 125: 99, 126: 123, 130/131: 160, 132: 23, 135: 173, 136: 1, 136: 39, 136: 68, 136: 73 (HR), 138/139: 169, 140: 38, 141/142/143: 55, 141/142/143: 195, 145/146: 131, 148/149: 67, 150/151: 143, 152/153: 25, 152/153: 109, 156/157: 93

Tarsiger cyanurus 106/107: 109, 106/107: 115, 150/151: 143

Tchagra senegala 156/157: 13 (DZ)

Tetrao tetrix 102/103: 249, 106/107: 115, 122: 119, 123: 213, 123: 225, 133: 61 (IT), 134: 105, 148/149: 1, 150/151: 143

Tetrao tetrix tetrix 122: 119

Tetrao urogallus 98/99: 94, 102/103: 249, 106/107: 115, 113/114: 115 (AT), 122: 119, 123: 213, 125: 108, 128/129: 73, 132: 43, 133: 77, 134: 95 (BG), 134: 105, 136: 13, 147: 181 (MK), 148/149: 1, 150/151: 143

Tetraogallus caspius 122: 177 (TR)

Tetrastes bonasia 102/103: 241, 102/103: 249, 106/107: 115, 113/114: 115 (AT), 119: 149, 122: 119, 122: 162, 123: 185, 123: 213, 128/129: 73, 134: 105, 134: 131, 137: 113, 148/149: 1, 150/151: 143, 156/157: 108

Tetrax tetrax 106/107: 115, 122: 139 (TR), 145/146: 157, 147: 181 (MK), 150/151: 143

Threskiornis aethiopicus 106/107: 81

Tichodroma muraria 100: 107, 100: 167, 102/103: 241, 102/103: 249, 102/103: 284, 106/107: 115, 106/107: 129, 109: 238, 112: 107 (BA), 116: 35, 118: 113, 120: 5, 122: 177 (TR), 127: 202 (BG), 130/131: 177 (BA), 147: 181 (MK), 148/149: 1, 150/151: 143

Tringa erythropus 102/103: 269, 104/105: 57, 106/107: 115, 110/111: 43, 113/114: 156 (RS), 117: 76, 119: 152 (HR), 120: 39 (HR), 122: 169 (RS), 124: 54 (HR), 125: 99, 125: 113 (RS), 138/139: 169, 138/139: 193 (RS), 141/142/143: 55, 141/142/143: 195, 141/142/143: 218, 145/146: 131, 148/149: 67, 148/149: 94, 150/151: 143, 150/151: 224, 152/153: 25, 152/153: 109

Tringa flavipes 106/107: 115, 150/151: 143

Tringa glareola 102/103: 269, 106/107: 115, 116: 37 (HR), 117: 76, 117: 80 (HR), 120: 5, 120: 15 (BG), 120: 40 (HR), 121: 102 (ME), 122: 169 (RS), 124: 54 (HR), 126: 151, 141/142/143: 49, 141/142/143: 55, 141/142/143: 195, 141/142/143: 218, 145/146: 166 (HR), 148/149: 1, 148/149: 94, 150/151: 143, 150/151: 224, 150/151: 225, 152/153: 25, 156/157: 49, 156/157: 113, 156/157: 128 (RS)

Tringa hypoleucus → *Actitis hypoleucus*

Tringa nebularia 102/103: 269, 102/103: 271, 106/107: 115, 108: 171, 110/111: 43, 116: 37 (HR), 117: 76, 119: 152 (HR), 119: 154 (HR), 120: 39 (HR), 122: 169 (RS), 124: 54 (HR), 125: 99, 126: 123, 126: 151, 128/129: 107 (HR), 130/131: 160, 132: 23, 132: 41, 133: 85 (HR), 134: 133 (HR), 136: 39, 138/139: 169, 141/142/143: 55, 141/142/143: 195, 141/142/143: 218, 145/146: 131, 148/149: 67, 148/149: 94, 150/151: 143, 150/151: 224, 152/153: 25, 152/153: 109, 156/157: 49, 156/157: 93, 156/157: 113

Tringa ochropus 102/103: 249, 102/103: 271, 104/105: 29, 106/107: 115, 108: 171, 110/111: 43, 112: 103 (HR), 113/114: 150, 120: 5, 120: 15 (BG), 122: 139 (TR), 125: 99, 126: 123, 126: 151,

130/131: 160, 132: 23, 136: 39, 138/139: 169, 138/139: 193 (RS), 141/142/143: 55, 141/142/143: 195, 141/142/143: 216, 145/146: 131, 148/149: 67, 148/149: 94, 150/151: 143, 152/153: 25, 152/153: 109, 156/157: 49, 156/157: 93, 156/157: 128 (RS)

Tringa stagnatilis 102/103: 279, 106/107: 115, 117: 76, 120: 39 (HR), 128/129: 110 (RS), 141/142/143: 55, 141/142/143: 195, 141/142/143: 218, 150/151: 143, 150/151: 224, 152/153: 25, 156/157: 127 (HR)

Tringa totanus 102/103: 249, 102/103: 271, 102/103: 282, 106/107: 115, 108: 171, 109: 234, 110/111: 39 (ME), 110/111: 43, 113/114: 150, 113/114: 155 (RS), 113/114: 156 (RS), 115: 163, 116: 33, 117: 76, 117: 81 (RS), 118: 116 (ME), 119: 152 (HR), 120: 5, 121: 106 (RS), 122: 169 (RS), 124: 54 (HR), 125: 81 (BG), 125: 99, 126: 123, 128/129: 45 (BA), 130/131: 160, 132: 23, 136: 39, 138/139: 169, 138/139: 193 (RS), 141/142/143: 55, 141/142/143: 195, 141/142/143: 216, 141/142/143: 218, 144: 62, 145/146: 115 (TR), 145/146: 131, 148/149: 1, 148/149: 67, 148/149: 94, 150/151: 143, 152/153: 25, 152/153: 109, 156/157: 49, 156/157: 93, 156/157: 113, 156/157: 131 (ME)

Troglodytes troglodytes 100: 107, 102/103: 241, 102/103: 249, 106/107: 115, 109: 219, 120: 15 (BG), 123: 213, 124: 57 (RS), 128/129: 59 (BG), 134: 95 (BG), 135: 170 (HR), 141/142/143: 195, 150/151: 143, 156/157: 13 (DZ), 156/157: 49

Turdoides squamiceps 128/129: 84

Turdus iliacus 104/105: 62, 106/107: 115, 109: 237, 141/142/143: 195, 150/151: 143, 156/157: 49, 156/157: 122

Turdus merula 100: 107, 100: 135, 100: 166, 102/103: 241, 102/103: 249, 104/105: 29, 106/107: 115, 109: 219, 112: 81, 120: 15 (BG), 120: 27, 122: 139 (TR), 122: 158, 123: 213, 124: 23 (BG), 124: 52, 125: 81 (BG), 128/129: 45 (BA), 128/129: 59 (BG), 128/129: 84, 130/131: 139 (RO), 135: 170 (HR), 141/142/143: 165, 141/142/143: 195, 144: 7 (RS), 145/146: 115 (TR), 147: 181 (MK), 148/149: 106 (ME), 150/151: 143, 150/151: 233 (HR), 156/157: 13 (DZ), 156/157: 49, 156/157: 131 (ME)

Turdus philomelos 100: 107, 100: 135, 102/103: 241, 102/103: 249, 104/105: 62, 106/107: 115, 109: 219, 110/111: 51, 112: 81, 119: 148, 120: 15

(BG), 122: 158, 123: 213, 125: 81 (BG), 128/129: 59 (BG), 134: 130, 135: 170 (HR), 141/142/143: 165, 141/142/143: 195, 141/142/143: 199, 147: 181 (MK), 150/151: 143, 150/151: 233 (HR), 156/157: 13 (DZ), 156/157: 49, 156/157: 122, 156/157: 131 (ME)

Turdus pilaris 100: 107, 102/103: 249, 102/103: 282, 104/105: 61, 106/107: 115, 112: 100, 116: 34, 120: 15 (BG), 127: 202 (BG), 128/129: 21 (MN), 128/129: 69 (BA), 128/129: 108 (BA), 128/129: 110 (RS), 135: 178 (RS), 138/139: 192 (RS), 141/142/143: 195, 150/151: 143, 150/151: 228, 150/151: 236 (RS), 156/157: 49, 156/157: 122

Turdus torquatus 102/103: 241, 102/103: 249, 104/105: 61, 106/107: 115, 113/114: 151, 125: 110, 128/129: 112 (RS), 134: 95 (BG), 147: 181 (MK), 148/149: 1, 150/151: 143, 156/157: 49

Turdus torquatus alpestris 128/129: 112 (RS)

Turdus viscivorus 100: 107, 100: 135, 102/103: 241, 102/103: 249, 104/105: 59, 106/107: 115, 109: 219, 112: 81, 120: 15 (BG), 124: 23 (BG), 134: 95 (BG), 140: 41, 141/142/143: 195, 147: 181 (MK), 150/151: 143, 156/157: 13 (DZ), 156/157: 49, 156/157: 122

Tyto alba 98/99: 27, 98/99: 31, 98/99: 39, 98/99: 43, 98/99: 47, 98/99: 55, 98/99: 67 (IT), 98/99: 83, 98/99: 84, 98/99: 84 (HR), 102/103: 249, 106/107: 115, 112: 81, 112: 91, 112: 101, 115: 195, 118: 103, 118: 112, 119: 150, 127: 198, 128/129: 59 (BG), 130/131: 178 (RS), 136: 23, 141/142/143: 195, 145/146: 143 (BG), 147: 181 (MK), 150/151: 143, 154/155: 145, 154/155: 173 (BA), 154/155: 217 (FR), 154/155: 225 (GB), 154/155: 239 (IE), 154/155: 261 (SK), 154/155: 271, 154/155: 277 (SE), 154/155: 283 (BE), 154/155: 309 (PT), 156/157: 13 (DZ), 156/157: 49

Tyto alba alba 98/99: 31, 98/99: 84

Tyto alba guttata 98/99: 31, 98/99: 84, 118: 112, 119: 150, 130/131: 178 (RS)

Upupa epops 98/99: 89 (HR), 102/103: 249, 104/105: 47, 106/107: 81, 106/107: 115, 106/107: 131 (HR), 108: 179, 110/111: 55, 110/111: 57 (HR), 110/111: 59 (MK), 112: 99, 115: 202 (MK), 117: 74, 120: 15 (BG), 121: 93, 122: 139 (TR), 122: 153, 123: 213, 124: 23 (BG), 125: 81 (BG), 128/129: 45 (BA), 130/131: 139 (RO), 130/131: 176 (HR), 132: 42, 134: 130, 136: 23, 136: 59 (AL), 137: 105 (IL), 141/142/143: 165, 141/142/143:

195, 145/146: 115 (TR), 147: 181 (MK), 148/149: 1, 150/151: 143, 156/157: 13 (DZ), 156/157: 49

Vanellus gregarius 106/107: 115, 150/151: 143

Vanellus indicus 122: 139 (TR)

Vanellus spinosus 145/146: 115 (TR)

Vanellus vanellus 100: 107, 102/103: 223 (AT), 102/103: 249, 102/103: 271, 102/103: 277, 106/107: 115, 108: 171, 108: 177, 110/111: 43, 112: 75, 112: 81, 112: 100, 113/114: 156 (RS), 116: 29 (HR), 116: 33, 117: 76, 117: 81 (RS), 120: 15 (BG), 122: 169 (RS), 123: 187, 123: 213, 124: 54 (HR), 125: 81 (BG), 125: 99, 125: 114 (RS), 126: 123, 126: 151, 128/129: 45 (BA), 128/129: 101, 128/129: 110 (RS), 130/131: 139 (RO), 130/131: 160, 132: 23, 132: 43, 133: 80, 135: 141, 135: 175, 136: 39, 138/139: 169, 138/139: 193 (RS), 140: 3, 141/142/143: 49, 141/142/143: 55, 141/142/143: 181, 141/142/143: 195, 141/142/143: 209, 141/142/143: 212, 141/142/143: 216, 141/142/143: 218, 145/146: 131, 145/146: 152, 147: 181 (MK), 148/149: 1, 148/149: 67, 148/149: 93, 150/151: 143, 150/151: 224, 150/151: 236 (RS), 152/153: 25, 152/153: 109, 156/157: 49, 156/157: 93

Xema sabini 156/157: 79 (ME)

Xenus cinereus 123: 237 (TR), 124: 59 (BG), 128/129: 92 (BG), 150/151: 143, 150/151: 223, 156/157: 127 (HR), 156/157: 131 (ME)

Zootbera dauma 106/107: 115, 150/151: 143

Opombe / Footnotes:

¹ Vrsta je bila v seznamu ptic Slovenije iz leta 2001 navedena z imenom *Chlamydotis undulata*, kar je po razpadu te na dve vrsti veljavno ime za drugo vrsto (nikoli omenjeno v Acrocephalus). / In the list of birds of Slovenia, the species appears under the name *Chlamydotis undulata*, which is after its split into two separate species now the valid name for another species (never mentioned in Acrocephalus).

² Vrsta je bila v nekaterih prispevkih navedena z imenom *Phoenicopterus ruber*, kar je po razpadu te na tri vrste veljavno ime za drugo vrsto (nikoli omenjeno v Acrocephalus). / In a couple of articles, the species appeared under the name *Phoenicopterus ruber*, which is after its split into three separate species now the valid name for another species (never mentioned in Acrocephalus).

³ Vrsta je bila v nekaterih prispevkih navedena z imenom *Sylvia hortensis*, kar je po razpadu te na dve vrsti veljavno ime za drugo vrsto (nikoli omenjeno v Acrocephalus). / In a couple of articles, the species appeared under the name *Sylvia hortensis*, which is after its split into two separate species now the valid name for another species (never mentioned in Acrocephalus).

Impresum / Impresum

Acrocephalus

glasilo Društva za opazovanje in proučevanje ptic Slovenije
Journal of DOPPS - BirdLife Slovenia

ISSN 0351-2851

Lastnik / Owned by:
Društvo za opazovanje in proučevanje ptic Slovenije (DOPPS - BirdLife Slovenia), p.p. 2990, SI-1001 Ljubljana, Slovenija

Oddaja rokopisov / Manuscript submission:
DOPPS - BirdLife Slovenia, p.p. 2990, SI-1001 Ljubljana, Slovenija
e-mail: luka.bozic@dopps.si

Glavni urednik / Editor-in-Chief:
Luka Božič
e-mail: luka.bozic@dopps.si

Sourednik / Associate Editor:
Dare Šere, e-mail: dare.sere@guest.arnes.si
(Iz ornitološke beležnice / From the ornithological notebook)

Uredniški odbor / Editorial Board:
doc. dr. Damijan Denac (SI)
Janez Gregori (SI)
dr. Bojidar Ivanov (BG)
prof. dr. Franc Janžekovič (SI)
dr. Primož Kmecl (SI)
dr. Jelena Kralj (HR)
prof. dr. Lovrenc Lipej (SI)
dr. Gordan Lukac (HR)
Tomaž Mihelič (SI)
dr. Roger H. Pain (GB)
dr. Nikolai V. Petkov (BG)
prof. dr. Jenő J. Purger (HU)
dr. Peter Sackl (AT)
doc. dr. Peter Skoberne (SI)
dr. Tomi Trilar (SI)
prof. dr. Peter Trontelj (SI)
Marko Tucakov (RS)
doc. dr. Al Vrezec (SI)

Lektor in prevajalec / Language editor and translator:
Henrik Ciglić

Oblikovanje / Design: Jasna Andrič
Prelom / Typesetting: Tadeja Smrtnik, Camera d.o.o.
Tisk / Print: Schwarz d.o.o.
Naklada / Circulation: 1500 izvodov / copies

Izhajanje in naročnina: V letniku izidejo 4 številke. Letna naročnina ustanove je 126,00 EUR, za posameznike 50,00 EUR.

Annual publications and membership subscription (abroad): One volume comprises 4 numbers. Annual subscription is 126,00 EUR for institutions and organisations, and 50,00 EUR for individuals.

Vaš kontakt za naročnino / Your contact for subscription:
DOPPS - Birdlife Slovenia (za Acrocephalus)

p.p. 2990
SI-1001 Ljubljana, Slovenija
tel.: +386 1 4265875, fax: +386 1 4251181
e-mail: dopps@dopps.si

Poslovni račun: SI56 2440 0905 9588 660

International Girobank: Raiffeisen banka
No. SI56 2440 0905 9588 660

Sofinancer / Co-financed by: Javna agencija za knjigo Republike Slovenije / Slovenian Book Agency

Revija je indeksirana / the journal is indexed in:
AGRICOLA, AQUATIC SCIENCES AND FISHERIES ABSTRACTS, BIOSIS PREVIEWS, BOSTAO SPA SERIALS, COBIB, DLIB.SI, ORNITHOLOGICAL WORLDWIDE LITERATURE, ORNITHOLOGISCHE SCHRIFTENSCHAU, RAPTOR INFORMATION SYSTEM, ZOOLOGICAL RECORDS



Published by: VERSITA

© Revija, vsi v njej objavljeni prispevki, tabele, grafikonji in skice so avtorsko zavarovani. Za rabo, ki jo zakon o avtorskih pravicah izrecno ne dopušča, je potrebno soglasje izdajatelja. To velja posebej za razmnoževanje (kopiranje), obdelavo podatkov, prevajanje, shranjevanje na mikrofilme in shranjevanje in obdelavo v elektronskih sistemih. Dovoljeno je kopiranje za osebno rabo v raziskavah in študijah, kritiko in v preglednih delih.

Mnenje avtorjev ni nujno mnenje uredništva.

Partner: BirdLife International
Revijo je omogočil: Grand Hotel Union

Ilustracija na naslovni / Front page:
rakar / Great Reed Warbler *Acrocephalus arundinaceus*
risba / drawing: Jurij Mikuletič

Navodila za avtorje / Instructions for authors

Original work on all fields of ornithology, without any geographical limitation, is published in *Acrocephalus*. However, articles covering the south-eastern European and eastern Mediterranean regions are particularly encouraged. The contributions should not have been submitted for publication elsewhere. Review articles, original articles, points-of-view, specialist and scientific comments (Editorial, Forum), short communications, short notes ('From the ornithological notebook'), diploma abstracts and book reviews (New books) are considered for publication. Contributions can be published in English or Slovene.

Submission procedure:

Articles should be submitted by e-mail to [editor-*acrocephalus*@dopps-drustvo.si]. The editor sends an acknowledgement within a few days and informs the authors of the further editorial procedure. Review articles and original articles are peer-reviewed by two referees, and further reviewed by the editor and editorial board. The editorial procedure can therefore be expected to last at least three months. The authors should modify the paper strictly according to the referees' detailed comments and explain non-accepted comments when returning the manuscript. The editor decides whether the manuscript should be accepted, rejected or additional review is to be made. Points-of-view and short communications are peer-reviewed by one person. Short notes 'From the ornithological notebook' are checked only by the editor, who may consult the members of the editorial board. All papers are edited for correct use of English and Slovene.

General remarks:

In general, Microsoft programmes should be used for preparing manuscripts. They should be formatted in single spacing. Please consult the editor about the use of other software. Files larger than 10 Mbytes should be sent by regular mail on DVD ROM. Send figures as RGB (8 bits per channel) in TIFF or JPG format with at least 300 dpi resolution. For vector graphics, EPS and CDR are the preferred formats. Colour dependent figures (with true colours; e.g. differences in feather colours) should be sent separately by regular mail. Send tables and graphs in XLS format, each table in its worksheet. The associated text should consist of just titles and legends; these should be sent in a separate file. English bird names should follow SVENSSON et al. [SVENSSON, L., MULLARNEY, K., & ZETTERSTROM, D. (2009): Collins Bird Guide. 2nd Edition. – HarperCollins, London.]. Scientific bird names should follow recommendations of British Ornithologists' Union Records Committee [http://www.bou.org.uk/britisht-list]. Slovene bird names should follow JANCAR et al. [JANCAR, T., BRAČKO, F., GROŠELJ, P., MIHELIČ, T., TOME, D., TRILAR, T., & VREZEC, A. (1999): Istrški ptic zahodne Palearktike. – *Acrocephalus* 20 (94/96): 97–162].

Rarities should be accepted by the national rarities' committee, if it exists. Exceptionally, if the committee is not operating for more than six months after submitting the rarity, it can be assessed by editorial board and published.

Format of original articles submitted for publication:

The paper should be headed by the title, names of authors, institution or home addresses as appropriate, and e-mail addresses of all authors.

Abstract and key words should not be longer than 250 words, and should include aims, methods, main results, and conclusions. Do not refer to the main text in abstract, and do not use abbreviations. Key words have to represent the text as much as possible.

Text should follow IMRAD structure (Introduction, Methods, Results, Discussion). The scientific name, in italics, should be given in the title (if appropriate), in the first mention of a species in the abstract and in the first mention in the main text.

References should be cited in alphabetical order, and, for the same author, by chronological order. If the author has published more than one work in a year, a small letter is added to the year (e.g. TOME 1990a). In the text, references are cited as SNOW & PERRINS (1998) or (SNOW & PERRINS 1998) as appropriate. More than two authors are cited as (ZEILER et al. 2002). Abbreviations commonly used for journals may be found at [http://www.ueb.cas.cz/bp/notice-abbrev.

htm]. Citing unpublished data should be avoided as much as possible. Citing articles in preparation, but not yet accepted for publication, is not accepted. If the language of the reference is other than English and the understanding of the title is important, an English translation can be provided in brackets (see example below). References should be in the following style:

journal paper: SACKL, P. (2000): Form and function of aerial courtship displays in Black Storks *Ciconia nigra*. – *Acrocephalus* 21 (102/103): 223–229. Cited as: SACKL (2000).

journal paper, language other than English (optional format): SPIRIDONOV, Z. (1988): [Contribution to the breeding avifauna of Ludogorie]. – *Orn. Inf. Bull.* 23–24: 89–98. (in Bulgarian) Cited as: SPIRIDONOV (1988).

book: HANDRINOS, G. & AKRIOTIS, T. (1997): The Birds of Greece. – Christopher Helm, A & C Black, London. Cited as: HANDRINOS & AKRIOTIS (1997).

chapter in book: DIEDRICH, J., FLADE, M. & LIPPSBERGS, J. (1997): Penduline Tit *Remiz pendulinus*. pp. 656–657 In: HAGEMAUER, W.J.M. & BLAIR, M.J. (eds.): The EBCC Atlas of European Breeding Birds. – T & AD Poyser, London. Cited as: DIEDRICH et al. (1997).

short note: BORDJAN, D. (2005): Sonbre Tit *Parus lugubris*. – *Acrocephalus* 26 (125/126): 147–157. Cited as: BORDJAN (2005).

theses: KUHAR, B. (2005): [Diet of the Tawny Owl *Strix aluco* in Kozjansko Regional Park]. – BSC thesis, University of Maribor. (in Slovene) Cited as KUHAR (2005).

internet sources: BIRD LIFE INTERNATIONAL (2004): Species factsheet: Pygmy Cormorant *Phalacrocorax pygmaeus*. – [www.birdlife.org], 10/5/2010. Cited as BIRD LIFE INTERNATIONAL (2004).

legislation: URADNI LIST RS (2004): Uredba o ekološko pomembnih območjih (no. 48/04). Cited as URADNI LIST RS (2004).

When quoting congress proceedings quote proceedings title, the organization and town.

Tables: Each Table should be headed by an informative title and a brief explanatory legend which should make the general meaning comprehensible without reference to the text. Tables are drawn without vertical lines. In the text, tables must be referred to as 'Table 1'.

Figures: Only photographs that are essential to illustrate the article theme are accepted. Colour photos may exceptionally be published, and are printed at the back of the journal as a colour appendix. Figures must be referred to in the text as 'Figure 1'.

Format of other sections:

Review papers and points-of-view should follow the same rules as original papers. The section names are not so strict and can be adapted as the contents require.

Short communications should also follow the general rules of original papers but the authors are free to determine the structure.

Forum has special rules for publication: An author of the comment is allowed just one comment, to which the author of the original article has the right to reply in the same issue.

Short notes 'From the ornithological notebook': The title is the name of the species. The text should be in a single paragraph. A very short abstract, with two sentences at most, must contain the location with geographical coordinates (UTM, degree, Gauß-Krüger) and date of observation, and should summarize the essence of the note. In the text, references are cited as SNOW & PERRINS (1998) or (SNOW & PERRINS 1998) as appropriate. Short notes must be submitted in separate files, species by species.

Special abbreviations used in text: English: pers. comm., unpubl., own data, in print, in prep.; Slovene: osebno, neobj., lastni podatki, v tisku, v pripravi.

General advice:

Authors are advised to check the latest issues of *Acrocephalus* for style and format when preparing the text. Please check the journal's home page [www.ptice.si] for further instructions and the Slovene text.

Acrocephalus

Originalni članki / Original articles

14I BIBLIOGRAFIJA ACROCEPHALUSA 2000–2013 (L. Božič)
The Bibliography of Acrocephalus for the 2000–2013 period (L. Božič)

22I SEZNAM RECENZENTOV LETNIKA 34 (2013)
The list of manuscript reviewers of Volume 34 (2013)

