

# CONTRIBUTION TO THE FLORA OF MONTENEGRO AND FR YUGOSLAVIA

Sead HADŽIABLAHOVIĆ\*

## Izvešček

Novi vrsti za območje Črne gore in ZR Jugoslavije sta *Baldellia ranunculoides* in *Hydrocotyle vulgaris*. Nova vrsta v flori Črne gore je *Asparagus pseudoscaber*. Nova nahajališča za slabše znane in redke vrste so v flori Črne gore navedena za *Allium oleraceum*, *Spirodela polyrhiza*, *Succisella petteri*, *Polygonum salicifolium*, *Ranunculus ophioglossifolius* in *Lippia nodiflora*. Vse vrste so predstavljene s podatki o njihovi že znani razširjenosti (UTM karta).

## Abstract

New species for the territory of Montenegro and FR Yugoslavia are *Baldellia ranunculoides* and *Hydrocotyle vulgaris*. A species new for the flora of Montenegro is *Asparagus pseudoscaber*. New localities of insufficiently known and rare species for the flora of Montenegro are given for *Allium oleraceum*, *Spirodela polyrhiza*, *Succisella petteri*, *Polygonum salicifolium*, *Ranunculus ophioglossifolius* and *Lippia nodiflora*. All the species are introduced with notes on their distribution in the territory of Montenegro (UTM grid).

**Ključne besede:** flora, Črna gora, ZR Jugoslavija

**Key words:** flora, Montenegro, FR Yugoslavia

## 1. INTRODUCTION

First data on the flora of Montenegro were given in the first half of the 19<sup>th</sup> century (Sieber 1822, Tommasini 1835, Biasoletto 1841, Ebel 1844, Visiani 1842–1852, 1872, 1877, Ascherson 1869, Pantocsek 1874, Pančić 1874, Studniczka 1890, Baldacci 1892, 1894, Adamović 1913).

The most complete data on the flora of Montenegro are given in Hayek's "Prodromus Florae Peninsulae Balcanicae" (1924–1933) and in Rohlena's "Conspectus Florae Montenegrinae" (1942).

By the middle of the 20<sup>th</sup> century up to now, studies of diversity of flora of Montenegro are intensified. Data on these researches are recorded in numerous papers: Aalto & al. (1972), Adams & al. (1972), Birks & Walters (1973), Bjelčić & Mayer (1973), Blečić (1953, 1958), Blečić & Mayer (1981), Blečić & Pulević (1979), Blečić & al. (1965–66/

1968), Bulić (1994), Černjavski & al. (1949), Ehrendorfer & Ančev (1975), Hadžiablahović (2001, 2002), Lakušić, D. (1999), Lakušić, D. & Stevanović (1995), Lakušić (1969, 1971, 1973a-b, 1975, 1980), Lakušić & Pavlović (1973), Markišić (1986, 2001), Martinčić (1990), Mayer (1976, 1981), Mayer & Blečić (1969), Mayer & Pulević (1983), Niketić (1992, 1995–98, 2000), Parolly (1991/1992, 1995), Petrović (2004), Plocek (1998), Podobnik (1986), Pulević (1972, 1973, 1976, 1977a-b, 1981, 1982), Pulević & Bulić (1990), Stešević (2001), Stevanović (1996), Stevanović & Lakušić D. (1990/1991), Stevanović & al. (1991, 1990–91/1993a-b), Šilić (1979, 1991), Šmarda (1968), Tomić-Stanković (1970, 1972), Vuksanović (2004) and Wraber (1982, 1984, 1986, 1988a-b).

The complete review on the floristic and vegetation investigation in Montenegro is given in Pulević (1980, 1985) and Pulević & Bulić (2004).

\* Sead Hadžiablahović, Republic Institution for the Protection of Nature, Vojvode Bećir Bega Osmanagića 16, P. O. Box 2, 81000 Podgorica, Montenegro, Serbia and Montenegro, e-mail: seadh@cg.yu



Figure 1: UTM grid of Montenegro  
 Slika 1: UTM karta Črne Gore

## 2. METHODS

Data presented in this work are mostly based on herbarium material that is collected in wetlands of the area of Lake Skadar (S Montenegro) and literature sources. Herbarium material of this area collected during our investigation is deposited in Republički zavod za zaštitu prirode in Podgorica.

Species distribution is shown on the UTM grid of Montenegro. The nomenclature and taxonomical status of treated species are given according to Tutin & al. (1964–1980, 1993).

Data about geographical distribution for Europe were given according to Tutin & al. (1964–1980, 1993), Jalas & Souminen (1979) and Greuter & al. (1989). Abbreviations of geographical territories are those used in Flora Europaea (Tutin & al. 1964–1980, 1993) and by Hayek (1924–1933).

## 3. RESULTS

### *Alliaceae*

#### *Allium oleraceum* L.

Montenegro, Lake Skadar, Balabani (UTM CM 58); margin of wet meadows, at rest of the wet forest of *Quercion roboris* community with *Fraxinus oxycarpa*; 28. 6. 2000; leg. et det. S. Hadžiablahović.

According to Stearn (1980: 62) this species is widespread in much of Europe, but rare in most of the south.

Rohlena (1942: 431) gives three localities for this species: ‘ad latera m. Maglič(č) distr. Kuči (Leg. Szyszylowicz), ad lacum Riblje jezero (Leg. Pantocsek) et pr. pagum Kovčice sub m. Mali Durmitor (Leg. Pantocsek)’.

### *Alismataceae*

#### *Baldellia ranunculoides* (L.) Parl.

Montenegro, Lake Skadar, Gostilj, at river Gostiljska rijeka (UTM CM 58); in shallow water; 7. 7. 2001; leg. et det. S. Hadžiablahović.

According to Dandy (1980: 2) the area of distribution of this species is S, W & C Europe, northwards to S Norway and eastwards to Lithuania and W Greece.

Hayek (1933: 6) gives presence of the species for Q Cro Da Gr. For the territory of former Yugoslavia this species was known only from Slovenia (Martinčić & al. 1999: 625) and Croatia (Domac 1994: 383).

New species for the territory of Montenegro and FR Yugoslavia!

### *Dipsacaceae*

#### *Succisella petteri* (J. Kerner & Murb.) G. Beck

Montenegro, Lake Skadar, Mataguži (UTM CM 58); wet meadows; 16. 10. 1998; leg. et det. S. Hadžiablahović; Montenegro, Lake Skadar, Zbelj (UTM CM 58); wet meadows; 21. 8. 1999; leg. et det. S. Hadžiablahović; Montenegro, Lake Skadar, Gostilj (UTM CM 58); wet meadows; 11. 9. 2003; leg. et det. S. Hadžiablahović.

The species was described by Kerner & Murbeck (Murbeck 1891: 112) as *Succisa petteri* from the area of Nevesinjsko polje (Bosnia and Herzegovina).

For the Flora Europaea, Cannon (1976: 60) gives the area of distribution of the species – SW Yugoslavia and N Albania.

Blečić & Pulević (1979: 191) reported for the first time occurrence of this species for the flora of Montenegro – wet places of the region Bjelopavlička ravnica and beside the spring of Mareza near Podgorica. Stešević (2001: 43) gave a new locality – Koplje field, meadows.

It is interesting that Černjavski & al. (1949: 78) gave the data on the presence of *Scabiosa hispidula* Boiss. (endemic for Bulgaria) for the wet meadows of Lake Skadar. In our investigation we have not found *S. hispidula* but we have found many specimens of *Succisella petteri*, which suggests that the species was probably erroneously determined by Černjavski & al.

### *Lemnaceae*

#### *Spirodela polyrhiza* (L.) Schleiden

Montenegro, Lake Skadar, Gostilj (UTM CM 58); in water; 30. 7. 2000; leg. et det. S. Hadžiablahović; Montenegro, Podgorica, the mouth of the river Zeta in the river Morača (UTM CN 50); in water; 7. 10. 2004; leg. et det. S. Hadžiablahović.

According to Lawarlée (1980: 237) the area of distribution of this species covers most of Europe, except the extreme north and south.

In the flora of former Yugoslavia this species was known for Slovenia, Croatia, Serbia and Bosnia and Herzegovina.

For the first time Stevanović & al. (1990–91/1993a: 101) reported occurrence of this species in two localities in the area of Mt Durmitor (N Montenegro): Lake Govedje jezero and canyon Nevidio.

**Liliaceae*****Asparagus pseudoscaberr* Grec.**

Montenegro, Lake Skadar, Gostilj (UTM CM 58); at wet forest of *Quercion roboris* community with *Fraxinus oxycarpa* and *Periploca graeca*; 11. 6. 1998; leg. et det. S. Hadžiablahović.

According to Valdés (1980: 73) the area of distribution of this species is ?Bu Ju Rm Rs (W). This species was known also for Poland (Szafer & al. 1924: 142).

Hayek (1933: 6) gives data on distribution of *A. officinalis* in the Balkan Peninsula. In this taxon Hayek (1933: 6) includes var. *pseudoscaberr* (Grec.) A. u G. but he does not give concrete data on the distribution of this varietas.

In the territory of former Yugoslavia the species is known for NE Serbia (Jovanović 1999: 273). Jovanović (1999: 273) gave data about distribution and conservation status of this taxon in Serbia (Cr-Srb B<sub>2c</sub>, conveniently IUCN 1994). According to Jovanović (1999: 274), in the phytogeographical sense, *A. pseudoscaberr* belongs to a West-Pontic floral element, and findings in Serbia represent the southwesternmost localities of the species.

Our finding of *A. pseudoscaberr* is very significant because it would be the southwesternmost point in the area of this species.

Only one specimen was found! It needs further investigation. New species for Montenegro.

**Polygonaceae*****Polygonum salicifolium* Brouss. ex Willd.**

Montenegro, Lake Skadar, Podhum (UTM CM 68); wet places; 16. 9. 1999; leg. et det. S. Hadžiablahović; Montenegro, Lake Skadar, Gostilj (UTM CM 58); wet places; 11. 9. 2003; leg. et det. S. Hadžiablahović.

A first report on the occurrence of *P. salicifolium* in the territory of all former Yugoslavia was given by Pulević (1976: 101 /det. M. Deyl/) – Buljarica near Petrovac.

Hayek (1924: 114) gives presence of this species for Bu A Jon Gr Cr (sub *P. serrulatum* Lag.). In the regional flora which treat the territory of all former Yugoslavia (Adamović 1913, Beck 1906: 148–150, Bornmüller 1928: 102, Domac 1994: 57–59, Martinčić & al. 1999: 178–182, Mayer 1952: 41–42, Micevski 1995: 438–449, Rohlena 1942: 27–28, Slavnić 1972: 54–68, Visiani 1842: 227–230) there are no data about the presence of this species.

This species was omitted in Jalas & Souminen (1979: 22–23, map 405) for the territory of former Yugoslavia. The species is not given for “Ju” by Greuter & al. (1989). Not mentioned for “Ju” by Akeroyd (Tutin & al. 1993).

Our new localities fit into the known distribution area of this species for the territory of all former Yugoslavia.

**Ranunculaceae*****Ranunculus ophioglossifolius* Vill.**

Montenegro, Lake Skadar, Gostilj (UTM CM 58); marshy places; 2. 5. 2001; leg. et det. S. Hadžiablahović.

Data for the presence of this species in Montenegrin territory have been discussed by different authors: Adamović (1913: 3) – Virpazar; Rohlena (1942: 68) – ‘ad rivulum Sušica prope Danilovgrad’ (leg. Pantocsek); Pulević (1973: 82) – Spuž, along brook and Parolly (1995: 66) – bay Buljarica, trench, humid.

**Umbelliferae*****Hydrocotyle vulgaris* L.**

Montenegro, Lake Skadar, Zbelj (UTM CM 58); wet places; 28. 8. 1999; leg. et det. S. Hadžiablahović; Montenegro, Lake Skadar, Podhum (UTM CM 68); wet places; 16. 9. 1999; leg. et det. S. Hadžiablahović.

According to Cannon (1968: 319) *H. vulgaris* is present in W., C. and S. Europe extending to c. 60° N. in Norway and Sweden and to Belarus.

For the territory of former Yugoslavia the species was known only from Slovenia (Martinčić & al. 1999: 334) and Croatia (Domac 1994: 231).

New species for the territory of Montenegro and FR Yugoslavia!

**Verbenaceae*****Lippia nodiflora* (L.) Michx**

Montenegro, Lake Skadar, Podhum (UTM CM 68); wet meadows; 16. 9. 1999; leg. et det. S. Hadžiablahović.

According to Rouy (from Bajić 1963: 209) *L. nodiflora* is widespread in tropical and subtropical areas of S and N America, Europe, Asia, Africa and Australia.

In Europe the species is present in the Mediterranean region (Tutin 1972: 123) and grows on wet, grassy places, usually near the sea.

For the first time for the territory of all former Yugoslavia occurrence of this species was reported by Bajić (1963: 210) – Ulcinj, bank of Port Milena strait in the *Junceto maritimo-acuti* community. Pulević (1976: 100) gave a new finding of this species – sandy places of Velika plaža near Ulcinj (beside the sea).

On locality Podhum – Lake Skadar the species was found in the wet places together with *Paspalum paspalodes*, *Gratiola officinalis*, *Oenanthe aquatica*, *Sagittaria sagittifolia*, *Cyperus fuscus*, *Cyperus flavescens*, *Alisma lanceolatum*, *Eleocharis palustris*, *Eleocharis acicularis*, *Lithrum salicaria*, *Polygonum hidropiper*, *Polygonum mite*, *Polygonum lapathifolium*, *Plantago intermedia*, *Veronica anagallis-aquatica*, *Myosotis scorpioides*, *Centaureum pulchellum*, *Teucrium scordium*, *Mentha aquatica*, *Mentha pulegium* etc.

#### 4. CONCLUSION

During our floristic investigation of wet areas of Lake Skadar (S Montenegro) we have collected abundant herbarium material and have gathered numerous chorological data. A part of these data are here presented.

New species for the territory of Montenegro and FR Yugoslavia are *Baldellia ranunculoides* and *Hydrocotyle vulgaris*.

A species new for the flora of Montenegro is *Asparagus pseudoscaber*. The recordings of *A. pseudoscaber* in the vicinity of Lake Skadar are at the southwesternmost extent of the species distribution area.

Additional (and neglected) data on occurrence of *Polygonum salicifolium* and *Lippia nodiflora* for the former Yugoslavia are also given.

New localities of insufficiently known and rare species for the flora of Montenegro are given for *Succisella petteri*, *Allium oleraceum*, *Spirodela polyrhiza* and *Ranunculus ophioglossifolius*.

#### 5. POVZETEK

##### Prispevek k poznavanju flore Črne Gore in ZR Jugoslavije

Pri proučevanju flore močvirskih predelov Skadarskega jezera (južna Črna Gora) je nabran obsežen herbarijski material in številni horološki podatki. V članku je predstavljen del teh podatkov.

Nove vrste za območje Črne Gore in ZR Jugoslavije sta *Baldellia ranunculoides* in *Hydrocotyle vulgaris*.

Nova vrsta v flori Črne Gore je *Asparagus pseudoscaber*. Nahajališče vrste *A. pseudoscaber* v bližini Skadarskega jezera predstavlja najjužnejšo in najzahodnejšo točko v arealu te vrste.

Podani so novi (in spregledani) podatki o prisotnosti in razširjenosti vrst *Polygonum salicifolium* in *Lippia nodiflora* za bivšo Jugoslavijo.

Navedena so nova nahajališča za manj poznane in redke vrste v Črni Gori: *Allium oleraceum*, *Succisella petteri*, *Spirodela polyrhiza* in *Ranunculus ophioglossifolius*.

#### 6. REFERENCES

- Aalto, M., Hämet-Ahti, L., Rauuhijävi, R., Suominen, J., Taarna K., Uotila, M., Uotila, P. & Vitikainen, O. 1972: Jugoslavian retki 11.– 25. VI. 1971. (Botanical excursion to western Yugoslavia in 11. 25. VI. 1971, including a list of the collected vascular plants). – Helsingin Yliopiston kasvimuseon monisteita 5: 46 pp.
- Adam, P., Birks, H. J. B. & Walters, S. M. 1971: A Contribution to the study of the Flora and Vegetation of the Budva area, Montenegro. – Glas. Rep. Zavoda Zašt. Prir. (Titograd) 4: 41–72.
- Adamović, L. 1913: Građa za floru Kraljevine Crne Gore. Rad JAZU, 195: 1–96.
- Akeroyd, J. R. 1993: *Polygonum* L. – In: Tutin, T. G. & al. (ed.), Flora Europaea, ed. 2, 1: 91–97. Univ. Press, Cambridge.
- Ascherson, P. 1869: Beitrag zur Flora Dalmatien. – Österr. Bot. Zeitschr. 19: 65–71.
- Bajić, D. 1963: Vrsta *L. nodiflora* Rich. nova za floru Jugoslavije. Radovi Polj. Fak. Univ. Sarajevo, 12 (14): 209–211.
- Baldacci, A. 1892: Altre notizie intorno alla flora del Montenegro. I. Il viaggio del 1891. Malpighia 6: (separata: 1–84).
- Baldacci, A. 1894: Contributo alla conoscenza della flora Dalmata, Montenegrina, Albanese, Epirota e Greca. – Nuovo Gior. Bot. Ital. (Firenze) 1(2): 90–103.
- Beck, G. M. 1906: Flora Bosne, Hercegovine i Novopazarskog sandžaka. Glasn. Muz. Bosni Herceg. Sarajevo, 18: 148–150.
- Biasoletto, B. 1841: Relazione del viaggio fatto nella primavera dell'anno 1838 della maesta del ré Federico Augusto di Sassonia nell' Istria, Dalmazia e Montenegro. Trieste.
- Birks, H. J. B. & Walters, S. M. 1973: The Flora and vegetation of Barro jezero, Durmitor, Monte-

- negro. – Glas. Rep. Zavoda Zašt. Prir. (Titograd) 5: 5–23.
- Bjelčić, Ž. & Mayer, E. 1973: Kurze Mitteilung zur Taxonomie des *Gentianella crispata*-Komplex. – Österr. Bot. Zeitschr. (Wien) 122: 353–358.
- Blečić, V. 1953: Prilog poznavanju flore sjeverne Crne Gore. – Glasn. Prir. Muz. Srpske Zem. (Beograd) B(5–6): 21–28.
- Blečić, V. 1958: O nekim karakteristikama flore i vegetacije Crne Gore. – Zašt. Prir. (Beograd) 13: 1–6.
- Blečić, V. & Pulević, V. 1979: Neki novi podaci iz flore Crne Gore. – Glas. Rep. Zavoda Zašt. Prir. – Prirodnj. Muz. (Titograd) 12: 189–193.
- Blečić, V., Tatić, B. & Krasnići, F. 1965–66/1968: Kratak prilog flori Jugoslavije. – Bull. Inst. Bot. Univ. (Beograd) 3(1–4): 227–232.
- Bulić, Z. 1994: Flora i vegetacija kanjona rijeke Cijevne u Crnoj Gori. Magistarski rad, Biološki fakultet, Univerzitet u Beogradu, manuscript.
- Bornmüller, L. 1928: Beitrage zur Flora Mazedoniens 3: 103.
- Cannon, J. F. M. 1968: *Hydrocotyle* L. – In: Tutin, T. G. & al. (ed.), Flora Europaea 2: 319, Univ. Press, Cambridge.
- Černjavski, P., Grebenščikov, O. & Pavlović, Z. 1949: O flori i vegetaciji Skadarskog područja. – Glasn. Prir. Muz. Srpske Zemlje, Beograd (B)1–2: 4–91.
- Dandy, J. E. 1980: *Baldellia* Parl. – In: Tutin, T. G. & al. (ed.), Flora Europaea 5: 2, Univ. Press, Cambridge.
- Domac, R. 1994: Flora Hrvatske. Priručnik za određivanje bilja. Školska knjiga – Zagreb.
- Ebel, W. 1844: Zwölf Tage in Montenegro und ein Blick auf Dalmatien. Königsberg (S. I–IV, 1–176 & I–XXXIX).
- Ehrendorfer, F. & Ančev, M. 1975: *Galium procurrens*, a new diploid relic species of the *G. sylvaticum*-group from the Balkan peninsula. – Plant. Syst. Evol. 124: 1–6.
- Greuter, W., Burdet, H. M. & Long, G. 1989: Med-Checklist 4. – Genève & Berlin.
- Hadžiablahović, S. 2001: *Staezelina uniflosculosa* Sibth. & Sm. – the new Balkan endemic species in the flora of Montenegro. – Prirodni potencijali kopna, kontinentalnih voda i mora Crne Gore i njihova zaštita (Plenarni referati i sažeci), Žabljak: 76.
- Hadžiablahović, S. 2002: *Plantago intermedia* Godr. u flori Crne Gore. – Proceeding of 7<sup>th</sup> Symposium on Flora of Southeastern Serbia and Neighbouring Regions: 19–21.
- Hayek, A. 1924–1933: Prodrromus Florae Peninsulae Balcanicae. 1–3. – Repert. Spec. Nov. Regni Veg. Beih. 30(1–3).
- Jalas, J. & Souminen, J. 1979: Atlas Florae Europaeae. Distribution of vascular plants in Europe 4. *Polygonaceae*. Helsinki.
- Jovanović, S. 1999: *Asparagus pseudoscaber* Grec. – In: Stevanović, V. & al.: Crvena knjiga flore Srbije. Beograd.
- Karaman, V. 1997: Flora istočnog dela Bokokotorskog zaliva. Magistarski rad. Biološki fakultet, Univerzitet u Beogradu, manuscript.
- Lakušić, D. 1999: Ekološka i morfološka diferencijacija uskolisnih vijuka (*Festuca* L. subgen. *Festuca*) na prostoru Durmitora. Doktorska disertacija, Biološki fakultet, Univerzitet u Beogradu, manuscript.
- Lakušić, D. & Stevanović, V. 1995: *Draba bertisceae* (D. sect. *Aizopsis*, Brassicaceae), a new species from Montenegro (Yugoslavia). – Willdenowia, 25: 75–80.
- Lakušić, R. 1969: *Utricularia vulgaris* L., nova karnivorna biljka u flori Crne Gore. – Glas. Rep. Zavoda Zašt. Prir. (Titograd) 2: 85–86.
- Lakušić, R. 1971: Noch eine Art der Gattung *Wulfenia* Jacq. auf dem Prokletija-Gebrige. – Glas. Rep. Zavoda Zašt. Prir. (Titograd) 4: 15–33.
- Lakušić, R. 1973a: *Rumex balcanicus* Rech. fil. – novi tercijerni relik u flori Crne Gore. – Glas. Rep. Zavoda Zašt. Prir. (Titograd) 5: 29–32.
- Lakušić, R. 1973b: Prirodni sistem populacija i vrsta roda *Edraianthus* DC. – God. Biol. Inst. (Sarajevo) Pos. Izd. 26: 5–130.
- Lakušić, R. 1975: *Valeriana brauni-blanqueti* Lakušić spec. nova. – Glas. Rep. Zavoda Zašt. Prir. (Titograd) 8: 101–107.
- Lakušić, R. 1980: Dvadesetpet novih vrsta u flori Crne Gore. – Glas. Rep. Zavoda Zašt. Prir. (Titograd) 13: 15–21.
- Lakušić, R. & Pavlović, D. 1973: Pet novih vrsta u flori Crne Gore. – Glas. Rep. Zavoda Zašt. Prir. (Titograd) 6: 59–61.
- Lawarlée, A. 1980: *Spirodela* Schleiden – In: Tutin, T. G. & al. (ed.), Flora Europaea 5: 273, Univ. Press, Cambridge.
- Markišić, H. 1986: Prilog poznavanju flore Crne Gore. – Glas. Rep. Zavoda Zašt. Prir. (Titograd) 19: 11–14.
- Markišić, H. 2001: O nekim biljnim vrstama okoline Rožaja i sa Prokletija. – Rožajski Zbornik (Rožaje) 10: 323–335.
- Martinčić, A. 1990: Prispevek k poznavanju roda *Alchemilla* L. v. Jugoslaviji. – Biološki Vestnik

- (Ljubljana), 38(3): 23–38.
- Martinčić, A., Wraber, T., Jogan, N., Ravnik, V., Podobnik, A., Turk, B., Vreš, B. 1999: Mala flora Slovenije. Ljubljana.
- Mayer, E. 1952: Seznam praprotnic in cvetnic Slovenskega ozemlja. SAZU, 5(3), Ljubljana.
- Mayer, E. 1976: *Moehringia bavarica* (L.) Gren. in Serbien und Montenegro. – Glas. Rep. Zavoda Zašt. Prir. (Titograd) 9: 51–56.
- Mayer, E. 1981: Beitrag zur Flora von Montenegro. – Glas. Rep. Zavoda Zašt. Prir. (Titograd) 14: 11–22.
- Mayer, E. & Blečić, V. 1969: Zur Taxonomie und Chorologie von *Edraianthus* sectio *Uniflora*. – Phytion (Austria) 13(3–4): 241–247.
- Mayer, E. & Pulević, V. 1983: *Berberidaceae* in Greuter, W. & Raus, T. 1983. Med-Checklist Notulae. – Wildenowia 13: 278.
- Micevski, K. 1995: Flora na Republika Makedonija. – MANU. Skopje, Tom I, sv. 3: 438–449.
- Murbeck, Sv. 1891: Beiträge zur Kenntnis der Flora von Südbosnien und der Hercegovina. – Lunds Universitets Årsskrift, tom XXVII.
- Niketić, M. 1992: A taxonomical-chorological differentiation of species *Aquilegia grata* F. Maly ex Zimmeter and *Aquilegia ottonis* Orph. ex Boiss. (*Ranunculaceae*). – Glasn. Prir. Muz. (Beograd) B(47): 53–67.
- Niketić, M. 1995–1998: *Cerastium* subsection of the genus *Cerastium* L. (*Caryophyllaceae*) on Balkan Peninsula. – Glasn. Prir. Muz. (Beograd) B(49–50): 39–61.
- Niketić, M. 2000: Novi taksoni za floru cvetnica Srbije i susednih područja. – 6. simpozijum o flori Jugoistočne Srbije i susednih područja. (Sokobanja): 32–33.
- Pančić, J. 1875: Elenchus plantarum vascularium quae aestate a. 1873 in Crna Gora legit Dr. J. Pančić. Beograd. III–VII, 1–106.
- Pantocsek, J. 1874: Adnotationes ad floram et faunam Hercegovinae, Crnagorae et Dalmatiae. – Verh. Verein. Naturk. (Presburg), 2: 1–143.
- Parolly, G. 1991/1992: Die Orchideenflora Montenegros. Mitt. Bl. Arbeitskr. Heim. Orch. Baden-Württ. 24(2): 141–391.
- Parolly, G. 1995: Ergänzungen zur flora von Montenegro [Additions to the flora of Montenegro]. – Wildenowia 25: 57–74. Berlin – Dahlem.
- Petrović, D. 2004: Flora planine Sutorman. Magistarski rad, Biološki fakultet, Univerzitet u Beogradu, manuscript.
- Plocek, A. 1998: Three new species of *Alchemilla* in the Balkans. – Candollea 53: 309–320.
- Podobnik, A. 1986: A new species of genus *Aquilegia* L. from the Balkan peninsula. – Biosistematika (Beograd) 12: 15–21.
- Pulević, V. 1972: *Hiacinthella dalmatica* (Baker) Hayek u flori Crne Gore. – Glas. Rep. Zavoda Zašt. Prir. (Titograd) 4: 73–76.
- Pulević, V. 1973: Prilog flori Crne Gore. – Glas. Rep. Zavoda Zašt. Prir. (Titograd) 6: 77–83.
- Pulević, V. 1976: Neke nove i rijetke biljke u flori Crne Gore. – Glas. Rep. Zavoda Zašt. Prir. (Titograd) 9: 99–102.
- Pulević, V. 1977a: Prilog poznavanju taksonomije i horologije *Crocus tommasinianus* Herbert iz (*Iridaceae*). – Poljopr. i Šumarstvo. Titograd, 23: 53–60.
- Pulević, V. 1977b: Prilog taksonomiji i horologiji nekih vrsta roda *Crocus* L. iz Jugoslavije (*C. weldenii*, *C. alexandri* i *C. adamii* sens. lat.). – Glas. Rep. Zavoda Zašt. Prir. (Titograd) 10: 81–99.
- Pulević, V. 1980: Bibliografija o flori i vegetaciji Crne Gore. CANU. Titograd.
- Pulević, V. 1981: O arealima vrsta *Herniaria nigri-montium* Hermann i *Allium phthioticum* Boiss. & Heldr. – Glas. Rep. Zavoda Zašt. Prir. (Titograd) 14: 23–29.
- Pulević, V. 1982: Rod *Romulea* Maratti u flori Crne Gore. – Glas. Rep. Zavoda Zašt. Prir. (Titograd) 15: 85–90.
- Pulević, V. 1985: Dopuna bibliografiji o flori i vegetaciji Crne Gore – Glas. Rep. Zavoda Zašt. Prir. (Titograd) 18: 5–95.
- Pulević, V. & Bulić, Z. 1990: Novosti iz flore Crne Gore. – Bilt. Društ. Ekol. Bosne i Herceg. (Sarajevo) B(5): 85–88.
- Pulević, V. & Bulić, Z. 2004: Bibliografija o flori i vegetaciji Crne Gore (druga dopuna) – Rep. Zavod Zašt. Prir. Podgorica.
- Rohlina, J. 1942: Conspectus Florae Montenegro. Preslia 20–21. Praha.
- Slavnić, Ž. 1972: *Polygonaceae* Lindl. In: Josifović, M. (ed.): Flora SR Srbije 3: 54–90. – SANU. Beograd.
- Stešević, D. 2001: Flora kraških polja u piperskom kraju Crne Gore. Magistarski rad, Biološki fakultet. Univerzitet u Beogradu, manuscript.
- Stevanović, V. 1996: Zvezdasti bobovnik (*Sedum stellatum* L., *Crassulaceae*) – nova vrsta za floru Jugoslavije. – Ekologija (Beograd) 31(2): 79–82.
- Stevanović, V. & Lakušić, D. 1990/91: O rasprostranjenju vrste *Geum reptans* L. (*Rosaceae*) u Jugoslaviji. – Glasn. Prir. Muz. (Beograd) B(46): 39–46.
- Stevanović, V., Niketić, M. & Lakušić, D. 1991:

- Chorological additions to the flora of eastern Yugoslavia. – *Flora Mediterranea* 1: 121–142.
- Stevanović, V., Niketić, M., Jovanović, S., Lakušić, D. & Bulić, Z. 1990–91/1993a: Novi taksoni za vaskularnu floru Durmitora. – *Bull. Inst. Bot. Univ. (Beograd)* 24–25: 97–104.
- Stevanović, V., Niketić, M. & Lakušić, D. 1990–91/1993b: Distribution of the vascular plants in Yugoslavia (Serbia, Montenegro) and Macedonia, I. *Bull. Inst. Bot. Univ. (Beograd)*. 24–25: 33–54.
- Studniczka, C. 1890: Beiträge zur Flora vom Süddalmatien. – *Verh. Zool. – Bot. Ges. (Wien)* 40: 55–84.
- Sieber, F. W. 1822: Neue und seltene Gewächse. *Flora (Regensb.)* 5 (1): 241–248
- Szafer, W., Kulczynski, S. & Pawlowski, B. 1924: *Rosline Polskie*. Lwow-Warszawa.
- Šilić, Č. 1979: Monografija rodova *Satureja* L., *Calamintha* Miller, *Micromeria* Benth, *Acinos* Miller i *Cliniopodium* L. u flori Jugoslavije. – *Zemaljski muzej Bosne i Hercegovine – Posebno izdanje (Sarajevo)*.
- Šilić, Č. 1991: *Scilla lakusicii* sp. nov. – nova vrsta genusa *Scilla* L. i njeni srodnički odnosi sa vrstom *S. litardieri* Breistr. – *Glasn. Zem. Muz. Bosne Herc. (Sarajevo)* 30: 29–41.
- Šmarda, J. 1968: Výsledky biogeografických cest do Jugoslávie v letech 1964–1967. – *Českosl. Akad. Ved Geogr. Ústav. (Brno)*.
- Tomić-Stanković, K. 1970, 1972: *Flora Lovčena I–II*. – *Zborn. Filos. Fak. Priština* 7: 1–39, 8: 1–50.
- Tommasini, M. 1835: *Botanische Wanderungen im Kreise von Cattaro*. – *Flora (Regensb.) – Beiblätter I, II*: 1–59.
- Tutin, T. G. 1972: *Lippia* L. – In: Tutin, T. G. & al. (ed.), *Flora Europaea* 3: 123, Univ. Press, Cambridge.
- Valdés, B. 1980: *Asparagus* L. – In: Tutin, T. G. & al. (ed.), *Flora Europaea* 5: 71–73 Univ. Press, Cambridge.
- Visiani, R. 1842–1852: *Flora dalmatica, I.– III*. Lipsiae.
- Visiani, R. 1872: *Flore dalmaticae supplementum*. *Mem. Ist. Veneto (Venezia)* 16: 1–189.
- Visiani, R. 1877: *Florae dalmaticae supplementum alterum, adjectis plantis in Bosnia, Hercegovina et Montenegro crescentibus, Pars prima*. *Mem. Ist. Veneto (Venezia)* 20: 1–103.
- Vuksanović, S. 2004: *Flora planine Babiji zub*. Magistarski rad. Biološki fakultet, Univerzitet u Beogradu, manuscript.
- Wraber, T. 1982: Die *Euphorbia pancicii* G. Beck Notula. – *Glas. Rep. Zavoda Zašt. Prir. (Titograd)* 15: 77–84.
- Wraber, T. 1984: Das Vorkommen von *Hedysarum hedysaroides* (L.) Schinz & Thellung in Jugoslawien. – *Biol. Vest. (Ljubljana)* 32(2): 57–64.
- Wraber, T. 1986: *Androsace mathildae* – new für die Balkanhalbinsel. – *MANU – Oddel. Biol. Med. Nauki*. 4(1–2): 41–44.
- Wraber, T. 1988a: Zum Vorkommen von *Centranthus longiflorus* Steven auf der Balkanhalbinsel. – *Biol. Vest. (Ljubljana)* 36(3): 93–106.
- Wraber, T. 1988b: The discovery of *Dianthus nitidus* Waldst. & Kit. in Montenegro (Yugoslavia). – *Biol. Vest. (Ljubljana)* 36(4): 95–102.

Recieved 29. 6. 2004

Revision recieved 8. 11. 2004

Accepted 20. 1. 2005